



Swift 4

tutorialspoint

SIMPLY EASY LEARNING

www.tutorialspoint.com



<https://www.facebook.com/tutorialspointindia>



<https://twitter.com/tutorialspoint>

About the Tutorial

Swift 4 is a new programming language developed by Apple Inc for iOS and OS X development. Swift 4 adopts the best of C and Objective-C, without the constraints of C compatibility.

Swift 4 uses the same runtime as the existing Obj-C system on Mac OS and iOS, which enables Swift 4 programs to run on many existing iOS 6 and OS X 10.8 platforms.

Audience

This tutorial is designed for software programmers who would like to learn the basics of Swift 4 programming language from scratch. This tutorial will give you enough understanding on Swift 4 programming language from where you can take yourself to higher levels of expertise.

Prerequisites

Before proceeding with this tutorial, you should have a basic understanding of Computer Programming terminologies and exposure to any programming language.

Execute Swift 4 Online

For most of the examples given in this tutorial, you will find a **Try it** option, so just use this option to execute your Swift 4 programs on the spot and enjoy your learning.

Try the following example using **Try it** option available at the top right corner of the following sample code box:

```
import Cocoa

/* My first program in Swift 4 */
var myString = "Hello, World!"
print(myString)
```

Disclaimer & Copyright

© Copyright 2017 by Tutorials Point (I) Pvt. Ltd.

All the content and graphics published in this e-book are the property of Tutorials Point (I) Pvt. Ltd. The user of this e-book is prohibited to reuse, retain, copy, distribute or republish any contents or a part of contents of this e-book in any manner without written consent of the publisher.

We strive to update the contents of our website and tutorials as timely and as precisely as possible, however, the contents may contain inaccuracies or errors. Tutorials Point (I) Pvt. Ltd. provides no guarantee regarding the accuracy, timeliness or completeness of our website or its contents including this tutorial. If you discover any errors on our website or in this tutorial, please notify us at contact@tutorialspoint.com.

Table of Contents

About the Tutorial.....	i
Audience	i
Prerequisites	i
Execute Swift 4 Online	i
Disclaimer & Copyright.....	i
Table of Contents	ii
1. SWIFT 4 – OVERVIEW	1
2. SWIFT 4 – ENVIRONMENT	2
Try it Option Online.....	2
Local Environment Setup.....	2
3. SWIFT 4 – BASIC SYNTAX	6
Import in Swift 4	6
Tokens in Swift 4	6
Comments.....	7
Semicolons.....	7
Identifiers.....	7
Keywords	8
Whitespaces.....	9
Literals	9
Printing in Swift.....	9
4. SWIFT 4 – DATA TYPES	11
Built-in Data Types	11
Bound Values	12
Type Aliases	12

Type Safety	13
Type Inference	13
5. SWIFT 4 – VARIABLES	15
Variable Declaration	15
Type Annotations	16
Naming Variables	16
Printing Variables	17
6. SWIFT 4 – OPTIONALS	18
Forced Unwrapping	18
Automatic Unwrapping	19
Optional Binding	20
7. SWIFT 4 – TUPLES	21
8. SWIFT 4 – CONSTANTS	22
Constants Declaration	22
Type Annotations	22
Naming Constants	23
Printing Constants	23
9. SWIFT 4 – LITERALS	24
Integer Literals	24
Floating-point Literals	24
String Literals	24
Boolean Literals	25
10. SWIFT 4 – OPERATORS	26
Arithmetic Operators	26
Comparison Operators	27

Logical Operators	27
Bitwise Operators	28
Assignment Operators.....	29
Range Operators	30
Misc Operators.....	31
Operators Precedence.....	31
11. SWIFT 4 – DECISION MAKING	33
if Statement	34
if-else Statement.....	35
if...else if...else Statement.....	36
Nested If Statements.....	38
Switch Statement	39
The ? : Operator	41
12. SWIFT 4 – LOOPS.....	42
for-in Loop	43
Swift 4 – while Loop	44
Swift 4 – repeat-while Loop.....	45
Loop Control Statements.....	47
Swift 4 – continue Statement	47
Swift 4 – break Statement	49
Swift 4 – Fallthrough Statement.....	50
13. SWIFT 4 – STRINGS	53
Create a String.....	53
Empty String.....	53
String Constants	54
String Interpolation	55

String Concatenation.....	55
String Length	56
String Comparison.....	56
String Iterating	56
Unicode Strings	57
String Functions & Operators	57
14. SWIFT 4 – CHARACTERS.....	60
Empty Character Variables	60
Accessing Characters from Strings.....	61
Concatenating Strings with Characters.....	61
15. SWIFT 4 – ARRAYS	62
Creating Arrays	62
Accessing Arrays.....	62
Modifying Arrays.....	63
Iterating Over an Array	64
Adding Two Arrays	65
The count Property	66
The empty Property	66
16. SWIFT 4 – SETS	68
Creating Sets	68
Accessing and modifying Sets.....	68
Iterating over a Set.....	69
Performing Set Operations.....	69
17. SWIFT 4 – DICTIONARIES	70
Creating Dictionary	70

Sequence Based Initialization	70
Filtering	71
Dictionary Grouping	71
Accessing Dictionaries	71
Modifying Dictionaries	72
Remove Key-Value Pairs.....	73
Iterating Over a Dictionary	74
Convert to Arrays	75
The count Property	76
The empty Property	76
18. SWIFT 4 – FUNCTIONS.....	77
Function Definition	77
Calling a Function	78
Parameters and Return Values	78
Functions without Parameters	79
Functions with Return Values.....	79
Functions without Return Values	80
Functions with Optional Return Types	80
Functions Local Vs External Parameter Names	81
External Parameter Names	82
Variadic Parameters.....	82
Constant, Variable, and I/O Parameters.....	83
Function Types & its Usage	84
Using Function Types	85
Function Types as Parameter Types & Return Types	85
Nested Functions	86

19. SWIFT 4 – CLOSURES	87
Expressions in Closures	88
Single Expression Implicit Returns	89
Known Type Closures	90
Declaring Shorthand Argument Names as Closures	90
Closures as Operator Functions	91
Closures as Trailers	91
Capturing Values and Reference Types	92
20. SWIFT 4 – ENUMERATIONS	94
Enumeration Functionality	94
Enumeration with Switch Statement	95
Difference between Associated Values and Raw Values	96
Enum with Associated Values	96
Enum with Raw Values	97
21. SWIFT 4 – STRUCTURES	98
Definition of a Structure	98
Accessing the Structure and its Properties	98
Best Usage Practices of Structures	100
22. SWIFT 4 – CLASSES	102
Class Identity Operators	104
23. SWIFT 4 – PROPERTIES	106
Stored Properties	106
Lazy Stored Property	107
Instance Variables	108
Computed Properties	108

Local and Global Variables	111
Type Properties.....	111
Querying and Setting Properties	112
24. SWIFT 4 – METHODS	113
Instance Methods	113
Local and External Parameter Names.....	114
External Parameter Name with # and _ Symbol	115
Self property in Methods	116
Modifying Value Types from Instance Methods	117
Self Property for Mutating Method	118
Type Methods	118
25. SWIFT 4 – SUBSCRIPTS.....	120
Subscript Declaration Syntax and its Usage	120
Options in Subscript	122
26. SWIFT 4 – INHERITANCE	124
Base Class.....	124
Subclass	125
Overriding	126
Methods Overriding	126
Property Overriding	127
Overriding Property Observers.....	128
Final Property to prevent Overriding.....	129
27. SWIFT 4 – INITIALIZATION	131
Initializer Role for Stored Properties	131
Setting Property Values by Default	132

Parameters Initialization	132
Local & External Parameters	133
Parameters without External Names.....	134
Optional Property Types	135
Modifying Constant Properties During Initialization.....	136
Default Initializers	137
Memberwise Initializers for Structure Types	138
Initializer Delegation for Value Types.....	138
Class Inheritance and Initialization.....	140
Initializer Inheritance and Overriding.....	142
Failable Initializer	143
Failable Initializers for Enumerations	144
Failable Initializers for Classes.....	145
Overriding a Failable Initializer.....	146
The init! Failable Initializer	147
Required Initializers	148
28. SWIFT 4 – DEINITIALIZATION	149
Deinitialization to Deallocate Memory Space.....	149
29. SWIFT 4 – ARC OVERVIEW	151
Functions of ARC	151
ARC Program	151
ARC Strong Reference Cycles Class Instances	152
ARC Weak and Unowned References	153
Strong Reference Cycles for Closures	155
Weak and Unowned References	156

30. SWIFT 4 – OPTIONAL CHAINING	158
Optional Chaining as an Alternative to Forced Unwrapping	158
Defining Model Classes for Optional Chaining & Accessing Properties	160
Calling Methods Through Optional Chaining	162
Accessing Subscripts through Optional Chaining	163
Accessing Subscripts of Optional Type	167
Linking Multiple Levels of Chaining	169
Chaining on Methods with Optional Return Values.....	173
31. SWIFT 4 – TYPE CASTING	175
Defining a Class Hierarchy	175
Type Checking	176
Downcasting	178
Typecasting:Any and Any Object	180
AnyObject	182
32. SWIFT 4 – EXTENSIONS.....	185
Computed Properties	185
Initializers	186
Methods.....	188
Mutating Instance Methods	188
Subscripts.....	189
Nested Types.....	190
33. SWIFT 4 – PROTOCOLS	192
Property and Method Requirements.....	192
Mutating Method Requirements.....	194
Initializer Requirements	195

Class Implementations of Protocol Initializer Requirements	196
Protocols as Types.....	197
Adding Protocol Conformance with an Extension.....	198
Protocol Inheritance.....	199
Class Only Protocols	201
Protocol Composition.....	202
Checking for Protocol Conformance	203
34. SWIFT 4 – GENERICS.....	205
Generic Functions: Type Parameters	205
Extending a Generic Type	207
Type Constraints	208
Associated Types.....	209
Where Clauses	211
35. SWIFT 4 – ACCESS CONTROL	213
Access Control for Function types	213
Access Control for Enumeration types.....	214
Access Control for SubClasses	215
Access Control for Constants, variables, properties and subscripts	215
Getters and Setters	216
Access Control for Initializers and Default Initializers	216
Access Control for Protocols.....	217
Access Control for Extensions.....	218
Access Control for Generics.....	218
Access Control for Type Aliases	219
Swift Encoding and Decoding	222

1. Swift 4 – Overview

Swift 4 is a new programming language developed by Apple Inc for iOS and OS X development. Swift 4 adopts the best of C and Objective-C, without the constraints of C compatibility.

- Swift 4 makes use of safe programming patterns.
- Swift 4 provides modern programming features.
- Swift 4 provides Objective-C like syntax.
- Swift 4 is a fantastic way to write iOS and OS X apps.
- Swift 4 provides seamless access to existing Cocoa frameworks.
- Swift 4 unifies the procedural and object-oriented portions of the language.
- Swift 4 does not need a separate library import to support functionalities like input/output or string handling.

Swift 4 uses the same runtime as the existing Obj-C system on Mac OS and iOS, which enables Swift 4 programs to run on many existing iOS 6 and OS X 10.8 platforms.

Swift 4 comes with playground feature where Swift 4 programmers can write their code and execute it to see the results immediately.

The first public release of Swift was released in 2010. It took **Chris Lattner** almost 14 years to come up with the first official version, and later, it was supported by many other contributors. Swift 4 has been included in Xcode 6 beta.

Swift designers took ideas from various other popular languages such as Objective-C, Rust, Haskell, Ruby, Python, C#, and CLU.

2. Swift 4 – Environment

Try it Option Online

You really do not need to set up your own environment to start learning Swift 4 programming. Reason is very simple, we already have set up Swift 4 environment online, so that you can execute all the available examples online at the same time when you are doing your theory work. This gives you the confidence in what you are reading and in addition to that, you can verify the result with different options. Feel free to modify any example and execute it online.

Try the following example using the **Try it** option available at the top right corner of the following sample code box:

```
import Cocoa

/* My first program in Swift 4 */
var myString = "Hello, World!"

print(myString)
```

For most of the examples given in this tutorial, you will find a **Try it** option, so just make use of it and enjoy your learning.

Local Environment Setup

Swift 4 provides a Playground platform for learning purpose and we are going to setup the same. You need xCode software to start your Swift 4 coding in Playground. Once you are comfortable with the concepts of Swift 4, you can use xCode IDE for iOS/OS X application development.

To start with, we consider you already have an account at Apple Developer website. Once you are logged in, go to the following link:

[Download for Apple Developers](#)

This will list down a number of software available as follows:



The screenshot shows the Apple Developer website interface. At the top, there are navigation links for Technologies, Resources, Programs, Support, and Member Center, along with a search bar. The main heading is 'Downloads for Apple Developers'. Below this, there's a search bar and a list of categories on the left, including Applications (13), Developer Tools (216), iOS (16), OS X (72), OS X Server (0), and Safari (1). The main content area displays a list of downloads with columns for Description and Release Date. The 'Xcode 6.2' entry is highlighted in blue, and its description states: 'This is the complete Xcode developer toolset for Mac, iPhone, and iPad. It includes the Xcode IDE, iOS Simulator, and all required tools and frameworks for building OS X and iOS apps.' A small icon of the Xcode 6.2 .dmg file is also visible next to the description.

Now select xCode and download it by clicking on the given link near to disc image. After downloading the dmg file, you can install it by simply double-clicking on it and following the given instructions. Finally, follow the given instructions and drop xCode icon into the Application folder.




The screenshot shows the Xcode installation window. The window title is 'Xcode'. The main content area features the Xcode logo at the top. Below the logo, there is a diagram illustrating the installation process. On the left, there is an icon of a hammer and a blueprint, labeled 'Xcode'. An arrow points to the right, where there is an icon of a folder labeled 'Applications'. Below the diagram, the text reads: 'Drag to install Xcode in your Applications folder'.

Now you have xCode installed on your machine. Next, open Xcode from the Application folder and proceed after accepting the terms and conditions. If everything is fine, you will get the following screen:



Select **Get started with a playground** option and enter a name for playground and select iOS as platform. Finally, you will get the Playground window as follows:



Following is the code taken from the default Swift 4 Playground Window.

```
import UIKit

var str = "Hello, playground"
```

If you create the same program for OS X program, then it will include **import Cocoa** and the program will look like as follows:

```
import Cocoa

var str = "Hello, playground"
```


When the above program gets loaded, it should display the following result in Playground result area (Right Hand Side).

```
Hello, playground
```

Congratulations, you have your Swift 4 programming environment ready and you can proceed with your learning vehicle "Tutorials Point".

3. Swift 4 – Basic Syntax

We have already seen a piece of Swift 4 program while setting up the environment. Let's start once again with the following **Hello, World!** program created for OS X playground, which includes **import Cocoa** as shown below:

```
import Cocoa

/* My first program in Swift 4 */
var myString = "Hello, World!"

print(myString)
```

If you create the same program for iOS playground, then it will include **import UIKit** and the program will look as follows:

```
import UIKit
var myString = "Hello, World!"
print(myString)
```

When we run the above program using an appropriate playground, we will get the following result.

```
Hello, World!
```

Let us now see the basic structure of a Swift 4 program, so that it will be easy for you to understand the basic building blocks of the Swift 4 programming language.

Import in Swift 4

You can use the **import** statement to import any Objective-C framework (or C library) directly into your Swift 4 program. For example, the above **import cocoa** statement makes all Cocoa libraries, APIs, and runtimes that form the development layer for all of OS X, available in Swift 4.

Cocoa is implemented in Objective-C, which is a superset of C, so it is easy to mix C and even C++ into your Swift 4 applications.

Tokens in Swift 4

A Swift 4 program consists of various tokens and a token is either a keyword, an identifier, a constant, a string literal, or a symbol. For example, the following Swift 4 statement consists of three tokens:

```
print("test!")
The individual tokens are:
```

```
print
(
    "test!"
)
```

Comments

Comments are like helping texts in your Swift 4 program. They are ignored by the compiler. Multi-line comments start with `/*` and terminate with the characters `*/` as shown below:

```
/* My first program in Swift 4 */
```

Multi-line comments can be nested in Swift 4. Following is a valid comment in Swift 4:

```
/* My first program in Swift 4 is Hello, World!
/* Where as second program is Hello, Swift 4! */ */
```

Single-line comments are written using `//` at the beginning of the comment.

```
// My first program in Swift 4
```

Semicolons

Swift 4 does not require you to type a semicolon (`;`) after each statement in your code, though it's optional; and if you use a semicolon, then the compiler does not complain about it.

However, if you are using multiple statements in the same line, then it is required to use a semicolon as a delimiter, otherwise the compiler will raise a syntax error. You can write the above Hello, World! program as follows:

```
import Cocoa
/* My first program in Swift 4 */
var myString = "Hello, World!"; print(myString)
```

Identifiers

A Swift 4 identifier is a name used to identify a variable, function, or any other user-defined item. An identifier starts with an alphabet A to Z or a to z or an underscore `_` followed by zero or more letters, underscores, and digits (0 to 9).

Swift 4 does not allow special characters such as `@`, `$`, and `%` within identifiers. Swift 4 is a **case sensitive** programming language. Thus, *Manpower* and *manpower* are two different identifiers in Swift 4. Here are some examples of acceptable identifiers:

```
Azad      zara      abc      move_name  a_123
```

myname50	_temp	j	a23b9	retVal
----------	-------	---	-------	--------

To use a reserved word as an identifier, you will need to put a backtick (`) before and after it. For example, **class** is not a valid identifier, but ``class`` is valid.

Keywords

The following keywords are reserved in Swift 4. These reserved words may not be used as constants or variables or any other identifier names, unless they're escaped with backticks:

Keywords used in declarations

Class	deinit	Enum	extension
Func	import	Init	internal
Let	operator	private	protocol
public	static	struct	subscript
typealias	var		

Keywords used in statements

break	case	continue	default
do	else	fallthrough	for
if	in	return	switch
where	while		

Keywords used in expressions and types

as	dynamicType	false	is
nil	self	Self	super
true	_COLUMN_	_FILE_	_FUNCTION_
LINE			

Keywords used in particular contexts

associativity	convenience	dynamic	didSet
final	get	infix	inout
lazy	left	mutating	none
nonmutating	optional	override	postfix
precedence	prefix	Protocol	required

right	set	Type	unowned
weak	willSet		

Whitespaces

A line containing only whitespace, possibly with a comment, is known as a blank line, and a Swift 4 compiler totally ignores it.

Whitespace is the term used in Swift 4 to describe blanks, tabs, newline characters, and comments. Whitespaces separate one part of a statement from another and enable the compiler to identify where one element in a statement, such as `int`, ends and the next element begins. Therefore, in the following statement:

```
var age
```

there must be at least one whitespace character (usually a space) between **var** and **age** for the compiler to be able to distinguish them. On the other hand, in the following statement:

```
int fruit = apples + oranges //get the total fruits
```

no whitespace characters are necessary between `fruit` and `=`, or between `=` and `apples`, although you are free to include some for better readability.

Space on both side of a operator should be equal, for eg.

```
int fruit= apples +oranges //is a wrong statement
int fruit = apples + oranges //is a Correct statement
```

Literals

A literal is the source code representation of a value of an integer, floating-point number, or string type. The following are examples of literals:

```
92 // Integer literal
4.24159 // Floating-point literal
"Hello, World!" // String literal
```

Printing in Swift

To print anything in swift we have `` print `` keyword.

`print` has three different properties.

Items – Items to be printed

Separator – separator between items

Terminator – the value with which line should end, let's see a example and syntax of same.

```
print("Items to print", separator: "Value " , Terminator: "Value")
// E.g. of print statement.
print("Value one")
// prints "Value one \n" Adds, \n as terminator and " " as separator by
default.

print("Value one","Value two", separator: " Next Value" , terminator: " End")
//prints "Value one Next Value Value two End"
```

In the above code first print statement adds `\n` , newline Feed as terminator by default, where as in second print statement we've given " End " as terminator, hence it'll print "End " instead of `\n`.

We can give our custom separator and terminators according to our requirement.

4. Swift 4 – Data Types

While doing programming in any programming language, you need to use different types of variables to store information. Variables are nothing but reserved memory locations to store values. This means that when you create a variable, you reserve some space in memory.

You may like to store information of various data types like string, character, wide character, integer, floating point, Boolean, etc. Based on the data type of a variable, the operating system allocates memory and decides what can be stored in the reserved memory.

Built-in Data Types

Swift 4 offers the programmer a rich assortment of built-in as well as user-defined data types. The following types of basic data types are most frequently when declaring variables:

- **Int or UInt** – This is used for whole numbers. More specifically, you can use Int32, Int64 to define 32 or 64 bit signed integer, whereas UInt32 or UInt64 to define 32 or 64 bit unsigned integer variables. For example, 42 and -23.
- **Float** – This is used to represent a 32-bit floating-point number and numbers with smaller decimal points. For example, 3.14159, 0.1, and -273.158.
- **Double** – This is used to represent a 64-bit floating-point number and used when floating-point values must be very large. For example, 3.14159, 0.1, and -273.158.
- **Bool** – This represents a Boolean value which is either true or false.
- **String** – This is an ordered collection of characters. For example, "Hello, World!"
- **Character** – This is a single-character string literal. For example, "C"
- **Optional** – This represents a variable that can hold either a value or no value.
- **Tuples** – This is used to group multiple values in single Compound Value.

We have listed here a few important points related to Integer types:

- On a 32-bit platform, Int is the same size as Int32.
- On a 64-bit platform, Int is the same size as Int64.
- On a 32-bit platform, UInt is the same size as UInt32.
- On a 64-bit platform, UInt is the same size as UInt64.

- Int8, Int16, Int32, Int64 can be used to represent 8 Bit, 16 Bit, 32 Bit, and 64 Bit forms of signed integer.
- UInt8, UInt16, UInt32, and UInt64 can be used to represent 8 Bit, 16 Bit, 32 Bit and 64 Bit forms of unsigned integer.

Bound Values

The following table shows the variable type, how much memory it takes to store the value in memory, and what is the maximum and minimum value which can be stored in such type of variables.

Type	Typical Bit Width	Typical Range
Int8	1byte	-127 to 127
UInt8	1byte	0 to 255
Int32	4bytes	-2147483648 to 2147483647
UInt32	4bytes	0 to 4294967295
Int64	8bytes	-9223372036854775808 to 9223372036854775807
UInt64	8bytes	0 to 18446744073709551615
Float	4bytes	1.2E-38 to 3.4E+38 (~6 digits)
Double	8bytes	2.3E-308 to 1.7E+308 (~15 digits)

Type Aliases

You can create a new name for an existing type using **typealias**. Here is the simple syntax to define a new type using typealias:

```
typealias newname = type
```

For example, the following line instructs the compiler that **Feet** is another name for **Int**:

```
typealias Feet = Int
```

Now, the following declaration is perfectly legal and creates an integer variable called distance:

```
import Cocoa

typealias Feet = Int
var distance: Feet = 100
print(distance)
```

When we run the above program using playground, we get the following result.

100

Type Safety

Swift 4 is a type-safe language which means if a part of your code expects a String, you can't pass it an Int by mistake.

As Swift 4 is type-safe, it performs type-checks when compiling your code and flags any mismatched types as errors.

```
import Cocoa

var varA = 42
varA = "This is hello"
print(varA)
```

When we compile the above program, it produces the following compile time error.

```
Playground execution failed: error: :6:6: error: cannot assign to 'let' value
'varA'
varA = "This is hello"
```

Type Inference

Type inference enables a compiler to deduce the type of a particular expression automatically when it compiles your code, simply by examining the values you provide. Swift 4 uses type inference to work out the appropriate type as follows.

```
import Cocoa

// varA is inferred to be of type Int
var varA = 42
print(varA)

// varB is inferred to be of type Double
var varB = 3.14159
print(varB)

// varC is also inferred to be of type Double
var varC = 3 + 0.14159
print(varC)
```

When we run the above program using playground, we get the following result:

42

3.14159

3.14159

5. Swift 4 – Variables

A variable provides us with named storage that our programs can manipulate. Each variable in Swift 4 has a specific type, which determines the size and layout of the variable's memory; the range of values that can be stored within that memory; and the set of operations that can be applied to the variable.

Swift 4 supports the following basic types of variables:

- **Int or UInt** – This is used for whole numbers. More specifically, you can use `Int32`, `Int64` to define 32 or 64 bit signed integer, whereas `UInt32` or `UInt64` to define 32 or 64 bit unsigned integer variables. For example, 42 and -23.
- **Float** – This is used to represent a 32-bit floating-point number. It is used to hold numbers with smaller decimal points. For example, 3.14159, 0.1, and -273.158.
- **Double** – This is used to represent a 64-bit floating-point number and used when floating-point values must be very large. For example 3.14159, 0.1, and -273.158.
- **Bool** – This represents a Boolean value which is either true or false.
- **String** – This is an ordered collection of characters. For example, "Hello, World!"
- **Character** – This is a single-character string literal. For example, "C"

Swift 4 also allows to define various other types of variables, which we will cover in subsequent chapters, such as **Optional**, **Array**, **Dictionaries**, **Structures**, and **Classes**.

The following section will cover how to declare and use various types of variables in Swift 4 programming.

Variable Declaration

A variable declaration tells the compiler where and how much to create the storage for the variable. Before you use variables, you must declare them using **var** keyword as follows:

```
var variableName = <initial value>
```

The following example shows how to declare a variable in Swift 4:

```
import Cocoa

var varA = 42

print(varA)
```

When we run the above program using playground, we get the following result:

```
42
```

Type Annotations

You can provide a **type annotation** when you declare a variable, to be clear about the kind of values the variable can store. Here is the syntax:

```
var variableName:<data type> = <optional initial value>
```

The following example shows how to declare a variable in Swift 4 using Annotation. Here it is important to note that if we are not using type annotation, then it becomes mandatory to provide an initial value for the variable, otherwise we can just declare our variable using type annotation.

```
import Cocoa

var varA = 42
print(varA)

var varB:Float

varB = 3.14159
print(varB)
```

When we run the above program using playground, we get the following result:

```
42
3.1415901184082
```

Naming Variables

The name of a variable can be composed of letters, digits, and the underscore character. It must begin with either a letter or an underscore. Upper and lowercase letters are distinct because Swift 4 is a case-sensitive programming language.

You can use simple or Unicode characters to name your variables. The following examples shows how you can name the variables:

```
import Cocoa

var _var = "Hello, Swift 4!"
print(_var)

var 你好 = "你好世界"
print(你好)
```

When we run the above program using playground, we get the following result.

```
Hello, Swift 4!  
你好世界
```

Printing Variables

You can print the current value of a constant or variable with the **print** function. You can interpolate a variable value by wrapping the name in parentheses and escape it with a backslash before the opening parenthesis: Following are valid examples:

```
import Cocoa  
  
var varA = "Godzilla"  
var varB = 1000.00  
  
print("Value of \ \(varA) is more than \ \(varB) millions")
```

When we run the above program using playground, we get the following result.

```
Value of Godzilla is more than 1000.0 millions
```

6. Swift 4 – Optionals

Swift 4 also introduces **Optionals** type, which handles the absence of a value. Optionals say either "there is a value, and it equals x" or "there isn't a value at all".

An Optional is a type on its own, actually one of Swift 4's new super-powered enums. It has two possible values, **None** and **Some(T)**, where **T** is an associated value of the correct data type available in Swift 4.

Here's an optional Integer declaration:

```
var perhapsInt: Int?
```

Here's an optional String declaration:

```
var perhapsStr: String?
```

The above declaration is equivalent to explicitly initializing it to **nil** which means no value:

```
var perhapsStr: String? = nil
```

Let's take the following example to understand how optionals work in Swift 4:

```
import Cocoa

var myString:String? = nil

if myString != nil {
    print(myString)
}else{
    print("myString has nil value")
}
```

When we run the above program using playground, we get the following result:

```
myString has nil value
```

Optionals are similar to using **nil** with pointers in Objective-C, but they work for any type, not just classes.

Forced Unwrapping

If you defined a variable as **optional**, then to get the value from this variable, you will have to **unwrap** it. This just means putting an exclamation mark at the end of the variable.

Let's take a simple example:

```
import Cocoa

var myString:String?

myString = "Hello, Swift 4!"

if myString != nil {
    print(myString)
}else{
    print("myString has nil value")
}
```

When we run the above program using playground, we get the following result:

```
Optional("Hello, Swift 4!")
```

Now let's apply unwrapping to get the correct value of the variable:

```
import Cocoa

var myString:String?

myString = "Hello, Swift 4!"

if myString != nil {
    print( myString! )
}else{
    print("myString has nil value")
}
```

When we run the above program using playground, we get the following result.

```
Hello, Swift 4!
```

Automatic Unwrapping

You can declare optional variables using exclamation mark instead of a question mark. Such optional variables will unwrap automatically and you do not need to use any further exclamation mark at the end of the variable to get the assigned value. Let's take a simple example:

```
import Cocoa

var myString:String!
myString = "Hello, Swift 4!"

if myString != nil {
    print(myString)
}else{
    print("myString has nil value")
}
```

When we run the above program using playground, we get the following result:

```
Hello, Swift 4!
```

Optional Binding

Use optional binding to find out whether an optional contains a value, and if so, to make that value available as a temporary constant or variable.

An optional binding for the **if** statement is as follows:

```
if let constantName = someOptional {
    statements
}
```

Let's take a simple example to understand the usage of optional binding:

```
import Cocoa

var myString:String?
myString = "Hello, Swift 4!"

if let yourString = myString {
    print("Your string has - \(yourString)")
}else{
    print("Your string does not have a value")
}
```

When we run the above program using playground, we get the following result:

```
Your string has - Hello, Swift 4!
```


7. Swift 4 – Tuples

Swift 4 also introduces **Tuples** type, which are used to group multiple values in a single compound Value.

The values in a tuple can be of any type, and do not need to be of same type.

For example, ("Tutorials Point", 123) is a tuple with two values, one of string Type, and other is integer type. It is a legal command.

let ImplementationError = (501, "Not implemented") is an error when something on the server is not implemented, It returns two values. Error Code, and Description.

You can create tuples from as many values as you want and from any number of different data types.

Here's the syntax of Tuple declaration:

```
var TupleName = (Value1, value2,... any number of values)
```

Here's a Tuple declaration:

```
var error501 = (501, "Not implemented")
```

You can access the values of tuple using the index numbers that start from 0.

Here's an example of accessing tuple Values:

```
print("The code is\(error501.0)")  
print("The definition of error is\(error501.1)")
```

You can name the variables of a tuple while declaring , and you can call them using their names :

```
var error501 = (errorCode: 501, description: "Not Implemented")  
print(error501.errorCode) // prints 501.
```

Tuples are helpful in returning multiple values from a function. Like, a web application might return a tuple of type ("String", Int) to show whether the loading was successful or failed.

By returning different values in a tuple we can make decisions depending on different tuple types.

Note : Tuples are useful for temporary values and are not suited for complex data.

8. Swift 4 – Constants

Constants refer to fixed values that a program may not alter during its execution. Constants can be of any of the basic data types like *an integer constant, a floating constant, a character constant, or a string literal*. There are *enumeration constants* as well.

Constants are treated just like regular variables except the fact that their values cannot be modified after their definition.

Constants Declaration

Before you use constants, you must declare them using **let** keyword as follows:

```
let constantName = <initial value>
```

Following is a simple example to show how to declare a constant in Swift 4:

```
import Cocoa

let constA = 42
print(constA)
```

When we run the above program using playground, we get the following result:

```
42
```

Type Annotations

You can provide a **type annotation** when you declare a constant, to be clear about the kind of values the constant can store. Following is the syntax:

```
var constantName:<data type> = <optional initial value>
```

The following example shows how to declare a constant in Swift 4 using Annotation. Here it is important to note that it is mandatory to provide an initial value while creating a constant:

```
import Cocoa

let constA = 42
print(constA)

let constB:Float = 3.14159
print(constB)
```

When we run the above program using playground, we get the following result.

```
42
3.1415901184082
```

Naming Constants

The name of a constant can be composed of letters, digits, and the underscore character. It must begin with either a letter or an underscore. Upper and lowercase letters are distinct because Swift 4 is a case-sensitive programming language.

You can use simple or Unicode characters to name your variables. Following are valid examples:

```
import Cocoa

let _const = "Hello, Swift 4!"
print(_const)

let 你好 = "你好世界"
print(你好)
```

When we run the above program using playground, we get the following result:

```
Hello, Swift 4!
你好世界
```

Printing Constants

You can print the current value of a constant or variable using **print** function. You can interpolate a variable value by wrapping the name in parentheses and escape it with a backslash before the opening parenthesis: Following are valid examples:

```
import Cocoa

let constA = "Godzilla"
let constB = 1000.00

print("Value of \(constA) is more than \(constB) millions")
```

When we run the above program using playground, we get the following result:

```
Value of Godzilla is more than 1000.0 millions
```

9. Swift 4 – Literals

A literal is the source code representation of a value of an integer, floating-point number, or string type. The following are examples of literals:

```
42           // Integer literal
3.14159      // Floating-point literal
"Hello, world!" // String literal
```

Integer Literals

An integer literal can be a decimal, binary, octal, or hexadecimal constant. Binary literals begin with 0b, octal literals begin with 0o, and hexadecimal literals begin with 0x and nothing for decimal.

Here are some examples of integer literals:

```
let decimalInteger = 17           // 17 in decimal notation
let binaryInteger  = 0b10001      // 17 in binary notation
let octalInteger   = 0o21         // 17 in octal notation
let hexadecimalInteger = 0x11     // 17 in hexadecimal notation
```

Floating-point Literals

A floating-point literal has an integer part, a decimal point, a fractional part, and an exponent part. You can represent floating point literals either in decimal form or hexadecimal form.

Decimal floating-point literals consist of a sequence of decimal digits followed by either a decimal fraction, a decimal exponent, or both.

Hexadecimal floating-point literals consist of a 0x prefix, followed by an optional hexadecimal fraction, followed by a hexadecimal exponent.

Here are some examples of floating-point literals:

```
let decimalDouble = 12.1875
let exponentDouble = 1.21875e1
let hexadecimalDouble = 0xC.3p0
```

String Literals

A string literal is a sequence of characters surrounded by double quotes, with the following form:

```
"characters"
```

String literals cannot contain an unescaped double quote ("), an unescaped backslash (\), a carriage return, or a line feed. Special characters can be included in string literals using the following escape sequences:

Escape sequence	Meaning
\0	Null Character
\\	\character
\b	Backspace
\f	Form feed
\n	Newline
\r	Carriage return
\t	Horizontal tab
\v	Vertical tab
\'	Single Quote
\"	Double Quote
\000	Octal number of one to three digits
\xhh...	Hexadecimal number of one or more digits

The following example shows how to use a few string literals:

```
import Cocoa

let stringL = "Hello\tWorld\n\nHello\'Swift 4\'"
print(stringL)
```

When we run the above program using playground, we get the following result:

```
HelloWorld

Hello'Swift 4'
```

Boolean Literals

There are three Boolean literals and they are part of standard Swift 4 keywords:

- A value of **true** representing true.
- A value of **false** representing false.
- A value of **nil** representing no value.

10. Swift 4 – Operators

An operator is a symbol that tells the compiler to perform specific mathematical or logical manipulations. Objective-C is rich in built-in operators and provides the following types of operators:

- Arithmetic Operators
- Comparison Operators
- Logical Operators
- Bitwise Operators
- Assignment Operators
- Range Operators
- Misc Operators

This tutorial will explain the arithmetic, relational, logical, bitwise, assignment and other operators one by one.

Arithmetic Operators

The following table shows all the arithmetic operators supported by Swift 4 language. Assume variable **A** holds 10 and variable **B** holds 20, then:

Operator	Description	Example
+	Adds two operands	$A + B$ will give 30
-	Subtracts second operand from the first	$A - B$ will give -10
*	Multiplies both operands	$A * B$ will give 200
/	Divides numerator by denominator	B / A will give 2
%	Modulus Operator and remainder of after an integer/float division	$B \% A$ will give 0
++	Increment operator increases integer value by one	$A++$ will give 11
--	Decrement operator decreases integer value by one	$A--$ will give 9

Comparison Operators

The following table shows all the relational operators supported by Swift 4 language. Assume variable **A** holds 10 and variable **B** holds 20, then:

Operator	Description	Example
==	Checks if the values of two operands are equal or not; if yes, then the condition becomes true.	(A == B) is not true.
!=	Checks if the values of two operands are equal or not; if values are not equal, then the condition becomes true.	(A != B) is true.
>	Checks if the value of left operand is greater than the value of right operand; if yes, then the condition becomes true.	(A > B) is not true.
<	Checks if the value of left operand is less than the value of right operand; if yes, then the condition becomes true.	(A < B) is true.
>=	Checks if the value of left operand is greater than or equal to the value of right operand; if yes, then the condition becomes true.	(A >= B) is not true.
<=	Checks if the value of left operand is less than or equal to the value of right operand; if yes, then the condition becomes true.	(A <= B) is true.

Logical Operators

The following table shows all the logical operators supported by Swift 4 language. Assume variable **A** holds 1 and variable **B** holds 0, then:

Operator	Description	Example
&&	Called Logical AND operator. If both the operands are non-zero, then the condition becomes true.	(A && B) is false.
	Called Logical OR Operator. If any of the two operands is non-zero, then the condition becomes true.	(A B) is true.

!	Called Logical NOT Operator. Use to reverses the logical state of its operand. If a condition is true, then the Logical NOT operator will make it false.	!(A && B) is true.
---	--	--------------------

Bitwise Operators

Bitwise operators work on bits and perform bit by bit operation. The truth tables for &, |, and ^ are as follows:

p	q	p & q	p q	p ^ q
0	0	0	0	0
0	1	0	1	1
1	1	1	1	0
1	0	0	1	1

Assume A = 60; and B = 13;

In binary format, they will be as follows:

A = 0011 1100

B = 0000 1101

A & B = 0000 1100

A | B = 0011 1101

A ^ B = 0011 0001

~A = 1100 0011

Bitwise operators supported by Swift 4 language are listed in the following table. Assume variable **A** holds 60 and variable **B** holds 13, then:

Operator	Description	Example
&	Binary AND Operator copies a bit to the result, if it exists in both operands.	(A & B) will give 12, which is 0000 1100
	Binary OR Operator copies a bit, if it exists in either operand.	(A B) will give 61, which is 0011 1101
^	Binary XOR Operator copies the bit, if it is set in one operand but not both.	(A ^ B) will give 49, which is 0011 0001
~	Binary Ones Complement Operator is unary and has the effect of 'flipping' bits.	(~A) will give -61, which is 1100 0011 in 2's complement form.
<<	Binary Left Shift Operator. The left operands value is moved left by the number of bits specified by the right operand.	A << 2 will give 240, which is 1111 0000
>>	Binary Right Shift Operator. The left operands value is moved right by the number of bits specified by the right operand.	A >> 2 will give 15, which is 0000 1111

Assignment Operators

Swift 4 supports the following assignment operators:

Operator	Description	Example
=	Simple assignment operator, Assigns values from right side operands to left side operand	C = A + B will assign value of A + B into C
+=	Add AND assignment operator, It adds right operand to the left operand and assigns the result to left operand	C += A is equivalent to C = C + A
-=	Subtract AND assignment operator, It subtracts right operand from the left operand and assigns the result to left operand	C -= A is equivalent to C = C - A
*=	Multiply AND assignment operator, It multiplies right operand with the left operand and assigns the result to left operand	C *= A is equivalent to C = C * A

/=	Divide AND assignment operator, It divides left operand with the right operand and assigns the result to left operand	$C /= A$ is equivalent to $C = C / A$
%=	Modulus AND assignment operator, It takes modulus using two operands and assigns the result to left operand	$C %= A$ is equivalent to $C = C \% A$
<<=	Left shift AND assignment operator	$C <<= 2$ is same as $C = C << 2$
>>=	Right shift AND assignment operator	$C >>= 2$ is same as $C = C >> 2$
&=	Bitwise AND assignment operator	$C \&= 2$ is same as $C = C \& 2$
^=	bitwise exclusive OR and assignment operator	$C \wedge= 2$ is same as $C = C \wedge 2$
=	bitwise inclusive OR and assignment operator	$C = 2$ is same as $C = C 2$

Range Operators

Swift 4 includes two range operators, which are shortcuts for expressing a range of values. The following table explains these two operators.

Operator	Description	Example
Closed Range	(a...b) defines a range that runs from a to b, and includes the values a and b.	1...5 gives 1, 2, 3, 4 and 5
Half-Open Range	(a..) defines a range that runs from a to b, but does not include b.	1.. 5 gives 1, 2, 3, and 4
One- sided Range	a... , defines a range that runs from a to end of elements ...a , defines a range starting from start to a	1... gives 1 , 2,3... end of elements ...2 gives beginning... to 1,2

Misc Operators

Swift 4 supports a few other important operators including **range** and **?** : which are explained in the following table.

Operator	Description	Example
Unary Minus	The sign of a numeric value can be toggled using a prefixed -	-3 or -4
Unary Plus	Returns the value it operates on, without any change.	+6 gives 6
Ternary Conditional	Condition ? X : Y	If Condition is true ? Then value X : Otherwise value Y

Operators Precedence

Operator precedence determines the grouping of terms in an expression. This affects how an expression is evaluated. Certain operators have higher precedence than others; for example, the multiplication operator has higher precedence than the addition operator.

For example, $x = 7 + 3 * 2$; here, x is assigned 13, not 20 because operator $*$ has higher precedence than $+$, so it first gets multiplied with $3*2$ and then adds into 7.

Here, operators with the highest precedence appear at the top of the table, those with the lowest appear at the bottom. Within an expression, higher precedence operators will be evaluated first.


Operator Type	Operator	Associativity
Primary Expression Operators	() [] . expr++ expr--	left-to-right
Unary Operators	* & + - ! ~ ++expr --expr * / % + - >> << < > <= >= == !=	right-to-left
Binary Operators	& ^ &&	left-to-right

Ternary Operator	?:	right-to-left
Assignment Operators	= += -= *= /= %= >>= <<= &= ^= =	right-to-left
Comma	,	left-to-right

11. Swift 4 – Decision Making

Decision making structures require that the programmer specifies one or more conditions to be evaluated or tested by the program, along with a statement or statements to be executed if the condition is determined to be **true**, and optionally, other statements to be executed if the condition is determined to be **false**.

Following is the general form of a typical decision making structure found in most of the programming languages:



Swift 4 provides the following types of decision making statements. Click the following links to check their detail.

Statement	Description
<u>if statement</u>	An if statement consists of a Boolean expression followed by one or more statements.
<u>if...else statement</u>	An if statement can be followed by an optional else statement, which executes when the Boolean expression is false.
<u>if...else if...else Statement</u>	An if statement can be followed by an optional else if...else statement, which is very useful to test various conditions using single if...else if statement.

<u>nested if statements</u>	You can use one if or else if statement inside another if or else if statement(s).
<u>switch statement</u>	A switch statement allows a variable to be tested for equality against a list of values.

if Statement

An **if** statement consists of a Boolean expression followed by one or more statements.


Syntax

The syntax of an **if** statement in Swift 4 is as follows:

```
if boolean_expression {
    /* statement(s) will execute if the boolean expression is true */
}
```

If the Boolean expression evaluates to **true**, then the block of code inside the **if** statement will be executed. If Boolean expression evaluates to **false**, then the first set of code after the end of the if statement (after the closing curly brace) will be executed.

Flow Diagram



Example

```
import Cocoa

var varA:Int = 10;

/* Check the boolean condition using if statement */
if varA < 20 {
    /* If condition is true then print the following */
    print("varA is less than 20");
}
print("Value of variable varA is \(varA)");
```

When we run the above program using playground, we get the following result.

```
varA is less than 20
Value of variable varA is 10
```

if-else Statement

An **if** statement can be followed by an optional **else** statement, which executes when the Boolean expression is false.


Syntax

The syntax of an **if...else** statement in Swift 4 is as follows:

```
if boolean_expression {
    /* statement(s) will execute if the boolean expression is true */
} else {
    /* statement(s) will execute if the boolean expression is false */
}
```

If the Boolean expression evaluates to **true**, then the **if block** of code will be executed, otherwise **else block** of code will be executed.

Flow Diagram



Example

```

var varA:Int = 100;

/* Check the boolean condition using if statement */
if varA < 20 {
    /* If condition is true then print the following */
    print("varA is less than 20");
} else {
    /* If condition is false then print the following */
    print("varA is not less than 20");
}
print("Value of variable varA is \(varA)");
  
```

When the above code is compiled and executed, it produces the following result:

```

varA is not less than 20
Value of variable varA is 100
  
```

if...else if...else Statement

An **if** statement can be followed by an optional **else if...else** statement, which is very useful to test various conditions using single if...else if statement.

When using **if**, **else if**, **else** statements, there are a few points to keep in mind.

- An **if** can have zero or one **else**'s and it must come after any **else if**'s.
- An **if** can have zero to many **else if**'s and they must come before the **else**.
- Once an **else if** succeeds, none of the remaining **else if**'s or **else**'s will be tested.

Syntax

The syntax of an **if...else if...else** statement in Swift 4 is as follows:

```
if boolean_expression_1 {
    /* Executes when the boolean expression 1 is true */
} else if boolean_expression_2 {
    /* Executes when the boolean expression 2 is true */
} else if boolean_expression_3 {
    /* Executes when the boolean expression 3 is true */
} else {
    /* Executes when the none of the above condition is true */
}
```

Example

```
import Cocoa

var varA:Int = 100;

/* Check the boolean condition using if statement */
if varA == 20 {
    /* If condition is true then print the following */
    print("varA is equal to than 20");
} else if varA == 50 {
    /* If condition is true then print the following */
    print("varA is equal to than 50");
} else {
    /* If condition is false then print the following */
    print("None of the values is matching");
}
print("Value of variable varA is \(varA)");
```

When the above code is compiled and executed, it produces the following result:

```
None of the values is matching
Value of variable varA is 100
```

Nested If Statements

It is always legal in Swift 4 to nest **if-else** statements, which means you can use one **if** or **else if** statement inside another **if** or **else if** statement(s).

Syntax

The syntax for a **nested if** statement is as follows:

```
if boolean_expression_1 {
    /* Executes when the boolean expression 1 is true */
    if boolean_expression_2 {
        /* Executes when the boolean expression 2 is true */
    }
}
```

You can nest **else if...else** in the similar way as you have nested *if* statement.

Example

```
import Cocoa

var varA:Int = 100;
var varB:Int = 200;

/* Check the boolean condition using if statement */
if varA == 100 {
    /* If condition is true then print the following */
    print("First condition is satisfied");

    if varB == 200 {
        /* If condition is true then print the following */
        print("Second condition is also satisfied");
    }
}

print("Value of variable varA is \(varA)");
print("Value of variable varB is \(varB)");
```

When the above code is compiled and executed, it produces the following result:

```
First condition is satisfied
Second condition is also satisfied
Value of variable varA is 100
Value of variable varB is 200
```

Switch Statement

A switch statement in Swift 4 completes its execution as soon as the first matching case is completed instead of falling through the bottom of subsequent cases like it happens in C and C++ programming languages. Following is a generic syntax of switch statement in C and C++:

```
switch(expression){
    case constant-expression :
        statement(s);
        break; /* optional */
    case constant-expression :
        statement(s);
        break; /* optional */

    /* you can have any number of case statements */
    default : /* Optional */
        statement(s);
}
```

Here we need to use **break** statement to come out of a case statement otherwise execution control will fall through the subsequent **case** statements available below to matching case statement.

Syntax

Following is a generic syntax of switch statement available in Swift 4:

```
switch expression {
    case expression1 :
        statement(s)
        fallthrough /* optional */
    case expression2, expression3 :
        statement(s)
        fallthrough /* optional */
```

```

    default : /* Optional */
        statement(s);
}

```

If we do not use **fallthrough** statement, then the program will come out of **switch** statement after executing the matching case statement. We will take the following two examples to make its functionality clear.

Example 1

Following is an example of switch statement in Swift 4 programming without using fallthrough:

```

import Cocoa

var index = 10

switch index {
    case 100 :
        print( "Value of index is 100")
    case 10,15 :
        print( "Value of index is either 10 or 15")
    case 5 :
        print( "Value of index is 5")
    default :
        print( "default case")
}

```

When the above code is compiled and executed, it produces the following result:

```
Value of index is either 10 or 15
```

Example 2

Following is an example of switch statement in Swift 4 programming with fallthrough:

```

import Cocoa

var index = 10

switch index {
    case 100 :
        print( "Value of index is 100")

```

```

    fallthrough
case 10,15 :
    print( "Value of index is either 10 or 15")
    fallthrough
case 5 :
    print( "Value of index is 5")
default :
    print( "default case")
}

```

When the above code is compiled and executed, it produces the following result:

```

Value of index is either 10 or 15
Value of index is 5

```

The ? : Operator

We have covered **conditional operator ?** : in the previous chapter which can be used to replace **if...else** statements. It has the following general form:

```
Exp1 ? Exp2 : Exp3;
```

Where Exp1, Exp2, and Exp3 are expressions. Notice the use and placement of the colon.


The value of a **?** expression is determined like this: Exp1 is evaluated. If it is true, then Exp2 is evaluated and becomes the value of the entire **?** expression. If Exp1 is false, then Exp3 is evaluated and its value becomes the value of the expression.

12. Swift 4 – Loops

There may be a situation when you need to execute a block of code several number of times. In general, statements are executed sequentially: The first statement in a function is executed first, followed by the second, and so on.

Programming languages provide various control structures that allow for more complicated execution paths.

A loop statement allows us to execute a statement or group of statements multiple times. Following is the general form of a loop statement in most of the programming languages:



Swift 4 programming language provides the following kinds of loop to handle looping requirements. Click the following links to check their detail.

Loop Type	Description
<u>for-in</u>	This loop performs a set of statements for each item in a range, sequence, collection, or progression.
<u>while loop</u>	Repeats a statement or group of statements while a given condition is true. It tests the condition before executing the loop body.
<u>repeat...while loop</u>	Like a while statement, except that it tests the condition at the end of the loop body.

for-in Loop


The **for-in** loop iterates over collections of items, such as ranges of numbers, items in an array, or characters in a string:

Syntax

The syntax of a **for-in** loop in Swift 4 programming language is:

```
for index in var {  
    statement(s)  
}
```

Flow Diagram



Example

```
import Cocoa  
  
var someInts:[Int] = [10, 20, 30]  
  
for index in someInts {  
    print( "Value of index is \(index)")  
}
```

When the above code is executed, it produces the following result:

```
Value of index is 10
Value of index is 20
Value of index is 30
```

Swift 4 – while Loop

A **while** loop statement in Swift 4 programming language repeatedly executes a target statement as long as a given condition is true.

Syntax


The syntax of a **while** loop in Swift 4 programming language is:

```
while condition
{
    statement(s)
}
```

Here **statement(s)** may be a single statement or a block of statements. The **condition** may be any expression. The loop iterates while the condition is true. When the condition becomes false, the program control passes to the line immediately following the loop.

The number 0, the strings '0' and "", the empty list(), and undef are all **false** in a Boolean context and all other values are **true**. Negation of a true value by **!** or **not** returns a special false value.

Flow Diagram



The key point of a *while* loop is that the loop might not ever run. When the condition is tested and the result is false, the loop body will be skipped and the first statement after the while loop will be executed.

Example

```
import Cocoa

var index = 10
while index < 20
{
    print( "Value of index is \(index)")
    index = index + 1
}
```

Here we are using comparison operator < to compare the value of the variable **index** against 20. While the value of index is less than 20, the **while** loop continues executing a block of code next to it and as soon as the value of index becomes equal to 20, it comes out. When executed, the above code produces the following result:

```
Value of index is 10
Value of index is 11
Value of index is 12
Value of index is 13
Value of index is 14
Value of index is 15
Value of index is 16
Value of index is 17
Value of index is 18
Value of index is 19
```

Swift 4 – repeat-while Loop

Unlike **for** and **while** loops, which test the loop condition at the top of the loop, the **repeat...while** loop checks its condition at the bottom of the loop.

A **repeat...while** loop is similar to a while loop, except that a **repeat...while** loop is guaranteed to execute at least once.

Syntax

The syntax of a **repeat...while** loop in Swift 4 is:

```
repeat
{
```

```


statement(s);
}while( condition );

```

It should be noted that the conditional expression appears at the end of the loop, so the statement(s) in the loop execute once before the condition is tested. If the condition is true, the control flow jumps back up to **repeat**, and the statement(s) in the loop execute again. This process repeats until the given condition becomes false.

The number 0, the strings '0' and "", the empty list(), and undef are all **false** in a Boolean context and all other values are **true**. Negation of a true value by **!** or **not** returns a special false value.

Flow Diagram



Example

```

import Cocoa

var index = 10

repeat{
    print( "Value of index is \(index)")
    index = index + 1
}while index < 20

```

When the above code is executed, it produces the following result:

```

Value of index is 10
Value of index is 11
Value of index is 12
Value of index is 13
Value of index is 14
Value of index is 15
Value of index is 16
Value of index is 17
Value of index is 18
Value of index is 19

```

Loop Control Statements

Loop control statements change execution from its normal sequence. When execution leaves a scope, all automatic objects that were created in that scope are destroyed.

Swift 4 supports the following control statements. Click the following links to check their detail.

Control Statement	Description
<u>continue statement</u>	This statement tells a loop to stop what it is doing and start again at the beginning of the next iteration through the loop.
<u>break statement</u>	Terminates the loop statement and transfers execution to the statement immediately following the loop.
<u>fallthrough statement</u>	The fallthrough statement simulates the behavior of Swift 4 switch to C-style switch.

Swift 4 – continue Statement

The **continue** statement in Swift 4 tells a loop to stop what it is doing and start again at the beginning of the next iteration through the loop.


For a **for** loop, the **continue** statement causes the conditional test and increments the portions of the loop to execute. For **while** and **do...while** loops, the **continue** statement causes the program control to pass to the conditional tests.

Syntax

The syntax for a **continue** statement in Swift 4 is as follows:

```
continue
```

Flow Diagram



Example

```
import Cocoa
var index = 10

do{
    index = index + 1
    if( index == 15 ){
        continue
    }
    print( "Value of index is \(index)")
}while index < 20
```

When the above code is compiled and executed, it produces the following result:

```
Value of index is 11
Value of index is 12
Value of index is 13
Value of index is 14
```

```

Value of index is 16
Value of index is 17
Value of index is 18
Value of index is 19
Value of index is 20

```

Swift 4 – break Statement

The **break** statement in C programming language has the following two usages:

- When a **break** statement is encountered inside a loop, the loop is immediately terminated and the program control resumes at the next statement following the loop.
- It can be used to terminate a case in **switch** statement (covered in the next chapter).


If you are using nested loops (i.e., one loop inside another loop), then the **break** statement will stop the execution of the innermost loop and start executing the next line of the code after the block.

Syntax

The syntax for a **break** statement in Swift 4 is as follows:

```
break
```

Flow Diagram



Example

```
import Cocoa

var index = 10

do{
    index = index + 1
    if( index == 15 ){
        break
    }
    print( "Value of index is \ \(index)")
}while index < 20
```

When the above code is compiled and executed, it produces the following result:

```
Value of index is 11
Value of index is 12
Value of index is 13
Value of index is 14
```

Swift 4 – Fallthrough Statement

A switch statement in Swift 4 completes its execution as soon as the first matching case is completed instead of falling through the bottom of subsequent cases as it happens in C and C++ programming languages.

The generic syntax of a switch statement in C and C++ is as follows:

```
switch(expression){
    case constant-expression :
        statement(s);
        break; /* optional */
    case constant-expression :
        statement(s);
        break; /* optional */

    /* you can have any number of case statements */
    default : /* Optional */
        statement(s);
}
```

Here we need to use a **break** statement to come out of a **case** statement, otherwise the execution control will fall through the subsequent **case** statements available below the matching case statement.

Syntax

The generic syntax of a switch statement in Swift 4 is as follows:

```
switch expression {
    case expression1 :
        statement(s)
        fallthrough /* optional */
    case expression2, expression3 :
        statement(s)
        fallthrough /* optional */

    default : /* Optional */
        statement(s);
}
```

If we do not use **fallthrough** statement, then the program will come out of the **switch** statement after executing the matching case statement. We will take the following two examples to make its functionality clear.

Example 1

The following example shows how to use a switch statement in Swift 4 programming **without fallthrough**:

```
import Cocoa

var index = 10
switch index {
    case 100 :
        print( "Value of index is 100")
    case 10,15 :
        print( "Value of index is either 10 or 15")
    case 5 :
        print( "Value of index is 5")
    default :
        print( "default case")
}
```

When the above code is compiled and executed, it produces the following result:

```
Value of index is either 10 or 15
```

Example 2

The following example shows how to use a switch statement in Swift 4 programming **with fallthrough**:

```
import Cocoa

var index = 10
switch index {
    case 100 :
        print( "Value of index is 100")
        fallthrough
    case 10,15 :
        print( "Value of index is either 10 or 15")
        fallthrough
    case 5 :
        print( "Value of index is 5")
    default :
        print( "default case")
}
```

When the above code is compiled and executed, it produces the following result:

```
Value of index is either 10 or 15
Value of index is 5
```


13. Swift 4 – Strings

Strings in Swift 4 are an ordered collection of characters, such as "Hello, World!" and they are represented by the Swift 4 data type **String**, which in turn represents a collection of values of **Character** type.

Create a String

You can create a String either by using a string literal or creating an instance of a String class as follows:

```
import Cocoa

// String creation using String literal
var stringA = "Hello, Swift 4!"
print( stringA )

// String creation using String instance
var stringB = String("Hello, Swift 4!")
print( stringB )

//Multiple line string

let stringC = "" Hey this is a
example of multiple Line
string by tutorialsPoint ""
print(stringC)
```

When the above code is compiled and executed, it produces the following result:

```
Hello, Swift 4!
Hello, Swift 4!
Hey this is a
example of multiple Line
string by tutorialsPoint
```

Empty String

You can create an empty String either by using an empty string literal or creating an instance of String class as shown below. You can also check whether a string is empty or not using the Boolean property **isEmpty**.

```
import Cocoa

// Empty string creation using String literal
var stringA = ""

if stringA.isEmpty {
    print( "stringA is empty" )
} else {
    print( "stringA is not empty" )
}

// Empty string creation using String instance
let stringB = String()

if stringB.isEmpty {
    print( "stringB is empty" )
} else {
    print( "stringB is not empty" )
}
```

When the above code is compiled and executed, it produces the following result:

```
stringA is empty
stringB is empty
```

String Constants

You can specify whether your String can be modified (or mutated) by assigning it to a variable, or it will be constant by assigning it to a constant using **let** keyword as shown below:

```
import Cocoa

// stringA can be modified
var stringA = "Hello, Swift 4!"
stringA += "--Readers--"
print( stringA )

// stringB can not be modified
let stringB = String("Hello, Swift 4!")
```

```
stringB += "--Readers--"
print( stringB )
```

When the above code is compiled and executed, it produces the following result:

```
Playground execution failed: error: <EXPR>:10:1: error: 'String' is not
convertible to '@lvalue UInt8'
stringB += "--Readers--"
```

String Interpolation

String interpolation is a way to construct a new String value from a mix of constants, variables, literals, and expressions by including their values inside a string literal.

Each item (variable or constant) that you insert into the string literal is wrapped in a pair of parentheses, prefixed by a backslash. Here is a simple example:

```
import Cocoa

var varA = 20
let constA = 100
var varC:Float = 20.0

var stringA = "\(\(varA) times \(constA) is equal to \(varC * 100)"
print( stringA )
```

When the above code is compiled and executed, it produces the following result:

```
20 times 100 is equal to 2000.0
```

String Concatenation

You can use the + operator to concatenate two strings or a string and a character, or two characters. Here is a simple example:

```
import Cocoa

let constA = "Hello,"
let constB = "World!"

var stringA = constA + constB
print( stringA )
```

When the above code is compiled and executed, it produces the following result:

```
Hello,World!
```

String Length

Swift 4 strings do not have a **length** property, but you can use the global `count()` function to count the number of characters in a string. Here is a simple example:

```
import Cocoa

var varA = "Hello, Swift 4!"

print( "\(varA), length is \(count(varA))" )
```

When the above code is compiled and executed, it produces the following result:

```
Hello, Swift 4!, length is 13
```

String Comparison

You can use the `==` operator to compare two strings variables or constants. Here is a simple example:

```
import Cocoa

var varA = "Hello, Swift 4!"
var varB = "Hello, World!"

if varA == varB {
    print( "\(varA) and \(varB) are equal" )
} else {
    print( "\(varA) and \(varB) are not equal" )
}
```

When the above code is compiled and executed, it produces the following result:

```
Hello, Swift 4! and Hello, World! are not equal
```

String Iterating

Strings are again a collection of values in swift 4, so we can iterate over string using loops.

```
import Cocoa
```

```
for chars in "ThisString"
{
print(chars, terminator: " ")
}
```

When the above code is compiled and executed, it produces the following result:

```
T h i s S t r i n g
```

Unicode Strings

You can access a UTF-8 and UTF-16 representation of a String by iterating over its `utf8` and `utf16` properties as demonstrated in the following example:

```
import Cocoa

var unicodeString = "Dog!!🐶"

print("UTF-8 Codes: ")
for code in unicodeString.utf8 {
    print("\(code) ")
}
print("\n")

print("UTF-16 Codes: ")
for code in unicodeString.utf16 {
    print("\(code) ")
}
```

When the above code is compiled and executed, it produces the following result:

```
UTF-8 Codes:
68 111 103 226 128 188 240 159 144 182
UTF-16 Codes:
68 111 103 8252 55357 56374
```

String Functions & Operators

Swift 4 supports a wide range of methods and operators related to Strings:

S.No	Functions/Operators & Purpose
------	-------------------------------

1	isEmpty A Boolean value that determines whether a string is empty or not.
2	hasPrefix(prefix: String) Function to check whether a given parameter string exists as a prefix of the string or not.
3	hasSuffix(suffix: String) Function to check whether a given parameter string exists as a prefix of the string or not.
4	toInt() Function to convert numeric String value into Integer.
5	count() Global function to count the number of Characters in a string.
6	utf8 Property to return a UTF-8 representation of a string.
7	utf16 Property to return a UTF-16 representation of a string.
8	unicodeScalars Property to return a Unicode Scalar representation of a string.
9	+ Operator to concatenate two strings, or a string and a character, or two characters.
10	+= Operator to append a string or character to an existing string.
11	== Operator to determine the equality of two strings.
12	< Operator to perform a lexicographical comparison to determine whether one string evaluates as less than another.
13	== Operator to determine the equality of two strings.
14	startIndex To get the value at starting index of string

15	endIndex To get the value at ending index of string.
16	Indices To access the indices one by one. i.e all the characters of string one by one.
17	insert("Value", at: position) To insert a value at a position.
18	remove(at: position) removeSubrange(range) to remove a value at a position, or to remove a range of values from string.
19	reversed() returns the reverse of a string

14. Swift 4 – Characters

A **character** in Swift 4 is a single character String literal, addressed by the data type **Character**. Take a look at the following example. It uses two Character constants:

```
import Cocoa

let char1: Character = "A"
let char2: Character = "B"

print("Value of char1 \(char1)")
print("Value of char2 \(char2)")
```

When the above code is compiled and executed, it produces the following result:

```
Value of char1 A
Value of char2 B
```

If you try to store more than one character in a Character type variable or constant, then Swift 4 will not allow that. Try to type the following example in Swift 4 Playground and you will get an error even before compilation.

```
import Cocoa

// Following is wrong in Swift 4
let char: Character = "AB"

print("Value of char \(char)")
```

Empty Character Variables

It is not possible to create an empty Character variable or constant which will have an empty value. The following syntax is not possible:

```
import Cocoa

// Following is wrong in Swift 4
let char1: Character = ""
var char2: Character = ""

print("Value of char1 \(char1)")
```



```
print("Value of char2 \(char2)")
```

Accessing Characters from Strings

As explained while discussing Swift 4's Strings, String represents a collection of Character values in a specified order. So we can access individual characters from the given String by iterating over that string with a **for-in** loop:

```
import Cocoa

for ch in "Hello" {
    print(ch)
}
```

When the above code is compiled and executed, it produces the following result:

```
H
e
l
l
o
```

Concatenating Strings with Characters

The following example demonstrates how a Swift 4's Character can be concatenated with Swift 4's String.

```
import Cocoa

var varA:String = "Hello "
let varB:Character = "G"

varA.append( varB )

print("Value of varC = \(varA)")
```

When the above code is compiled and executed, it produces the following result:

```
Value of varC Hello G
```

15. Swift 4 – Arrays

Swift 4 arrays are used to store ordered lists of values of the same type. Swift 4 puts strict checking which does not allow you to enter a wrong type in an array, even by mistake.

If you assign a created array to a variable, then it is always mutable, which means you can change it by adding, removing, or changing its items; but if you assign an array to a constant, then that array is immutable, and its size and contents cannot be changed.

Creating Arrays

You can create an empty array of a certain type using the following initializer syntax:

```
var someArray = [SomeType]()
```

Here is the syntax to create an array of a given size *a** and initialize it with a value:

```
var someArray = [SomeType](count: NumberOfElements, repeatedValue: InitialValue)
```

You can use the following statement to create an empty array of **Int** type having 3 elements and the initial value as zero:

```
var someInts = [Int](count: 3, repeatedValue: 0)
```

Following is one more example to create an array of three elements and assign three values to that array:

```
var someInts:[Int] = [10, 20, 30]
```

Accessing Arrays

You can retrieve a value from an array by using **subscript** syntax, passing the index of the value you want to retrieve within square brackets immediately after the name of the array as follows:

```
var someVar = someArray[index]
```

Here, the **index** starts from 0 which means the first element can be accessed using the index as 0, the second element can be accessed using the index as 1 and so on. The following example shows how to create, initialize, and access arrays:

```
import Cocoa

var someInts = [Int](count: 3, repeatedValue: 10)

var someVar = someInts[0]
```

```
print( "Value of first element is \(someVar)" )
print( "Value of second element is \(someInts[1])" )
print( "Value of third element is \(someInts[2])" )
```

When the above code is compiled and executed, it produces the following result:

```
Value of first element is 10
Value of second element is 10
Value of third element is 10
```

Modifying Arrays

You can use **append()** method or addition assignment operator (+=) to add a new item at the end of an array. Take a look at the following example. Here, initially, we create an empty array and then add new elements into the same array:

```
import Cocoa

var someInts = [Int]()

someInts.append(20)
someInts.append(30)
someInts += [40]

var someVar = someInts[0]

print( "Value of first element is \(someVar)" )
print( "Value of second element is \(someInts[1])" )
print( "Value of third element is \(someInts[2])" )
```

When the above code is compiled and executed, it produces the following result:

```
Value of first element is 20
Value of second element is 30
Value of third element is 40
```

You can modify an existing element of an Array by assigning a new value at a given index as shown in the following example:

```
import Cocoa

var someInts = [Int]()

someInts.append(20)
someInts.append(30)
someInts += [40]

// Modify last element
someInts[2] = 50

var someVar = someInts[0]

print( "Value of first element is \(someVar)" )
print( "Value of second element is \(someInts[1])" )
print( "Value of third element is \(someInts[2])" )
```

When the above code is compiled and executed, it produces the following result:

```
Value of first element is 20
Value of second element is 30
Value of third element is 50
```

Iterating Over an Array

You can use **for-in** loop to iterate over the entire set of values in an array as shown in the following example:

```
import Cocoa

var someStrs = [String]()

someStrs.append("Apple")
someStrs.append("Amazon")
someStrs += ["Google"]
for item in someStrs {
    print(item)
}
```

When the above code is compiled and executed, it produces the following result:

```
Apple
```

```
Amazon
Google
```

You can use **enumerate()** function which returns the index of an item along with its value as shown below in the following example:

```
import Cocoa

var someStrs = [String]()

someStrs.append("Apple")
someStrs.append("Amazon")
someStrs += ["Google"]

for (index, item) in enumerate(someStrs) {
    print("Value at index = \(index) is \(item)")
}
```

When the above code is compiled and executed, it produces the following result:

```
Value at index = 0 is Apple
Value at index = 1 is Amazon
Value at index = 2 is Google
```

Adding Two Arrays

You can use the addition operator (+) to add two arrays of the same type which will yield a new array with a combination of values from the two arrays as follows:

```
import Cocoa

var intsA = [Int](count:2, repeatedValue: 2)
var intsB = [Int](count:3, repeatedValue: 1)

var intsC = intsA + intsB
for item in intsC {
    print(item)
}
```

When the above code is compiled and executed, it produces the following result:

```
2
```

```
2
1
1
1
```

The count Property

You can use the read-only **count** property of an array to find out the number of items in an array shown below:

```
import Cocoa

var intsA = [Int](count:2, repeatedValue: 2)
var intsB = [Int](count:3, repeatedValue: 1)

var intsC = intsA + intsB

print("Total items in intsA = \(intsA.count)")
print("Total items in intsB = \(intsB.count)")
print("Total items in intsC = \(intsC.count)")
```

When the above code is compiled and executed, it produces the following result:

```
Total items in intsA = 2
Total items in intsB = 3
Total items in intsC = 5
```

The empty Property

You can use the read-only **empty** property of an array to find out whether an array is empty or not as shown below:

```
import Cocoa

var intsA = [Int](count:2, repeatedValue: 2)
var intsB = [Int](count:3, repeatedValue: 1)
var intsC = [Int]()

print("intsA.isEmpty = \(intsA.isEmpty)")
print("intsB.isEmpty = \(intsB.isEmpty)")
```

```
print("intsC.isEmpty = \(intsC.isEmpty)")
```

When the above code is compiled and executed, it produces the following result:

```
intsA.isEmpty = false  
intsB.isEmpty = false  
intsC.isEmpty = true
```

16. Swift 4 – Sets

Swift 4 **sets** are used to store distinct values of same types but they don't have definite ordering as arrays have.

You can use sets instead of arrays if ordering of elements is not an issue, or if you want to ensure that there are no duplicate values. (sets allow only distinct values.)

A type must be hashable to be stored in a set. A hash value is a Int value that is equal for equal objects. For example, if $x == y$, then **$x.hashvalue == y.hashvalue$** .

All the basic swift values are of hashable type by default and may be used as set values.

Creating Sets

You can create an empty set of a certain type using the following initializer syntax:

```
var someSet = Set<Character>() //Character can be replaced by data type of set.
```

Accessing and modifying Sets

You can access or modify a set using its methods and properties:

"count" method can be used to show the number of elements in the set.

```
someSet.count // prints the number of elements
```

"insert" method can be used to insert values in set.

```
someSet.insert("c") // adds the element to Set.
```

Similarly, isEmpty can be used to check if set is empty.

```
someSet.isEmpty // returns true or false depending on the set Elements.
```

"remove" method can be used to remove value in set.

```
someSet.remove("c")  
// removes a element , removeAll() can be used to remove all elements
```

"contains" method can be used to check existence of value in a set.

```
someSet.contains("c") // to check if set contains this value.
```


Iterating over a Set

You can iterate over a set using for-in loop:

```
for items in someSet
{
    print(someSet)
}
//Swift sets are not in an ordered way, to iterate over a set in ordered way use

for items in someSet.sorted()
{
    print(someSet)
}
```

Performing Set Operations

You can perform basic set operations on Swift Sets.

Following are the methods for performing set operations:

- Intersection
- Union
- subtracting

```
let evens: Set = [10,12,14,16,18]
let odds: Set = [5,7,9,11,13]
let primes = [2,3,5,7]
odds.union(evens).sorted()
// [5,7,9,10,11,12,13,14,16,18]
odds.intersection(evens).sorted()
//[]
odds.subtracting(primes).sorted()
//[3,4,4,4,13]
```

17. Swift 4 – Dictionaries

Swift 4 **dictionaries** are used to store unordered lists of values of the same type. Swift 4 puts strict checking which does not allow you to enter a wrong type in a dictionary even by mistake.

Swift 4 dictionaries use unique identifier known as a **key** to store a value which later can be referenced and looked up through the same key. Unlike items in an array, items in a **dictionary** do not have a specified order. You can use a **dictionary** when you need to look up values based on their identifiers.

A dictionary key can be either an integer or a string without a restriction, but it should be unique within a dictionary.

If you assign a created dictionary to a variable, then it is always mutable which means you can change it by adding, removing, or changing its items. But if you assign a dictionary to a constant, then that dictionary is immutable, and its size and contents cannot be changed.

Creating Dictionary

You can create an empty dictionary of a certain type using the following initializer syntax:

```
var someDict = [KeyType: ValueType]()
```

You can use the following simple syntax to create an empty dictionary whose key will be of Int type and the associated values will be strings:

```
var someDict = [Int: String]()
```

Here is an example to create a dictionary from a set of given values:

```
var someDict:[Int:String] = [1:"One", 2:"Two", 3:"Three"]
```

Sequence Based Initialization

Swift 4 allows you to create Dictionary from tuples (Key-Value Pairs.)

```
var cities = ["Delhi","Bangalore","Hyderabad"]
```

You can use the following simple syntax to create an empty dictionary whose key will be of Int type and the associated values will be strings:

```
var Distance = [2000,10, 620]
```

Here is an example to create a dictionary from a set of given values:

```
let cityDistanceDict = Dictionary(uniqueKeysWithValues: zip(cities, Distance))
```

The above lines of code will create a dictionary with Cities as key and Distance as Value

Filtering

Swift 4 allows you to filter values from a dictionary.

```
var closeCities = cityDistanceDict.filter { $0.value < 1000 }
```

If we run the above code our closeCities Dictionary will be.

```
["Bangalore" : 10 , "Hyderabad" : 620]
```

Dictionary Grouping

Swift 4 allows you to create grouping of Dictionary values.

```
var cities = ["Delhi","Bangalore","Hyderabad","Dehradun","Bihar"]
```

You can use the following simple syntax to group the values of dictionary according to first alphabet.

```
var GroupedCities = Dictionary(grouping: cities ) { $0.first! }
```

The result of above code will be

```
["D" : ["Delhi","Dehradun"], "B" : ["Bengaluru","Bihar"], "H" : ["Hyderabad"]]
```

Accessing Dictionaries

You can retrieve a value from a dictionary by using subscript syntax, passing the key of the value you want to retrieve within square brackets immediately after the name of the dictionary as follows:

```
var someVar = someDict[key]
```

Let's check the following example to create, initialize, and access values from a dictionary:

```
import Cocoa

var someDict:[Int:String] = [1:"One", 2:"Two", 3:"Three"]
var someVar = someDict[1]

print( "Value of key = 1 is \(someVar)" )
print( "Value of key = 2 is \(someDict[2])" )
print( "Value of key = 3 is \(someDict[3])" )
```

When the above code is compiled and executed, it produces the following result:

```
Value of key = 1 is Optional("One")
```

```
Value of key = 2 is Optional("Two")
Value of key = 3 is Optional("Three")
```

Modifying Dictionaries

You can use **updateValue(forKey:)** method to add an existing value to a given key of the dictionary. This method returns an optional value of the dictionary's value type. Here is a simple example:

```
import Cocoa

var someDict:[Int:String] = [1:"One", 2:"Two", 3:"Three"]

var oldVal = someDict.updateValue("New value of one", forKey: 1)

var someVar = someDict[1]

print( "Old value of key = 1 is \(oldVal)" )
print( "Value of key = 1 is \(someVar)" )
print( "Value of key = 2 is \(someDict[2])" )
print( "Value of key = 3 is \(someDict[3])" )
```

When the above code is compiled and executed, it produces the following result:

```
Old value of key = 1 is Optional("One")
Value of key = 1 is Optional("New value of one")
Value of key = 2 is Optional("Two")
Value of key = 3 is Optional("Three")
```

You can modify an existing element of a dictionary by assigning new value at a given key as shown in the following example:

```
import Cocoa

var someDict:[Int:String] = [1:"One", 2:"Two", 3:"Three"]
var oldVal = someDict[1]
someDict[1] = "New value of one"
var someVar = someDict[1]

print( "Old value of key = 1 is \(oldVal)" )
print( "Value of key = 1 is \(someVar)" )
```

```
print( "Value of key = 2 is \(someDict[2])" )
print( "Value of key = 3 is \(someDict[3])" )
```

When the above code is compiled and executed, it produces the following result:

```
Old value of key = 1 is Optional("One")
Value of key = 1 is Optional("New value of one")
Value of key = 2 is Optional("Two")
Value of key = 3 is Optional("Three")
```

Remove Key-Value Pairs

You can use **removeValueForKey()** method to remove a key-value pair from a dictionary. This method removes the key-value pair if it exists and returns the removed value, or returns nil if no value existed. Here is a simple example:

```
import Cocoa

var someDict:[Int:String] = [1:"One", 2:"Two", 3:"Three"]
var removedValue = someDict.removeValueForKey(2)

print( "Value of key = 1 is \(someDict[1])" )
print( "Value of key = 2 is \(someDict[2])" )
print( "Value of key = 3 is \(someDict[3])" )
```

When the above code is compiled and executed, it produces the following result:

```
Value of key = 1 is Optional("One")
Value of key = 2 is nil
Value of key = 3 is Optional("Three")
```

You can also use subscript syntax to remove a key-value pair from a dictionary by assigning a value of **nil** for that key. Here is a simple example:

```
import Cocoa

var someDict:[Int:String] = [1:"One", 2:"Two", 3:"Three"]

someDict[2] = nil

print( "Value of key = 1 is \(someDict[1])" )
print( "Value of key = 2 is \(someDict[2])" )
```

```
print( "Value of key = 3 is \(someDict[3])" )
```

When the above code is compiled and executed, it produces the following result:

```
Value of key = 1 is Optional("One")
Value of key = 2 is nil
Value of key = 3 is Optional("Three")
Value of key = 4 is nil
```

Iterating Over a Dictionary

You can use a **for-in** loop to iterate over the entire set of key-value pairs in a Dictionary as shown in the following example:

```
import Cocoa

var someDict:[Int:String] = [1:"One", 2:"Two", 3:"Three"]

for (key, value) in someDict {
    print("Dictionary key \(key) - Dictionary value \(value)")
}
```

When the above code is compiled and executed, it produces the following result:

```
Dictionary key 1 - Dictionary value One
Dictionary key 2 - Dictionary value Two
Dictionary key 3 - Dictionary value Three
```

You can use **enumerate()** function which returns the index of the item along with its (key, value) pair as shown below in the example:

```
import Cocoa

var someDict:[Int:String] = [1:"One", 2:"Two", 3:"Three"]
for (key, value) in enumerate(someDict) {
    print("Dictionary key \(key) - Dictionary value \(value)")
}
```

When the above code is compiled and executed, it produces the following result:

```
Dictionary key 0 - Dictionary value (1, One)
```

```
Dictionary key 1 - Dictionary value (2, Two)
Dictionary key 2 - Dictionary value (3, Three)
```

Convert to Arrays

You can extract a list of key-value pairs from a given dictionary to build separate arrays for both keys and values. Here is an example:

```
import Cocoa

var someDict:[Int:String] = [1:"One", 2:"Two", 3:"Three"]

let dictKeys = [Int](someDict.keys)
let dictValues = [String](someDict.values)

print("Print Dictionary Keys")

for (key) in dictKeys {
    print("\(key)")
}
print("Print Dictionary Values")

for (value) in dictValues {
    print("\(value)")
}
```

When the above code is compiled and executed, it produces the following result:

```
Print Dictionary Keys
1
2
3
Print Dictionary Values
One
Two
Three
```

The count Property

You can use the read-only **count** property of a dictionary to find out the number of items in a dictionary as shown below:

```
import Cocoa
var someDict1:[Int:String] = [1:"One", 2:"Two", 3:"Three"]
var someDict2:[Int:String] = [4:"Four", 5:"Five"]

print("Total items in someDict1 = \(someDict1.count)")
print("Total items in someDict2 = \(someDict2.count)")
```

When the above code is compiled and executed, it produces the following result:

```
Total items in someDict1 = 3
Total items in someDict2 = 2
```

The empty Property

You can use read-only **empty** property of a dictionary to find out whether a dictionary is empty or not, as shown below:

```
import Cocoa

var someDict1:[Int:String] = [1:"One", 2:"Two", 3:"Three"]
var someDict2:[Int:String] = [4:"Four", 5:"Five"]
var someDict3:[Int:String] = [Int:String]()

print("someDict1 = \(someDict1.isEmpty)")
print("someDict2 = \(someDict2.isEmpty)")
print("someDict3 = \(someDict3.isEmpty)")
```

When the above code is compiled and executed, it produces the following result:

```
someDict1 = false
someDict2 = false
someDict3 = true
```


18. Swift 4 – Functions

A function is a set of statements organized together to perform a specific task. A Swift 4 function can be as simple as a simple C function to as complex as an Objective C language function. It allows us to pass local and global parameter values inside the function calls.

- **Function Declaration:** It tells the compiler about a function's name, return type, and parameters.
- **Function Definition:** It provides the actual body of the function.

Swift 4 functions contain parameter type and its return types.

Function Definition

In Swift 4, a function is defined by the "func" keyword. When a function is newly defined, it may take one or several values as input 'parameters' to the function and it will process the functions in the main body and pass back the values to the functions as output 'return types'.

Every function has a function name, which describes the task that the function performs. To use a function, you "call" that function with its name and pass input values (known as arguments) that match the types of the function's parameters. Function parameters are also called as 'tuples'.

A function's arguments must always be provided in the same order as the function's parameter list and the return values are followed by ->.

Syntax

```
func funcname(Parameters) -> returntype
{
    Statement1
    Statement2
    ---
    Statement N
    return parameters
}
```

Take a look at the following code. The student's name is declared as string datatype declared inside the function 'student' and when the function is called, it will return student's name.

```
func student(name: String) -> String {
    return name
}
print(student("First Program"))
```

```
print(student("About Functions"))
```

When we run the above program using playground, we get the following result:

```
First Program
About Functions
```

Calling a Function

Let us suppose we defined a function called 'display' to Consider for example to display the numbers a function with function name 'display' is initialized first with argument 'no1' which holds integer data type. Then the argument 'no1' is assigned to argument 'a' which hereafter will point to the same data type integer. Now the argument 'a' is returned to the function. Here display() function will hold the integer value and return the integer values when each and every time the function is invoked.

```
func display(no1: Int) -> Int {
    let a = no1
    return a
}
print(display(100))
print(display(200))
```

When we run above program using playground, we get the following result:

```
100
200
```

Parameters and Return Values

Swift 4 provides flexible function parameters and its return values from simple to complex values. Similar to that of C and Objective C, functions in Swift 4 may also take several forms.

Functions with Parameters

A function is accessed by passing its parameter values to the body of the function. We can pass single to multiple parameter values as tuples inside the function.

```
func mult(no1: Int, no2: Int) -> Int {
    return no1*no2
}
print(mult(2,20))
print(mult(3,15))
```

```
print(mult(4,30))
```

When we run above program using playground, we get the following result:

```
40
45
120
```

Functions without Parameters

We may also have functions without any parameters.

Syntax

```
func funcname() -> datatype {
    return datatype
}
```

Following is an example having a function without a parameter:

```
func votersname() -> String {
    return "Alice"
}
print(votersname())
```

When we run the above program using playground, we get the following result:

```
Alice
```

Functions with Return Values

Functions are also used to return string, integer, and float data type values as return types. To find out the largest and smallest number in a given array function 'ls' is declared with large and small integer datatypes.

An array is initialized to hold integer values. Then the array is processed and each and every value in the array is read and compared for its previous value. When the value is lesser than the previous one it is stored in 'small' argument, otherwise it is stored in 'large' argument and the values are returned by calling the function.

```
func ls(array: [Int]) -> (large: Int, small: Int) {
    var lar = array[0]
    var sma = array[0]
    for i in array[1..

```

```

        sma = i
    } else if i > lar {
        lar = i
    }
}
return (lar, sma)
}
let num = ls([40,12,-5,78,98])
print("Largest number is: \(num.large) and smallest number is: \(num.small)")

```

When we run the above program using playground, we get the following result:

```
Largest number is: 98 and smallest number is: -5
```

Functions without Return Values

Some functions may have arguments declared inside the function without any return values. The following program declares **a** and **b** as arguments to the sum() function. Inside the function itself the values for arguments **a** and **b** are passed by invoking the function call sum() and its values are printed thereby eliminating return values.

```

func sum(a: Int, b: Int) {
    let a = a + b
    let b = a - b
    print(a, b)
}
sum(20, 10)
sum(40, 10)
sum(24, 6)

```

When we run the above program using playground, we get the following result:

```
(30, 20)
(50, 40)
(30, 24)
```

Functions with Optional Return Types

Swift 4 introduces 'optional' feature to get rid of problems by introducing a safety measure. Consider for example we are declaring function values return type as integer but what will happen when the function returns a string value or either a nil value. In that case compiler will return an error value. 'optional' are introduced to get rid of these problems.

Optional functions will take two forms 'value' and a 'nil'. We will mention 'Optionals' with the key reserved character '?' to check whether the tuple is returning a value or a nil value.

```
func minMax(array: [Int]) -> (min: Int, max: Int)? {
    if array.isEmpty { return nil }
    var currentMin = array[0]
    var currentMax = array[0]
    for value in array[1..

```

When we run above program using playground, we get following result

```
min is -6 and max is 109
```

'Optionals' are used to check 'nil' or garbage values thereby consuming lot of time in debugging and make the code efficient and readable for the user.

Functions Local Vs External Parameter Names

Local Parameter Names

Local parameter names are accessed inside the function alone.

```
func sample(number: Int) {
    print(number)
}
```

Here, the **func** sample argument number is declared as internal variable since it is accessed internally by the function sample(). Here the 'number' is declared as local variable but the reference to the variable is made outside the function with the following statement:

```
func sample(number: Int) {
    print(number)
```

```

}
sample(1)
sample(2)
sample(3)

```

When we run the above program using playground, we get the following result:

```

1
2
3

```

External Parameter Names

External parameter names allow us to name a function parameters to make their purpose more clear. For example below you can name two function parameters and then call that function as follows:

```

func pow(firstArg a: Int, secondArg b: Int) -> Int {
    var res = a
    for _ in 1.. {
        res = res * a
    }
    print(res)
    return res
}
pow(firstArg:5, secondArg:3)

```

When we run the above program using playground, we get the following result:

```

125

```

Variadic Parameters

When we want to define function with multiple number of arguments, then we can declare the members as 'variadic' parameters. Parameters can be specified as variadic by (...) after the parameter name.

```

func vari<N>(members: N...){
    for i in members {
        print(i)
    }
}
vari(4,3,5)

```

```

vari(4.5, 3.1, 5.6)
vari("Swift 4", "Enumerations", "Closures")

```

When we run the above program using playground, we get the following result:

```

4
3
5
4.5
3.1
5.6
Swift 4
Enumerations
Closures

```

Constant, Variable, and I/O Parameters

Functions by default consider the parameters as 'constant', whereas the user can declare the arguments to the functions as variables also. We already discussed that 'let' keyword is used to declare constant parameters and variable parameters is defined with 'var' keyword.

I/O parameters in Swift 4 provide functionality to retain the parameter values even though its values are modified after the function call. At the beginning of the function parameter definition, 'inout' keyword is declared to retain the member values.

It derives the keyword 'inout' since its values are passed 'in' to the function and its values are accessed and modified by its function body and it is returned back 'out' of the function to modify the original argument.

Variables are only passed as an argument for in-out parameter since its values alone are modified inside and outside the function. Hence no need to declare strings and literals as in-out parameters. '&' before a variable name refers that we are passing the argument to the in-out parameter.

```

func temp(inout a1: Int, inout b1: Int) {
    let t = a1
    a1 = b1
    b1 = t
}
var no = 2
var co = 10
temp(&no, &co)
print("Swapped values are \(no), \(co)")

```

When we run the above program using playground, we get the following result:

```
Swapped values are 10, 2
```

Function Types & its Usage

Each and every function follows the specific function by considering the input parameters and outputs the desired result.

```
func inputs(no1: Int, no2: Int) -> Int {
    return no1/no2
}
```

Following is an example:

```
func inputs(no1: Int, no2: Int) -> Int {
    return no1/no2
}
print(inputs(20,10))
print(inputs(36,6))
```

When we run the above program using playground, we get the following result:

```
2
6
```

Here the function is initialized with two arguments **no1** and **no2** as integer data types and its return type is also declared as 'int'

```
Func inputstr(name: String) -> String {
    return name
}
```

Here the function is declared as **string** datatype.

Functions may also have **void** data types and such functions won't return anything.

```
func inputstr() {
    print("Swift 4 Functions")
    print("Types and its Usage")
}
inputstr()
```

When we run the above program using playground, we get the following result:

```
Swift 4 Functions
Types and its Usage
```


The above function is declared as a void function with no arguments and no return values.

Using Function Types

Functions are first passed with integer, float or string type arguments and then it is passed as constants or variables to the function as mentioned below.

```
var addition: (Int, Int) -> Int = sum
```

Here sum is a function name having 'a' and 'b' integer variables which is now declared as a variable to the function name addition. Hereafter both addition and sum function both have same number of arguments declared as integer datatype and also return integer values as references.

```
func sum(a: Int, b: Int) -> Int {
    return a + b
}
var addition: (Int, Int) -> Int = sum
print("Result: \(addition(40, 89))")
```

When we run the above program using playground, we get the following result:

```
Result: 129
```

Function Types as Parameter Types & Return Types

We can also pass the function itself as parameter types to another function.

```
func sum(a: Int, b: Int) -> Int {
    return a + b
}
var addition: (Int, Int) -> Int = sum
print("Result: \(addition(40, 89))")
func another(addition: (Int, Int) -> Int, a: Int, b: Int) {
    print("Result: \(addition(a, b))")
}
another(sum, 10, 20)
```

When we run the above program using playground, we get the following result:

```
Result: 129
Result: 30
```

Nested Functions

A nested function provides the facility to call the outer function by invoking the inside function.

```
func calcDecrement(forDecrement total: Int) -> () -> Int {
    var overallDecrement = 0
    func decrementer() -> Int {
        overallDecrement -= total
        return overallDecrement
    }
    return decrementer
}
let decrem = calcDecrement(forDecrement: 30)
print(decrem())
```

When we run the above program using playground, we get the following result:

```
-30
```

19. Swift 4 – Closures

Closures in Swift 4 are similar to that of self-contained functions organized as blocks and called anywhere like C and Objective C languages. Constants and variable references defined inside the functions are captured and stored in closures. Functions are considered as special cases of closures and it takes the following three forms:

Global Functions	Nested Functions	Closure Expressions
Have a name. Do not capture any values	Have a name. Capture values from enclosing function	Unnamed Closures capture values from the adjacent blocks

Closure expressions in Swift 4 language follow crisp, optimization, and lightweight syntax styles which includes.

- Inferring parameter and return value types from context.
- Implicit returns from single-expression closures.
- Shorthand argument names and
- Trailing closure syntax

Syntax

Following is a generic syntax to define closure which accepts parameters and returns a data type:

```
{(parameters) -> return type in
    statements
}
```

Following is a simple example:

```
let studname = { print("Welcome to Swift 4 Closures") }
studname()
```

When we run the above program using playground, we get the following result:

```
Welcome to Swift 4 Closures
```

The following closure accepts two parameters and returns a Bool value:

```
{(Int, Int) -> Bool in
    Statement1
    Statement 2
    ---
}
```

```

Statement n
}

```

Following is a simple example:

```

let divide = {(val1: Int, val2: Int) -> Int in
    return val1 / val2
}
let result = divide(200, 20)
print (result)

```

When we run the above program using playground, we get the following result:

```
10
```

Expressions in Closures

Nested functions provide a convenient way of naming and defining blocks of code. Instead of representing the whole function declaration and name constructs are used to denote shorter functions. Representing the function in a clear brief statement with focused syntax is achieved through closure expressions.

Ascending Order Program

Sorting a string is achieved by the Swift 4s key reserved function "sorted" which is already available in the standard library. The function will sort the given strings in the ascending order and returns the elements in a new array with same size and data type mentioned in the old array. The old array remains the same.

Two arguments are represented inside the sorted function

- Values of Known type represented as arrays.
- Array contents (Int, Int) and returns a Boolean value (Bool) if the array is sorted properly it will return true value otherwise it will return false.

A normal function with input string is written and passed to the sorted function to get the strings sorted to new array which is shown below

```

func ascend(s1: String, s2: String) -> Bool {
    return s1 > s2
}
let stringcmp = ascend("Swift 4", "great")
print (stringcmp)

```

When we run above program using playground, we get following result

```
true
```

The initial array to be sorted for icecream is given as "Swift 4" and "great". Function to sort the array is declared as string datatype and its return type is mentioned as Boolean. Both the strings are compared and sorted in ascending order and stored in a new array. If the sorting is performed successful the function will return a true value else it will return false.

Closure expression syntax uses

- constant parameters,
- variable parameters, and
- inout parameters.

Closure expression did not support default values. Variadic parameters and Tuples can also be used as parameter types and return types.

```
let sum = {(no1: Int, no2: Int) -> Int in
    return no1 + no2
}
let digits = sum(10, 20)
print(digits)
```

When we run the above program using playground, we get the following result:

```
30
```

The parameters and return type declarations mentioned in the function statement can also be represented by the inline closure expression function with 'in' keyword. Once declaring parameter and return types 'in' keyword is used to denote that the body of the closure.

Single Expression Implicit Returns

Here, the function type of the sorted function's second argument makes it clear that a Bool value must be returned by the closure. Because the closure's body contains a single expression ($s1 > s2$) that returns a Bool value, there is no ambiguity, and the return keyword can be omitted.

To return a Single expression statement in expression closures 'return' keyword is omitted in its declaration part.

```
let count = [5, 10, -6, 75, 20]
var descending = sorted(count, { n1, n2 in n1 > n2 })
var ascending = sorted(count, { n1, n2 in n1 < n2 })

print(descending)
```

```
print(ascending)
```

When we run the above program using playground, we get the following result:

```
[75, 20, 10, 5, -6]
[-6, 5, 10, 20, 75]
```

The statement itself clearly defines that when string1 is greater than string 2 return true otherwise false hence return statement is omitted here.

Known Type Closures

Consider the addition of two numbers. We know that addition will return the integer datatype. Hence known type closures are declared as

```
let sub = {(no1: Int, no2: Int) -> Int in
    return no1 - no2
}
let digits = sub(10, 20)
print(digits)
```

When we run the above program using playground, we get the following result:

```
-10
```

Declaring Shorthand Argument Names as Closures

Swift 4 automatically provides shorthand argument names to inline closures, which can be used to refer to the values of the closure's arguments by the names \$0, \$1, \$2, and so on.

```
var shorthand: (String, String) -> String
shorthand = { $1 }
print(shorthand("100", "200"))
```

Here, \$0 and \$1 refer to the closure's first and second String arguments.

When we run above program using playground, we get following result

```
200
```

Swift 4 facilitates the user to represent Inline closures as shorthand argument names by representing \$0, \$1, \$2 --- \$n.

Closures argument list is omitted in definition section when we represent shorthand argument names inside closure expressions. Based on the function type the shorthand argument names will be derived. Since the shorthand argument is defined in expression body the 'in' keyword is omitted.

Closures as Operator Functions

Swift 4 provides an easy way to access the members by just providing operator functions as closures. In the previous examples keyword 'Bool' is used to return either 'true' when the strings are equal otherwise it returns 'false'.

The expression is made even simpler by operator function in closure as

```
let numb = [98, -20, -30, 42, 18, 35]
var sortedNumbers = numb.sorted({
    (left: Int, right: Int) -> Bool in
        return left < right
})
let asc = numb.sorted(<)
print(asc)
```

When we run the above program using playground, we get the following result:

```
[-30, -20, 18, 35, 42, 98]
```

Closures as Trailers

Passing the function's final argument to a closure expression is declared with the help of 'Trailing Closures'. It is written outside the function () with {}. Its usage is needed when it is not possible to write the function inline on a single line.

```
reversed = sorted(names) { $0 > $1}
```

where { $\$0 > \1 } are represented as trailing closures declared outside (names).

```
import Foundation
var letters = ["North", "East", "West", "South"]

let twoletters = letters.map({ (state: String) -> String in
    return state.substringToIndex(advance(state.startIndex, 2)).uppercaseString
})
let stletters = letters.map() { $0.substringToIndex(advance($0.startIndex, 2)).uppercaseString }
print(stletters)
```

When we run the above program using playground, we get the following result:

```
[NO, EA, WE, SO]
```

Capturing Values and Reference Types

In Swift 4, capturing constants and variables values is done with the help of closures. It further refers and modify the values for those constants and variables inside the closure body even though the variables no longer exists.

Capturing constant and variable values is achieved by using nested function by writing function with in the body of other function.

A nested function captures

- Outer function arguments.
- Capture constants and variables defined within the Outer function.

In Swift 4, when a constant or a variable is declared inside a function, reference to that variables are also automatically created by the closure. It also provides the facility to refer more than two variables as the same closure as follows

```
let decrem = calcDecrement(forDecrement: 18)
decrem()
```

Here **oneDecrement** and Decrement variables will both point the same memory block as closure reference.

```
func calcDecrement(forDecrement total: Int) -> () -> Int {
    var overallDecrement = 100
    func decremter() -> Int {
        overallDecrement -= total
        print(overallDecrement)
        return overallDecrement
    }
    return decremter
}
let decrem = calcDecrement(forDecrement: 18)
decrem()
decrem()
decrem()
```

When we run the above program using playground, we get the following result:

```
82
64
46
```

When each and every time the outer function calcDecrement is called it invokes the decremter() function and decrements the value by 18 and returns the result with the help of outer function calcDecrement. Here calcDecrement acts as a closure.

Even though the function `decrementer()` does not have any arguments closure by default refers to variables `'overallDecrement'` and `'total'` by capturing its existing values. The copy of the values for the specified variables are stored with the new `decrementer()` function. Swift 4 handles memory management functions by allocating and deallocating memory spaces when the variables are not in use.

20. Swift 4 – Enumerations

An enumeration is a user-defined data type which consists of set of related values. Keyword **enum** is used to defined enumerated data type.

Enumeration Functionality

Enumeration in Swift 4 also resembles the structure of C and Objective C.

- It is declared in a class and its values are accessed through the instance of that class.
- Initial member value is defined using enum initializers.
- Its functionality is also extended by ensuring standard protocol functionality.

Syntax

Enumerations are introduced with the enum keyword and place their entire definition within a pair of braces:

```
enum enumname {  
    // enumeration values are described here  
}
```

For example, you can define an enumeration for days of week as follows:

```
enum DaysofaWeek {  
    case Sunday  
    case Monday  
    ---  
    case Saturday  
}
```

Example

```
enum names{  
    case Swift 4  
    case Closures  
}  
var lang = names.Closures  
lang = .Closures  
switch lang  
{
```

```

case .Swift 4:
    print("Welcome to Swift 4")
case .Closures:
    print("Welcome to Closures")
default:
    print("Introduction")
}

```

When we run the above program using playground, we get the following result:

```
Welcome to Closures
```

Swift 4 enumeration does not assign its members default value like C and Objective C. Instead the members are explicitly defined by their enumeration names. Enumeration name should start with a capital letter (Ex: enum DaysofaWeek).

```
var weekDay = DaysofaWeek.Sunday
```

Here the Enumeration name 'DaysofaWeek' is assigned to a variable weekday.Sunday. It informs the compiler that the datatype belongs to Sunday will be assigned to subsequent enum members of that particular class. Once the enum member datatype is defined, the members can be accessed by passing values and further computations.

Enumeration with Switch Statement

Swift 4 'Switch' statement also follows the multi way selection. Only one variable is accessed at a particular time based on the specified condition. Default case in switch statement is used to trap unspecified cases.

```

enum Climate{
    case India
    case America
    case Africa
    case Australia
}

var season = Climate.America
season = .America
switch season
{
    case .India:
        print("Climate is Hot")
    case .America:

```

```

    print("Climate is Cold")
    case .Africa:
        print("Climate is Moderate")
    case .Australia:
        print("Climate is Rainy")
    default:
        print("Climate is not predictable")
}

```

When we run the above program using playground, we get the following result:

```
Climte is Cold
```

The program first defines Climate as the enumeration name. Then its members like 'India', 'America', 'Africa' and 'Australia' are declared belonging to class 'Climate'. Now the member America is assigned to a Season Variable. Further, Switch case will see the values corresponding to .America and it will branch to that particular statement. The output will be displayed as "Climate is Cold". Likewise all the members can be accessed through switch statements. When the condition is not satisfied it prints by default 'Climate is not predictable'.

Enumeration can be further classified in to associated values and raw values.

Difference between Associated Values and Raw Values

Associated Values	Raw Values
Different Datatypes	Same Datatypes
Ex: enum {10,0.8,"Hello"}	Ex: enum {10,35,50}
Values are created based on constant or variable	Prepopulated Values
Varies when declared each time	Value for member is same

Enum with Associated Values

```

enum Student{
    case Name(String)
    case Mark(Int,Int,Int)
}
var studDetails = Student.Name("Swift 4")
var studMarks = Student.Mark(98,97,95)
switch studMarks {
    case .Name(let studName):
        print("Student name is: \(studName).")
}

```

```

case .Mark(let Mark1, let Mark2, let Mark3):
    print("Student Marks are: \(Mark1),\(Mark2),\(Mark3).")
default:
    print("Nothing")
}

```

When we run the above program using playground, we get the following result:

```

Swift 4
98
97
95

```

Consider for example to access the students name and marks secured in three subjects enumeration name is declared as student and the members present in enum class are name which belongs to string datatype, marks are represented as mark1, mark2 and mark3 of datatype Integer. To access either the student name or marks they have scored

```

var studDetails = Student.Name("Swift 4")
var studMarks = Student.Mark(98,97,95)

```

Now, the switch case will print student name if that case block is executed otherwise it will print the marks secured by the student. If both the conditions fail, the default block will be executed.

Enum with Raw Values

Raw values can be strings, characters, or any of the integer or floating-point number types. Each raw value must be unique within its enumeration declaration. When integers are used for raw values, they auto-increment if no value is specified for some of the enumeration members.

```

enum Month: Int {
    case January = 1, February, March, April, May, June, July, August,
    September, October, November, December
}
let yearMonth = Month.May.rawValue
print("Value of the Month is: \(yearMonth).")

```

When we run the above program using playground, we get the following result:

```

Value of the Month is: 5.

```

21. Swift 4 – Structures

Swift 4 provides a flexible building block of making use of constructs as Structures. By making use of these structures once can define constructs methods and properties.

Unlike C and Objective C

- Structure need not require implementation files and interface.
- Structure allows us to create a single file and to extend its interface automatically to other blocks.

In Structure the variable values are copied and passed in subsequent codes by returning a copy of the old values so that the values cannot be altered.

Syntax

```
Structures are defined with a 'Struct' Keyword.  
struct nameStruct {  
    Definition 1  
    Definition 2  
    ---  
    Definition N  
}
```

Definition of a Structure

Consider for example, suppose we have to access students record containing marks of three subjects and to find out the total of three subjects. Here markStruct is used to initialize a structure with three marks as datatype 'Int'.

```
struct MarkStruct{  
    var mark1: Int  
    var mark2: Int  
    var mark3: Int  
}
```

Accessing the Structure and its Properties

The members of the structure are accessed by its structure name. The instances of the structure are initialized by the 'let' keyword.

```
struct studentMarks {
```

```

var mark1 = 100
var mark2 = 200
var mark3 = 300
}
let marks = studentMarks()
print("Mark1 is \(marks.mark1)")
print("Mark2 is \(marks.mark2)")
print("Mark3 is \(marks.mark3)")

```

When we run the above program using playground, we get the following result:

```

Mark1 is 100
Mark2 is 200
Mark3 is 300

```

Students marks are accessed by the structure name 'studentMarks'. The structure members are initialized as mark1, mark2, mark3 with integer type values. Then the structure studentMarks() is passed to the 'marks' with 'let' keyword. Hereafter 'marks' will contain the structure member values. Now the values are printed by accessing the structure member values by '.' with its initialized names.

```

struct MarksStruct {
    var mark: Int

    init(mark: Int) {
        self.mark = mark
    }
}
var aStruct = MarksStruct(mark: 98)
var bStruct = aStruct // aStruct and bStruct are two structs with the same
value!
bStruct.mark = 97
print(aStruct.mark) // 98
print(bStruct.mark) // 97

```

When we run the above program using playground, we get the following result:

```

98
97

```

Best Usage Practices of Structures

Swift 4 language provides the functionality to define structures as custom data types for building the function blocks. The instances of structure are passed by its value to the defined blocks for further manipulations.

Need for having structures

- To encapsulate simple data values.
- To copy the encapsulated data and its associated properties by 'values' rather than by 'references'.
- Structure to 'Copy' and 'Reference'.

Structures in Swift 4 pass their members with their values rather than by its references.

```
struct markStruct{
    var mark1: Int
    var mark2: Int
    var mark3: Int

    init(mark1: Int, mark2: Int, mark3: Int){
        self.mark1 = mark1
        self.mark2 = mark2
        self.mark3 = mark3
    }
}

var marks = markStruct(mark1: 98, mark2: 96, mark3:100)
print(marks.mark1)
print(marks.mark2)
print(marks.mark3)
```

When we run the above program using playground, we get the following result:

```
98
96
100
```


Another Example

```
struct markStruct{
    var mark1: Int
    var mark2: Int
    var mark3: Int

    init(mark1: Int, mark2: Int, mark3: Int){
        self.mark1 = mark1
        self.mark2 = mark2
        self.mark3 = mark3
    }
}

var fail = markStruct(mark1: 34, mark2: 42, mark3: 13)

print(fail.mark1)
print(fail.mark2)
print(fail.mark3)
```

When we run the above program using playground, we get the following result:

```
34
42
13
```

The structure 'markStruct' is defined first with its members mark1, mark2 and mark3. Now the variables of member classes are initialized to hold integer values. Then the copy of the structure members are created with 'self' keyword. Once the copy of the structure members are created structure block with its parameter marks are passed to 'marks' variable which will now hold the students marks. Then the marks are printed as 98, 96, 100. Next step for the same structure members another instance named 'fail' is used to point the same structure members with different marks. Then the results are now printed as 34, 42, 13. This clearly explains that structures will have a copy of the member variables then pass the members to their upcoming function blocks.

22. Swift 4 – Classes

Classes in Swift 4 are building blocks of flexible constructs. Similar to constants, variables and functions the user can define class properties and methods. Swift 4 provides us the functionality that while declaring classes the users need not create interfaces or implementation files. Swift 4 allows us to create classes as a single file and the external interfaces will be created by default once the classes are initialized.

Benefits of having Classes

- Inheritance acquires the properties of one class to another class
- Type casting enables the user to check class type at run time
- Deinitializers take care of releasing memory resources
- Reference counting allows the class instance to have more than one reference

Common Characteristics of Classes and structures

- Properties are defined to store values
- Subscripts are defined for providing access to values
- Methods are initialized to improve functionality
- Initial state are defined by initializers
- Functionality are expanded beyond default values
- Confirming protocol functionality standards

Syntax

```
Class classname {  
    Definition 1  
    Definition 2  
    ---  
    Definition N  
}
```

Class Definition

```
class student{  
    var studname: String  
    var mark: Int  
    var mark2: Int
```

```
}

```

The syntax for creating instances

```
let studrecord = student()

```

Example

```
class MarksStruct {
    var mark: Int
    init(mark: Int) {
        self.mark = mark
    }
}

class studentMarks {
    var mark = 300
}

let marks = studentMarks()
print("Mark is \(marks.mark)")

```

When we run the above program using playground, we get the following result:

```
Mark is 300

```

Accessing Class Properties as Reference Types

Class properties can be accessed by the '.' syntax. Property name is separated by a '.' after the instance name.

```
class MarksStruct {
    var mark: Int
    init(mark: Int) {
        self.mark = mark
    }
}

class studentMarks {
    var mark1 = 300
    var mark2 = 400
    var mark3 = 900
}

```

```
let marks = studentMarks()
print("Mark1 is \(marks.mark1)")
print("Mark2 is \(marks.mark2)")
print("Mark3 is \(marks.mark3)")
```

When we run the above program using playground, we get the following result:

```
Mark1 is 300
Mark2 is 400
Mark3 is 900
```

Class Identity Operators

Classes in Swift 4 refers multiple constants and variables pointing to a single instance. To know about the constants and variables pointing to a particular class instance identity operators are used. Class instances are always passed by reference. In Classes NSString, NSArray, and NSDictionary instances are always assigned and passed around as a reference to an existing instance, rather than as a copy.

Identical to Operators	Not Identical to Operators
Operator used is (===)	Operator used is (!==)
Returns true when two constants or variables pointing to a same instance	Returns true when two constants or variables pointing to a different instance

```
class SampleClass: Equatable {
    let myProperty: String
    init(s: String) {
        myProperty = s
    }
}

func ==(lhs: SampleClass, rhs: SampleClass) -> Bool {
    return lhs.myProperty == rhs.myProperty
}

let spClass1 = SampleClass(s: "Hello")
let spClass2 = SampleClass(s: "Hello")

spClass1 === spClass2 // false
print("\(spClass1)")
```

```
spClass1 !== spClass2 // true  
print("\(spClass2)")
```

When we run the above program using playground, we get the following result:

```
main.SampleClass  
main.SampleClass
```

23. Swift 4 – Properties

Swift 4 language provides properties for class, enumeration or structure to associate values. Properties can be further classified into Stored properties and Computed properties.

Difference between Stored Properties and Computed Properties

Stored Property	Computed Property
Store constant and variable values as instance	Calculate a value rather than storing the value
Provided by classes and structures	Provided by classes, enumerations and structures

Both Stored and Computed properties are associated with instances type. When the properties are associated with its type values then it is defined as 'Type Properties'. Stored and computed properties are usually associated with instances of a particular type. However, properties can also be associated with the type itself. Such properties are known as type properties. Property observers are also used

- To observe the value of the stored properties
- To observe the property of inherited subclass derived from superclass

Stored Properties

Swift 4 introduces Stored Property concept to store the instances of constants and variables. Stored properties of constants are defined by the 'let' keyword and Stored properties of variables are defined by the 'var' keyword.

- During definition Stored property provides 'default value'
- During Initialization the user can initialize and modify the initial values

```
struct Number
{
    var digits: Int
    let pi = 3.1415
}
var n = Number(digits: 12345)
n.digits = 67
print("\(n.digits)")
print("\(n.pi)")
```

When we run the above program using playground, we get the following result:

```
67
3.1415
```

Consider the following line in the above code:

```
let pi = 3.1415
```

Here, the variable pi is initialized as a stored property value with the instance pi = 3.1415. So, whenever the instance is referred it will hold the value 3.1415 alone.

Another method to have stored property is to have as constant structures. So the whole instance of the structures will be considered as 'Stored Properties of Constants'.

```
struct Number
{
    var digits: Int
    let numbers = 3.1415
}

var n = Number(digits: 12345)
n.digits = 67

print("\(n.digits)")
print("\(n.numbers)")
n.numbers = 8.7
```

When we run the above program using playground, we get the following result:

```
error: cannot assign to 'numbers' in 'n'
n.numbers = 8.7
```

Instead of reinitializing the 'number' to 8.7 it will return an error message indicating that the 'number' is declared as constant.

Lazy Stored Property

Swift 4 provides a flexible property called 'Lazy Stored Property' where it won't calculate the initial values when the variable is initialized for the first time. 'lazy' modifier is used before the variable declaration to have it as a lazy stored property.

Lazy Properties are used:

- To delay object creation.
- When the property is dependent on other parts of a class, that are not known yet

```

class sample {
    lazy var no = number() // `var` declaration is required.
}

class number {
    var name = "Swift 4"
}

var firstsample = sample()
print(firstsample.no.name)

```

When we run the above program using playground, we get the following result:

```
Swift 4
```

Instance Variables

In Objective C, Stored properties also have instance variables for back up purposes to store the values declared in stored property.

Swift 4 integrates both these concepts into a single 'stored property' declaration. Instead of having a corresponding instance variable and back up value 'stored property' contains all integrated information defined in a single location about the variables property by variable name, data type and memory management functionalities.

Computed Properties

Rather than storing the values computed properties provide a getter and an optional setter to retrieve and set other properties and values indirectly.

```

class sample {
    var no1 = 0.0, no2 = 0.0
    var length = 300.0, breadth = 150.0

    var middle: (Double, Double) {
        get{
            return (length / 2, breadth / 2)
        }
        set(axis){
            no1 = axis.0 - (length / 2)
            no2 = axis.1 - (breadth / 2)
        }
    }
}

```



```

    }
}

var result = sample()
print(result.middle)
result.middle = (0.0, 10.0)

print(result.no1)
print(result.no2)

```

When we run the above program using playground, we get the following result:

```

(150.0, 75.0)
-150.0
-65.0

```

When a computed property left the new value as undefined, the default value will be set for that particular variable.

Computed Properties as Read-Only Properties

A read-only property in computed property is defined as a property with getter but no setter. It is always used to return a value. The variables are further accessed through a '.' Syntax but cannot be set to another value.

```

class film {
    var head = ""
    var duration = 0.0
    var metaInfo: [String:String] {
        return [
            "head": self.head,
            "duration": "\(self.duration)"
        ]
    }
}

var movie = film()
movie.head = "Swift 4 Properties"
movie.duration = 3.09
print(movie.metaInfo["head"]!)
print(movie.metaInfo["duration"]!)

```

When we run the above program using playground, we get the following result:

Swift 4 Properties

3.09

Computed Properties as Property Observers

In Swift 4 to observe and respond to property values Property Observers are used. Each and every time when property values are set property observers are called. Except lazy stored properties we can add property observers to 'inherited' property by method 'overriding'.

Property Observers can be defined by either

- Before Storing the value - willset
- After Storing the new value - didSet
- When a property is set in an initializer willset and didSet observers cannot be called.

```
class Samplepgm {
    var counter: Int = 0{
        willSet(newTotal){
            print("Total Counter is: \(newTotal)")
        }
        didSet{
            if counter > oldValue {
                print("Newly Added Counter \(counter - oldValue)")
            }
        }
    }
}

let NewCounter = Samplepgm()
NewCounter.counter = 100
NewCounter.counter = 800
```

When we run the above program using playground, we get the following result:

```
Total Counter is: 100
Newly Added Counter 100
Total Counter is: 800
Newly Added Counter 700
```

Local and Global Variables

Local and global variable are declared for computing and observing the properties.

Local Variables	Global Variables
Variables that are defined within a function, method, or closure context.	Variables that are defined outside function, method, closure, or type context.
Used to store and retrieve values.	Used to store and retrieve values.
Stored properties is used to get and set the values.	Stored properties is used to get and set the values.
Computed properties are also used.	Computed properties are also used.

Type Properties

Properties are defined in the Type definition section with curly braces {} and scope of the variables are also defined previously. For defining type properties for value types 'static' keyword is used and for class types 'class' keyword is used.

Syntax

```
struct Structname {
    static var storedTypeProperty = " "
    static var computedTypeProperty: Int {
        // return an Int value here
    }
}

enum Enumname {
    static var storedTypeProperty = " "
    static var computedTypeProperty: Int {
        // return an Int value here
    }
}

class Classname {
    class var computedTypeProperty: Int {
        // return an Int value here
    }
}
```

Querying and Setting Properties

Just like instance properties Type properties are queried and set with '.' Syntax just on the type alone instead of pointing to the instance.

```
struct StudMarks {
    static let markCount = 97
    static var totalCount = 0
    var InternalMarks: Int = 0 {
        didSet {
            if InternalMarks > StudMarks.markCount {
                InternalMarks = StudMarks.markCount
            }
            if InternalMarks > StudMarks.totalCount {
                StudMarks.totalCount = InternalMarks
            }
        }
    }
}

var stud1Mark1 = StudMarks()
var stud1Mark2 = StudMarks()

stud1Mark1.InternalMarks = 98
print(stud1Mark1.InternalMarks)

stud1Mark2.InternalMarks = 87
print(stud1Mark2.InternalMarks)
```

When we run the above program using playground, we get the following result:

```
97
87
```

24. Swift 4 – Methods

In Swift 4 language Functions associated with particular types are referred to as Methods. In Objective C Classes are used to define methods, whereas Swift 4 language provides the user flexibility to have methods for Classes, Structures and Enumerations.

Instance Methods

In Swift 4 language, Classes, Structures and Enumeration instances are accessed through the instance methods.

Instance methods provide functionality

- To access and modify instance properties
- functionality related to the instance's need

Instance method can be written inside the {} curly braces. It has implicit access to methods and properties of the type instance. When a specific instance of the type is called it will get access to that particular instance.

Syntax

```
func funcname(Parameters) -> returntype
{
    Statement1
    Statement2
    ---
    Statement N
    return parameters
}
```

Example

```
class calculations {
    let a: Int
    let b: Int
    let res: Int

    init(a: Int, b: Int) {
        self.a = a
        self.b = b
        res = a + b
    }
}
```

```

    }

    func tot(c: Int) -> Int {
        return res - c
    }

    func result() {
        print("Result is: \(tot(20))")
        print("Result is: \(tot(50))")
    }
}

let pri = calculations(a: 600, b: 300)
pri.result()

```

When we run the above program using playground, we get the following result:

```

Result is: 880
Result is: 850

```

Class Calculations defines two instance methods:

- `init()` is defined to add two numbers `a` and `b` and store it in result '`res`'
- `tot()` is used to subtract the '`res`' from passing '`c`' value

Finally, to print the calculations methods with values for `a` and `b` is called. Instance methods are accessed with '.' dot syntax

Local and External Parameter Names

Swift 4 Functions describe both local and global declarations for their variables. Similarly, Swift 4 Methods naming conventions also resembles as that of Objective C. But the characteristics of local and global parameter name declarations are different for functions and methods. The first parameter in Swift 4 are referred by preposition names as 'with', 'for' and 'by' for easy to access naming conventions.

Swift 4 provides the flexibility in methods by declaring first parameter name as local parameter names and the remaining parameter names to be of global parameter names. Here '`no1`' is declared by Swift 4 methods as local parameter names. '`no2`' is used for global declarations and accessed through out the program.

```

class division {
    var count: Int = 0
    func incrementBy(no1: Int, no2: Int) {
        count = no1 / no2
        print(count)
    }
}

```

```

    }
}

let counter = division()
counter.incrementBy(1800, no2: 3)
counter.incrementBy(1600, no2: 5)
counter.incrementBy(11000, no2: 3)

```

When we run the above program using playground, we get the following result:

```

600
320
3666

```

External Parameter Name with # and _ Symbol

Even though Swift 4 methods provide first parameter names for local declarations, the user has the provision to modify the parameter names from local to global declarations. This can be done by prefixing '#' symbol with the first parameter name. By doing so, the first parameter can be accessed globally throughout the modules.

When the user needs to access the subsequent parameter names with an external name, the methods name is overridden with the help of '_' symbol.

```

class multiplication {
    var count: Int = 0
    func incrementBy(#no1: Int, no2: Int) {
        count = no1 * no2
        print(count)
    }
}

let counter = multiplication()
counter.incrementBy(no1: 800, no2: 3)
counter.incrementBy(no1: 100, no2: 5)
counter.incrementBy(no1: 15000, no2: 3)

```

When we run the above program using playground, we get the following result:

```

2400
500
45000

```

Self property in Methods

Methods have an implicit property known as 'self' for all its defined type instances. 'Self' property is used to refer the current instances for its defined methods.

```
class calculations {
    let a: Int
    let b: Int
    let res: Int

    init(a: Int, b: Int) {
        self.a = a
        self.b = b
        res = a + b
        print("Inside Self Block: \(res)")
    }

    func tot(c: Int) -> Int {
        return res - c
    }

    func result() {
        print("Result is: \(tot(20))")
        print("Result is: \(tot(50))")
    }
}

let pri = calculations(a: 600, b: 300)
let sum = calculations(a: 1200, b: 300)

pri.result()
sum.result()
```

When we run the above program using playground, we get the following result:

```
Inside Self Block: 900
Inside Self Block: 1500
Result is: 880
Result is: 850
Result is: 1480
Result is: 1450
```


Modifying Value Types from Instance Methods

In Swift 4 language structures and enumerations belong to value types which cannot be altered by its instance methods. However, Swift 4 language provides flexibility to modify the value types by 'mutating' behavior. Mutate will make any changes in the instance methods and will return back to the original form after the execution of the method. Also, by the 'self' property new instance is created for its implicit function and will replace the existing method after its execution

```
struct area {
    var length = 1
    var breadth = 1

    func area() -> Int {
        return length * breadth
    }

    mutating func scaleBy(res: Int) {
        length *= res
        breadth *= res

        print(length)
        print(breadth)
    }
}

var val = area(length: 3, breadth: 5)
val.scaleBy(3)
val.scaleBy(30)
val.scaleBy(300)
```

When we run the above program using playground, we get the following result:

```
9
15
270
450
81000
135000
```

Self Property for Mutating Method

Mutating methods combined with 'self' property assigns a new instance to the defined method.

```
struct area {
    var length = 1
    var breadth = 1

    func area() -> Int {
        return length * breadth
    }

    mutating func scaleBy(res: Int) {
        self.length *= res
        self.breadth *= res
        print(length)
        print(breadth)
    }
}

var val = area(length: 3, breadth: 5)
val.scaleBy(13)
```

When we run the above program using playground, we get the following result.

```
39
65
```

Type Methods

When a particular instance of a method is called, it is called as an Instance method; and when the method calls a particular type of a method, it is called as 'Type Methods'. Type methods for 'classes' are defined by the 'func' keyword and structures and enumerations type methods are defined with the 'static' keyword before the 'func' keyword.

Type methods are called and accessed by '.' syntax where instead of calling a particular instance the whole method is invoked.

```
class Math
{
    class func abs(number: Int) -> Int
    {
        if number < 0
```

```
        {
            return (-number)
        }
    else
    {
        return number
    }
}
}

struct absno
{
    static func abs(number: Int) -> Int
    {
        if number < 0
        {
            return (-number)
        }
        else
        {
            return number
        }
    }
}

let no = Math.abs(-35)
let num = absno.abs(-5)

print(no)
print(num)
```

When we run the above program using playground, we get the following result.

```
35
5
```

25. Swift 4 – Subscripts

Accessing the element members of a collection, sequence and a list in Classes, Structures and Enumerations are carried out with the help of subscripts. These subscripts are used to store and retrieve the values with the help of index. Array elements are accessed with the help of `someArray[index]` and its subsequent member elements in a Dictionary instance can be accessed as `someDictionary[key]`.

For a single type, subscripts can range from single to multiple declarations. We can use the appropriate subscript to overload the type of index value passed to the subscript. Subscripts also ranges from single dimension to multiple dimension according to the users requirements for their input data type declarations.

Subscript Declaration Syntax and its Usage

Let's have a recap to the computed properties. Subscripts too follow the same syntax as that of computed properties. For querying type instances, subscripts are written inside a square bracket followed with the instance name. Subscript syntax follows the same syntax structure as that of 'instance method' and 'computed property' syntax. 'subscript' keyword is used for defining subscripts and the user can specify single or multiple parameters with their return types. Subscripts can have read-write or read-only properties and the instances are stored and retrieved with the help of 'getter' and 'setter' properties as that of computed properties.

Syntax

```
subscript(index: Int) -> Int {
    get {
        // used for subscript value declarations
    }
    set(newValue) {
        // definitions are written here
    }
}
```

Example1

```
struct subexample {
    let decrementer: Int
    subscript(index: Int) -> Int {
        return decrementer / index
    }
}

let division = subexample(decrementer: 100)
```

```

print("The number is divisible by \((division[9]) times")
print("The number is divisible by \((division[2]) times")
print("The number is divisible by \((division[3]) times")
print("The number is divisible by \((division[5]) times")
print("The number is divisible by \((division[7]) times")

```

When we run the above program using playground, we get the following result:

```

The number is divisible by 11 times
The number is divisible by 50 times
The number is divisible by 33 times
The number is divisible by 20 times
The number is divisible by 14 times

```

Example2

```

class daysofaweek {
    private var days = ["Sunday", "Monday", "Tuesday", "Wednesday",
        "Thursday", "Friday", "saturday"]
    subscript(index: Int) -> String {
        get {
            return days[index]
        }
        set(newValue) {
            self.days[index] = newValue
        }
    }
}
var p = daysofaweek()

print(p[0])
print(p[1])
print(p[2])
print(p[3])

```

When we run the above program using playground, we get the following result:

```

Sunday
Monday
Tuesday
Wednesday

```

Options in Subscript

Subscripts takes single to multiple input parameters and these input parameters also belong to any datatype. They can also use variable and variadic parameters. Subscripts cannot provide default parameter values or use any in-out parameters.

Defining multiple subscripts are termed as 'subscript overloading' where a class or structure can provide multiple subscript definitions as required. These multiple subscripts are inferred based on the types of values that are declared within the subscript braces.

```

struct Matrix {
    let rows: Int, columns: Int
    var print: [Double]
    init(rows: Int, columns: Int) {
        self.rows = rows
        self.columns = columns
        print = Array(count: rows * columns, repeatedValue: 0.0)
    }
    subscript(row: Int, column: Int) -> Double {
        get {
            return print[(row * columns) + column]
        }
        set {
            print[(row * columns) + column] = newValue
        }
    }
}

var mat = Matrix(rows: 3, columns: 3)

mat[0,0] = 1.0
mat[0,1] = 2.0
mat[1,0] = 3.0
mat[1,1] = 5.0

print("\(mat[0,0])")

```

```
print("\(mat[0,1])")  
print("\(mat[1,0])")  
print("\(mat[1,1])")
```

When we run the above program using playground, we get the following result:

```
1.0  
2.0  
3.0  
5.0
```

Swift 4 subscript supports single parameter to multiple parameter declarations for appropriate data types. The program declares 'Matrix' structure as a 2 * 2 dimensional array matrix to store 'Double' data types. The Matrix parameter is inputted with Integer data types for declaring rows and columns.

New instance for the Matrix is created by passing row and column count to the initialize as shown below.

```
var mat = Matrix(rows: 3, columns: 3)
```

Matrix values can be defined by passing row and column values into the subscript, separated by a comma as shown below.

```
mat[0,0] = 1.0  
mat[0,1] = 2.0  
mat[1,0] = 3.0  
mat[1,1] = 5.0
```

26. Swift 4 – Inheritance

The ability to take than more form is defined as Inheritance. Generally a class can inherit methods, properties and functionalities from another class. Classes can be further categorized in to sub class and super class.

- **Sub Class:** when a class inherits properties, methods and functions from another class it is called as sub class
- **Super Class:** Class containing properties, methods and functions to inherit other classes from itself is called as a super class

Swift 4 classes contain superclass which calls and access methods, properties, functions and overriding methods. Also, property observers are also used to add a property and modify the stored or computed property methods.

Base Class

A Class that does not inherit methods, properties or functions from another class is called as 'Base Class'.

```
class StudDetails {
    var sname: String!
    var mark1: Int!
    var mark2: Int!
    var mark3: Int!

    init(sname: String, mark1: Int, mark2: Int, mark3: Int) {
        self.sname = sname
        self.mark1 = mark1
        self.mark2 = mark2
        self.mark3 = mark3
    }
}

let sname = "Swift 4"
let mark1 = 98
let mark2 = 89
let mark3 = 76

print(sname)
print(mark1)
print(mark2)
```



```
print(mark3)
```

When we run the above program using playground, we get the following result:

```
Swift 4
98
89
76
```

Class with classname StudDetails are defined as a base class here which is used to contain students name, and three subjects mark as mark1, mark2 and mark3. 'let' keyword is used to initialize the value for the base class and base class value is displayed in the playground with the help of 'print' function.

Subclass

The act of basing a new class on an existing class is defined as 'Subclass'. The subclass inherits the properties, methods and functions of its base class. To define a subclass ':' is used before the base class name

```
class StudDetails
{
    var mark1: Int;
    var mark2: Int;

    init(stm1:Int, results stm2:Int)
    {
        mark1 = stm1;
        mark2 = stm2;
    }

    func print()
    {
        print("Mark1:\(mark1), Mark2:\(mark2)")
    }
}

class display : StudDetails
{
    init()
    {
        super.init(stm1: 93, results: 89)
    }
}
```

```

    }
}

let marksobtained = display()
marksobtained.print()

```

When we run the above program using playground, we get the following result:

```
Mark1:93, Mark2:89
```

Class 'StudDetails' is defined as super class where student marks are declared and the subclass 'display' is used to inherit the marks from its super class. Sub class defines students marks and calls the print() method to display the students mark.

Overriding

Accessing the super class instance, type methods, instance, type properties and subscripts subclass provides the concept of overriding. 'override' keyword is used to override the methods declared in the superclass.

Access to Super class Methods, Properties and Subscripts

'super' keyword is used as a prefix to access the methods, properties and subscripts declared in the super class.

Overriding	Access to methods,properties and subscripts
Methods	super.somemethod()
Properties	super.someProperty()
Subscripts	super[someIndex]

Methods Overriding

Inherited instance and type methods can be overridden by the 'override' keyword to our methods defined in our subclass. Here print() is overridden in subclass to access the type property mentioned in the super class print(). Also new instance of cricket() super class is created as 'cricinstance'.

```

class cricket {
    func print() {
        print("Welcome to Swift 4 Super Class")
    }
}

class tennis: cricket {
    override func print() {

```

```

        print("Welcome to Swift 4 Sub Class")
    }
}

let cricinstance = cricket()
cricinstance.print()

let tennisinstance = tennis()
tennisinstance.print()

```

When we run the above program using playground, we get the following result:

```

Welcome to Swift 4 Super Class
Welcome to Swift 4 Sub Class

```

Property Overriding

You can override an inherited instance or class property to provide your own custom getter and setter for that property, or to add property observers to enable the overriding property to observe when the underlying property value changes.

Overriding Property Getters and Setters

Swift 4 allows the user to provide custom getter and setter to override the inherited property whether it is a stored or computed property. The subclass does not know the inherited property name and type. Therefore it is essential that the user needs to specify in subclass, the name and type of the overriding property specified in super class.

This can be done in two ways:

- When setter is defined for overriding property the user has to define getter too.
- When we don't want to modify the inherited property getter, we can simply pass the inherited value by the syntax 'super.someProperty' to the super class.

```

class Circle {
    var radius = 12.5
    var area: String {
        return "of rectangle for \(radius) "
    }
}

class Rectangle: Circle {
    var print = 7

```

```

        override var area: String {
            return super.area + " is now overridden as \(print)"
        }
    }

let rect = Rectangle()
rect.radius = 25.0
rect.print = 3
print("Radius \(rect.area)")

```

When we run the above program using playground, we get the following result:

```
Radius of rectangle for 25.0 is now overridden as 3
```

Overriding Property Observers

When a new property needs to be added for an inherited property, 'property overriding' concept is introduced in Swift 4. This notifies the user when the inherited property value is altered. But overriding is not applicable for inherited constant stored properties and inherited read-only computed properties.

```

class Circle {
    var radius = 12.5
    var area: String {
        return "of rectangle for \(radius) "
    }
}

class Rectangle: Circle {
    var print = 7
    override var area: String {
        return super.area + " is now overridden as \(print)"
    }
}

let rect = Rectangle()
rect.radius = 25.0
rect.print = 3
print("Radius \(rect.area)")

```

```

class Square: Rectangle {
    override var radius: Double {
        didSet {
            print = Int(radius/5.0)+1
        }
    }
}

let sq = Square()
sq.radius = 100.0
print("Radius \(sq.area)")

```

When we run the above program using playground, we get the following result:

```

Radius of rectangle for 25.0 is now overridden as 3
Radius of rectangle for 100.0 is now overridden as 21

```

Final Property to prevent Overriding

When the user need not want others to access super class methods, properties or subscripts Swift 4 introduces 'final' property to prevent overriding. Once 'final' property is declared the subscripts won't allow the super class methods, properties and its subscripts to be overridden. There is no provision to have 'final' property in 'super class'. When 'final' property is declared the user is restricted to create further sub classes.

```

final class Circle {
    final var radius = 12.5
    var area: String {
        return "of rectangle for \(radius) "
    }
}

class Rectangle: Circle {
    var print = 7
    override var area: String {
        return super.area + " is now overridden as \(print)"
    }
}

let rect = Rectangle()

```

```

rect.radius = 25.0
rect.print = 3
print("Radius \ (rect.area)")

class Square: Rectangle {
    override var radius: Double {
        didSet {
            print = Int(radius/5.0)+1
        }
    }
}

let sq = Square()
sq.radius = 100.0
print("Radius \ (sq.area)")

```

When we run the above program using playground, we get the following result:

```

<stdin>:14:18: error: var overrides a 'final' var
    override var area: String {
            ^
<stdin>:7:9: note: overridden declaration is here
    var area: String {
        ^
<stdin>:12:11: error: inheritance from a final class 'Circle'
    class Rectangle: Circle {
            ^
<stdin>:25:14: error: var overrides a 'final' var
    override var radius: Double {
            ^
<stdin>:6:14: note: overridden declaration is here
    final var radius = 12.5

```

Since the super class is declared as 'final' and its data types are also declared as 'final' the program won't allow to create subclasses further and it will throw errors.

27. Swift 4 – Initialization

Classes, structures and enumerations once declared in Swift 4 are initialized for preparing instance of a class. Initial value is initialized for stored property and also for new instances too the values are initialized to proceed further. The keyword to create initialization function is carried out by 'init()' method. Swift 4 initializer differs from Objective-C that it does not return any values. Its function is to check for initialization of newly created instances before its processing. Swift 4 also provides 'deinitialization' process for performing memory management operations once the instances are deallocated.

Initializer Role for Stored Properties

Stored property have to initialize the instances for its classes and structures before processing the instances. Stored properties use initializer to assign and initialize values thereby eradicating the need to call property observers. Initializer is used in stored property

- To create an initial value.
- To assign default property value within the property definition.
- To initialize an instance for a particular data type 'init()' is used. No arguments are passed inside the init() function.

Syntax

```
init()
{
    //New Instance initialization goes here
}
```

Example

```
struct rectangle {
    var length: Double
    var breadth: Double
    init() {
        length = 6
        breadth = 12
    }
}
var area = rectangle()
print("area of rectangle is \(area.length*area.breadth)")
```

When we run the above program using playground, we get the following result:

```
area of rectangle is 72.0
```

Here the structure 'rectangle' is initialized with members length and breadth as 'Double' datatypes. Init() method is used to initialize the values for the newly created members length and double. Area of rectangle is calculated and returned by calling the rectangle function.

Setting Property Values by Default

Swift 4 language provides Init() function to initialize the stored property values. Also, the user has provision to initialize the property values by default while declaring the class or structure members. When the property takes the same value alone throughout the program we can declare it in the declaration section alone rather than initializing it in init(). Setting property values by default enables the user when inheritance is defined for classes or structures.

```
struct rectangle {
    var length = 6
    var breadth = 12
}
var area = rectangle()
print("area of rectangle is \ \(area.length*area.breadth)")
```

When we run the above program using playground, we get the following result:

```
area of rectangle is 72.0
```

Here instead of declaring length and breadth in init() the values are initialized in declaration itself.

Parameters Initialization

In Swift 4 language the user has the provision to initialize parameters as part of the initializer's definition using init().

```
struct Rectangle {
    var length: Double
    var breadth: Double
    var area: Double

    init(fromLength length: Double, fromBreadth breadth: Double) {
        self.length = length
        self.breadth = breadth
        area = length * breadth
    }
}
```



```

    }

    init(fromLeng leng: Double, fromBread bread: Double) {
        self.length = leng
        self.breadth = bread
        area = leng * bread
    }
}

let ar = Rectangle(fromLength: 6, fromBreadth: 12)
print("area is: \(ar.area)")

let are = Rectangle(fromLeng: 36, fromBread: 12)
print("area is: \(are.area)")

```

When we run the above program using playground, we get the following result:

```

area is: 72.0
area is: 432.0

```

Local & External Parameters

Initialization parameters have both local and global parameter names similar to that of function and method parameters. Local parameter declaration is used to access within the initialize body and external parameter declaration is used to call the initializer. Swift 4 initializers differ from function and method initializer that they do not identify which initializer are used to call which functions.

To overcome this, Swift 4 introduces an automatic external name for each and every parameter in `init()`. This automatic external name is as equivalent as local name written before every initialization parameter.

```

struct Days {
    let sunday, monday, tuesday: Int
    init(sunday: Int, monday: Int, tuesday: Int) {
        self.sunday = sunday
        self.monday = monday
        self.tuesday = tuesday
    }

    init(daysofaweek: Int) {
        sunday = daysofaweek
    }
}

```

```

        monday = daysofaweek
        tuesday = daysofaweek
    }
}

let week = Days(sunday: 1, monday: 2, tuesday: 3)
print("Days of a Week is: \(week.sunday)")
print("Days of a Week is: \(week.monday)")
print("Days of a Week is: \(week.tuesday)")

let weekdays = Days(daysofaweek: 4)
print("Days of a Week is: \(weekdays.sunday)")
print("Days of a Week is: \(weekdays.monday)")
print("Days of a Week is: \(weekdays.tuesday)")

```

When we run the above program using playground, we get the following result:

```

Days of a Week is: 1
Days of a Week is: 2
Days of a Week is: 3
Days of a Week is: 4
Days of a Week is: 4
Days of a Week is: 4

```

Parameters without External Names

When an external name is not needed for an initialize underscore '_' is used to override the default behavior.

```

struct Rectangle {
    var length: Double

    init(frombreadth breadth: Double) {
        length = breadth * 10
    }

    init(frombre bre: Double) {
        length = bre * 30
    }
}

```

```

    init(_ area: Double) {
        length = area
    }
}

let rectarea = Rectangle(180.0)
print("area is: \(rectarea.length)")

let rearea = Rectangle(370.0)
print("area is: \(rearea.length)")

let recarea = Rectangle(110.0)
print("area is: \(recarea.length)")

```

When we run the above program using playground, we get the following result:

```

area is: 180.0
area is: 370.0
area is: 110.0

```

Optional Property Types

When the stored property at some instance does not return any value that property is declared with an 'optional' type indicating that 'no value' is returned for that particular type. When the stored property is declared as 'optional' it automatically initializes the value to be 'nil' during initialization itself.

```

struct Rectangle {
    var length: Double?

    init(frombreadth breadth: Double) {
        length = breadth * 10
    }

    init(frombre bre: Double) {
        length = bre * 30
    }

    init(_ area: Double) {
        length = area
    }
}

```

```

    }
}

let rectarea = Rectangle(180.0)
print("area is: \(rectarea.length)")

let rearea = Rectangle(370.0)
print("area is: \(rearea.length)")

let recarea = Rectangle(110.0)
print("area is: \(recarea.length)")

```

When we run the above program using playground, we get the following result:

```

area is: Optional(180.0)
area is: Optional(370.0)
area is: Optional(110.0)

```

Modifying Constant Properties During Initialization

Initialization also allows the user to modify the value of constant property too. During initialization, class property allows its class instances to be modified by the super class and not by the subclass. Consider for example in the previous program 'length' is declared as 'variable' in the main class. The below program variable 'length' is modified as 'constant' variable.

```

struct Rectangle {
    let length: Double?

    init(frombreadth breadth: Double) {
        length = breadth * 10
    }

    init(frombre bre: Double) {
        length = bre * 30
    }

    init(_ area: Double) {
        length = area
    }
}

```

```

}

let rectarea = Rectangle(180.0)
print("area is: \(rectarea.length)")

let rearea = Rectangle(370.0)
print("area is: \(rearea.length)")

let recarea = Rectangle(110.0)
print("area is: \(recarea.length)")

```

When we run the above program using playground, we get the following result:

```

area is: Optional(180.0)
area is: Optional(370.0)
area is: Optional(110.0)

```

Default Initializers

Default initializers provide a new instance to all its declared properties of base class or structure with default values.

```

class defaultexample {
    var studname: String?
    var stmark = 98
    var pass = true
}

var result = defaultexample()

print("result is: \(result.studname)")
print("result is: \(result.stmark)")
print("result is: \(result.pass)")

```

When we run above program using playground, we get following result.

```

result is: nil
result is: 98
result is: true

```

The above program is defined with class name as 'defaultexample'. Three member functions are initialized by default as 'studname?' to store 'nil' values, 'stmark' as 98 and

'pass' as Boolean value 'true'. Likewise the member values in the class can be initialized as default before processing the class member types.

Memberwise Initializers for Structure Types

When the custom initializers are not provided by the user, Structure types in Swift 4 will automatically receive the 'memberwise initializer'. Its main function is to initialize the new structure instances with the default memberwise initialize and then the new instance properties are passed to the memberwise initialize by name.

```
struct Rectangle {
    var length = 100.0, breadth = 200.0
}
let area = Rectangle(length: 24.0, breadth: 32.0)

print("Area of rectangle is: \(area.length)")
print("Area of rectangle is: \(area.breadth)")
```

When we run the above program using playground, we get the following result:

```
Area of rectangle is: 24.0
Area of rectangle is: 32.0
```

Structures are initialized by default for their membership functions during initialization for 'length' as '100.0' and 'breadth' as '200.0'. But the values are overridden during the processing of variables length and breadth as 24.0 and 32.0.

Initializer Delegation for Value Types

Initializer Delegation is defined as calling initializers from other initializers. Its main function is to act as reusability to avoid code duplication across multiple initializers.

```
struct Stmark {
    var mark1 = 0.0, mark2 = 0.0
}
struct stdb {
    var m1 = 0.0, m2 = 0.0
}
struct block {
    var average = stdb()
    var result = Stmark()

    init() {}
    init(average: stdb, result: Stmark) {}
```

```

        self.average = average
        self.result = result
    }

    init(avg: stdb, result: Stmark) {
        let tot = avg.m1 - (result.mark1 / 2)
        let tot1 = avg.m2 - (result.mark2 / 2)
        self.init(average: stdb(m1: tot, m2: tot1), result: result)
    }
}

let set1 = block()
print("student result is: \(set1.average.m1, set1.average.m2)
\ \(set1.result.mark1, set1.result.mark2)")

let set2 = block(average: stdb(m1: 2.0, m2: 2.0),
    result: Stmark(mark1: 5.0, mark2: 5.0))
print("student result is: \(set2.average.m1, set2.average.m2)
\ \(set2.result.mark1, set2.result.mark2)")

let set3 = block(avg: stdb(m1: 4.0, m2: 4.0),
    result: Stmark(mark1: 3.0, mark2: 3.0))
print("student result is: \(set3.average.m1, set3.average.m2)
\ \(set3.result.mark1, set3.result.mark2)")

```

When we run the above program using playground, we get the following result:

```

(0.0,0.0) (0.0,0.0)
(2.0,2.0) 5.0,5.0)
(2.5,2.5) (3.0,3.0)

```

Rules for Initializer Delegation

Value Types	Class Types
Inheritance is not supported for value types like structures and enumerations. Referring other initializers is done through self.init	Inheritance is supported. Checks all stored property values are initialized

Class Inheritance and Initialization

Class types have two kinds of initializers to check whether defined stored properties receive an initial value namely designated initializers and convenience initializers.

Designated Initializers and Convenience Initializers

Designated Initializer	Convenience Initializer
Considered as primary initializers for a class	Considered as supporting initialize for a class
All class properties are initialized and appropriate superclass initializer are called for further initialization	Designated initializer is called with convenience initializer to create class instance for a specific use case or input value type
At least one designated initializer is defined for every class	No need to have convenience initializers compulsory defined when the class does not require initializers.
Init(parameters) { statements }	convenience init(parameters) { statements }

Program for Designated Initializers

```
class mainClass {
    var no1 : Int // local storage
    init(no1 : Int) {
        self.no1 = no1 // initialization
    }
}

class subClass : mainClass {
    var no2 : Int // new subclass storage
    init(no1 : Int, no2 : Int) {
        self.no2 = no2 // initialization
        super.init(no1:no1) // redirect to superclass
    }
}

let res = mainClass(no1: 10)
let print = subClass(no1: 10, no2: 20)

print("res is: \(res.no1)")
print("res is: \(print.no1)")
print("res is: \(print.no2)")
```


When we run the above program using playground, we get the following result:

```
res is: 10
res is: 10
res is: 20
```

Program for Convenience Initializers

```
class mainClass {
    var no1 : Int // local storage
    init(no1 : Int) {
        self.no1 = no1 // initialization
    }
}

class subClass : mainClass {
    var no2 : Int
    init(no1 : Int, no2 : Int) {
        self.no2 = no2
        super.init(no1:no1)
    }
    // Requires only one parameter for convenient method
    override convenience init(no1: Int) {
        self.init(no1:no1, no2:0)
    }
}

let res = mainClass(no1: 20)
let print = subClass(no1: 30, no2: 50)

print("res is: \(res.no1)")
print("res is: \(print.no1)")
print("res is: \(print.no2)")
```

When we run the above program using playground, we get the following result:

```
res is: 20
res is: 30
res is: 50
```

Initializer Inheritance and Overriding

Swift 4 does not allow its subclasses to inherit its superclass initializers for their member types by default. Inheritance is applicable to Super class initializers only to some extent which will be discussed in Automatic Initializer Inheritance.

When the user needs to have initializers defined in super class, subclass with initializers has to be defined by the user as custom implementation. When overriding has to be taken place by the sub class to the super class 'override' keyword has to be declared.

```
class sides {
    var corners = 4
    var description: String {
        return "\(corners) sides"
    }
}

let rectangle = sides()
print("Rectangle: \(rectangle.description)")

class pentagon: sides {
    override init() {
        super.init()
        corners = 5
    }
}

let bicycle = pentagon()
print("Pentagon: \(bicycle.description)")
```

When we run the above program using playground, we get the following result:

```
Rectangle: 4 sides
Pentagon: 5 sides
```

Designated and Convenience Initializers in Action

```
class Planet {
    var name: String

    init(name: String) {
        self.name = name
    }
}
```

```

    convenience init() {
        self.init(name: "[No Planets]")
    }
}
let plName = Planet(name: "Mercury")
print("Planet name is: \(plName.name)")

let noplName = Planet()
print("No Planets like that: \(noplName.name)")

class planets: Planet {
    var count: Int
    init(name: String, count: Int) {
        self.count = count
        super.init(name: name)
    }

    override convenience init(name: String) {
        self.init(name: name, count: 1)
    }
}

```

When we run the above program using playground, we get the following result:

```

Planet name is: Mercury
No Planets like that: [No Planets]

```

Failable Initializer

The user has to be notified when there are any initializer failures while defining a class, structure or enumeration values. Initialization of variables sometimes become a failure one due to:

- Invalid parameter values.
- Absence of required external source.
- Condition preventing initialization from succeeding.

To catch exceptions thrown by initialization method, Swift 4 produces a flexible initialize called 'failable initializer' to notify the user that something is left unnoticed while initializing the structure, class or enumeration members. Keyword to catch the failable initializer is

'init?'. Also, failable and non failable initializers cannot be defined with same parameter types and names.

```
struct studrecord {
    let stname: String

    init?(stname: String) {
        if stname.isEmpty {return nil }
        self.stname = stname
    }
}

let stmark = studrecord(stname: "Swing")
if let name = stmark {
    print("Student name is specified")
}

let blankname = studrecord(stname: "")
if blankname == nil {
    print("Student name is left blank")
}
```

When we run the above program using playground, we get the following result:

```
Student name is specified
Student name is left blank
```

Failable Initializers for Enumerations

Swift 4 language provides the flexibility to have Failable initializers for enumerations too to notify the user when the enumeration members are left from initializing values.

```
enum functions {
    case a, b, c, d
    init?(funct: String) {
        switch funct {
            case "one":
                self = .a
            case "two":
                self = .b
            case "three":
```

```

        self = .c
    case "four":
        self = .d
    default:
        return nil
    }
}

let result = functions(func: "two")
if result != nil {
    print("With In Block Two")
}

let badresult = functions(func: "five")
if badresult == nil {
    print("Block Does Not Exist")
}

```

When we run the above program using playground, we get the following result:

```

With In Block Two
Block Does Not Exist

```

Failable Initializers for Classes

A failable initializer when declared with enumerations and structures alerts an initialization failure at any circumstance within its implementation. However, failable initializer in classes will alert the failure only after the stored properties have been set to an initial value.

```

class studrecord {
    let studname: String!
    init?(studname: String) {
        self.studname = studname
        if studname.isEmpty { return nil }
    }
}

if let stname = studrecord(studname: "Failable Initializers") {
    print("Module is \(stname.studname)")
}

```

```
}

```

When we run the above program using playground, we get the following result:

```
Module is Failable Initializers

```

Overriding a Failable Initializer

Like that of initialize the user also has the provision to override a superclass failable initializer inside the sub class. Super class failable initialize can also be overridden with in a sub class non-failable initializer.

Subclass initializer cannot delegate up to the superclass initializer when overriding a failable superclass initializer with a non-failable subclass initialize.

A non-failable initializer can never delegate to a failable initializer.

The program given below describes the failable and non-failable initializers.

```
class Planet {
    var name: String

    init(name: String) {
        self.name = name
    }

    convenience init() {
        self.init(name: "[No Planets]")
    }
}

let p1Name = Planet(name: "Mercury")
print("Planet name is: \(p1Name.name)")

let nop1Name = Planet()
print("No Planets like that: \(nop1Name.name)")

class planets: Planet {
    var count: Int

    init(name: String, count: Int) {
        self.count = count
        super.init(name: name)
    }
}

```

```

    override convenience init(name: String) {
        self.init(name: name, count: 1)
    }
}

```

When we run the above program using playground, we get the following result:

```

Planet name is: Mercury
No Planets like that: [No Planets]

```

The init! Failable Initializer

Swift 4 provides 'init?' to define an optional instance failable initializer. To define an implicitly unwrapped optional instance of the specific type 'init!' is specified.

```

struct studrecord {
    let stname: String

    init!(stname: String) {
        if stname.isEmpty {return nil }
        self.stname = stname
    }
}

let stmark = studrecord(stname: "Swing")
if let name = stmark {
    print("Student name is specified")
}

let blankname = studrecord(stname: "")
if blankname == nil {
    print("Student name is left blank")
}

```

When we run the above program using playground, we get the following result:

```

Student name is specified

```

Student name is left blank

Required Initializers

To declare each and every subclass of the initialize 'required' keyword needs to be defined before the init() function.

```
class classA {
    required init() {
        var a = 10
        print(a)
    }
}

class classB: classA {
    required init() {
        var b = 30
        print(b)
    }
}

let res = classA()
let print = classB()
```

When we run the above program using playground, we get the following result:

```
10
30
10
```


28. Swift 4 – Deinitialization

Before a class instance needs to be deallocated 'deinitializer' has to be called to deallocate the memory space. The keyword 'deinit' is used to deallocate the memory spaces occupied by the system resources. Deinitialization is available only on class types.

Deinitialization to Deallocate Memory Space

Swift 4 automatically deallocates your instances when they are no longer needed, to free up resources. Swift 4 handles the memory management of instances through automatic reference counting (ARC), as described in Automatic Reference Counting. Typically you don't need to perform manual clean-up when your instances are deallocated. However, when you are working with your own resources, you might need to perform some additional clean-up yourself. For example, if you create a custom class to open a file and write some data to it, you might need to close the file before the class instance is deallocated.

```
var counter = 0; // for reference counting
class baseclass {
    init() {
        counter++;
    }
    deinit {
        counter--;
    }
}

var print: baseclass? = baseclass()
print(counter)
print = nil
print(counter)
```

When we run the above program using playground, we get the following result:

```
1
0
```

When `print = nil` statement is omitted the values of the counter retains the same since it is not deinitialized.

```
var counter = 0; // for reference counting

class baseclass {
    init() {
        counter++;
    }

    deinit {
        counter--;
    }
}

var print: baseclass? = baseclass()

print(counter)
print(counter)
```

When we run the above program using playground, we get the following result:

```
1
1
```

29. Swift 4 – ARC Overview

Memory management functions and its usage are handled in Swift 4 language through Automatic reference counting (ARC). ARC is used to initialize and deinitialize the system resources thereby releasing memory spaces used by the class instances when the instances are no longer needed. ARC keeps track of information about the relationships between our code instances to manage the memory resources effectively.

Functions of ARC

- ARC allocates a chunk of memory to store the information each and every time when a new class instance is created by `init()`.
- Information about the instance type and its values are stored in memory.
- When the class instance is no longer needed it automatically frees the memory space by `deinit()` for further class instance storage and retrieval.
- ARC keeps in track of currently referring class instances properties, constants and variables so that `deinit()` is applied only to those unused instances.
- ARC maintains a 'strong reference' to those class instance property, constants and variables to restrict deallocation when the class instance is currently in use.

ARC Program

```
class StudDetails {
    var stname: String!
    var mark: Int!
    init(stname: String, mark: Int) {
        self.stname = stname
        self.mark = mark
    }

    deinit {
        print("Deinitialized \(self.stname)")
        print("Deinitialized \(self.mark)")
    }
}

let stname = "Swift 4"
let mark = 98
```

```
print(stname)
print(mark)
```

When we run the above program using playground, we get the following result:

```
Swift 4
98
```

ARC Strong Reference Cycles Class Instances

```
class studmarks {
    let name: String
    var stud: student?

    init (name: String) {
        print("Initializing: \(name)")
        self.name = name
    }

    deinit {
        print("Deallocating: \(self.name)")
    }
}

class student {
    let name: String
    var strname: studmarks?

    init (name: String) {
        print("Initializing: \(name)")
        self.name = name
    }

    deinit {
        print("Deallocating: \(self.name)")
    }
}
```

```

var shiba: studmarks?
var mari: student?

shiba = studmarks(name: "Swift 4")
mari = student(name: "ARC")

shiba!.stud = mari
mari!.strname = shiba

```

When we run the above program using playground, we get the following result:

```

Initializing: Swift 4
Initializing: ARC

```

ARC Weak and Unowned References

Class type properties has two ways to resolve strong reference cycles:

- Weak References
- Unowned References

These references are used to enable one instance to refer other instances in a reference cycle. Then the instances may refer to each and every instances instead of caring about strong reference cycle. When the user knows that some instance may return 'nil' values we may point that using weak reference. When the instance going to return something rather than nil then declare it with unowned reference.

Weak Reference Program

```

class module {
    let name: String
    init(name: String) { self.name = name }
    var sub: submodule?
    deinit { print("\(name) Is The Main Module") }
}

class submodule {
    let number: Int

    init(number: Int) { self.number = number }
}

```

```

    weak var topic: module?

    deinit { print("Sub Module with its topic number is \(number)") }
}

var toc: module?
var list: submodule?
toc = module(name: "ARC")
list = submodule(number: 4)
toc!.sub = list
list!.topic = toc

toc = nil
list = nil

```

When we run the above program using playground, we get the following result:

```

ARC Is The Main Module
Sub Module with its topic number is 4

```

Unowned Reference Program

```

class student {
    let name: String
    var section: marks?

    init(name: String) {
        self.name = name
    }

    deinit { print("\(name)") }
}

class marks {
    let marks: Int
    unowned let sname: student

    init(marks: Int, sname: student) {
        self.marks = marks
        self.sname = sname
    }
}

```

```

    }

    deinit { print("Marks Obtained by the student is \(marks)") }
}

var module: student?
module = student(name: "ARC")
module!.section = marks(marks: 98, stname: module!)
module = nil

```

When we run the above program using playground, we get the following result:

```

ARC
Marks Obtained by the student is 98

```

Strong Reference Cycles for Closures

When we assign a closure to the class instance property and to the body of the closure to capture particular instance strong reference cycle can occur. Strong reference to the closure is defined by 'self.someProperty' or 'self.someMethod()'. Strong reference cycles are used as reference types for the closures.

```

class HTMLElement {
    let samplename: String
    let text: String?

    lazy var asHTML: () -> String = {
        if let text = self.text {
            return "<\(self.samplename)>\(text)</\(\(self.samplename))>"
        } else {
            return "<\(self.samplename) />"
        }
    }

    init(samplename: String, text: String? = nil) {
        self.samplename = samplename
        self.text = text
    }

    deinit {

```

```

        print("\(samplename) is being deinitialized")
    }
}

var paragraph: HTML_Element? = HTML_Element(samplename: "p", text: "Welcome to
Closure SRC")
print(paragraph!.asHTML())

```

When we run the above program using playground, we get the following result:

```
<p>Welcome to Closure SRC</p>
```

Weak and Unowned References

When the closure and the instance refer to each other the user may define the capture in a closure as an unowned reference. Then it would not allow the user to deallocate the instance at the same time. When the instance sometime return a 'nil' value define the closure with the weak instance.

```

class HTML_Element {
    let module: String
    let text: String?

    lazy var asHTML: () -> String = {
        [unowned self] in
        if let text = self.text {
            return "<\(self.module)>\(text)</\(\self.module)>"
        } else {
            return "<\(self.module) />"
        }
    }

    init(module: String, text: String? = nil) {
        self.module = module
        self.text = text
    }

    deinit {
        print("\(module) the deinit()")
    }
}

```



```
}  
  
var paragraph: HTML_Element? = HTML_Element(module: "Inside", text: "ARC Weak  
References")  
print(paragraph!.asHTML())  
paragraph = nil
```

When we run the above program using playground, we get the following result:

```
<Inside>ARC Weak References</Inside>  
Inside the deinit()
```

30. Swift 4 – Optional Chaining

The process of querying, calling properties, subscripts and methods on an optional that may be 'nil' is defined as optional chaining. Optional chaining return two values:

- if the optional contains a 'value' then calling its related property, methods and subscripts returns values
- if the optional contains a 'nil' value all its its related property, methods and subscripts returns nil

Since multiple queries to methods, properties and subscripts are grouped together failure to one chain will affect the entire chain and results in 'nil' value.

Optional Chaining as an Alternative to Forced Unwrapping

Optional chaining is specified after the optional value with '?' to call a property, method or subscript when the optional value returns some values.

Optional Chaining '?'	Access to methods,properties and subscriptsOptional Chaining '!' to force Unwrapping
? is placed after the optional value to call property, method or subscript	! is placed after the optional value to call property, method or subscript to force unwrapping of value
Fails gracefully when the optional is 'nil'	Forced unwrapping triggers a run time error when the optional is 'nil'

Program for Optional Chaining with '!'

```
class ElectionPoll {
    var candidate: Pollbooth?
}
class Pollbooth {
    var name = "MP"
}

let cand = ElectionPoll()

let candname = cand.candidate!.name
```

When we run the above program using playground, we get the following result:

```
fatal error: unexpectedly found nil while unwrapping an Optional value
0 Swift 4                                0x0000000103410b68
llvm::sys::PrintStackTrace(__sFILE*) + 40
1 Swift 4                                0x0000000103411054 SignalHandler(int) + 452
2 libsystem_platform.dylib 0x00007fff9176af1a _sigtramp + 26
3 libsystem_platform.dylib 0x000000000000000b _sigtramp + 1854492939
4 libsystem_platform.dylib 0x00000001074a0214 _sigtramp + 1976783636
5 Swift 4                                0x0000000102a85c39
llvm::JIT::runFunction(llvm::Function*, std::__1::vector > const&) + 329
6 Swift 4                                0x0000000102d320b3
llvm::ExecutionEngine::runFunctionAsMain(llvm::Function*,
std::__1::vector<std::__1::basic_string, std::__1::allocator >,
std::__1::allocator<std::__1::basic_string, std::__1::allocator > > > const&,
char const* const*) + 1523
7 Swift 4                                0x000000010296e6ba Swift 4::RunImmediately(Swift
4::CompilerInstance&, std::__1::vector<std::__1::basic_string,
std::__1::allocator >, std::__1::allocator<std::__1::basic_string,
std::__1::allocator > > > const&, Swift 4::IRGenOptions&, Swift 4::SILOptions
const&) + 1066
8 Swift 4                                0x000000010275764b frontend_main(llvm::ArrayRef,
char const*, void*) + 5275
9 Swift 4                                0x0000000102754a6d main + 1677
10 libdyld.dylib              0x00007fff8bb9e5c9 start + 1
11 libdyld.dylib              0x000000000000000c start + 1950751300
Stack dump:
0. Program arguments:
/Applications/Xcode.app/Contents/Developer/Toolchains/XcodeDefault.xctoolchain/
usr/bin/Swift 4 -frontend -interpret - -target x86_64-apple-darwin14.0.0 -
target-cpu core2 -sdk
/Applications/Xcode.app/Contents/Developer/Platforms/MacOSX.platform/Developer/
SDKs/MacOSX10.10.sdk -module-name main
/bin/sh: line 47: 15672 Done                    cat <<'SWIFT 4'
import Foundation
</std::__1::basic_string</std::__1::basic_string</std::__1::basic_string</std::__1::basic_string
__1::basic_string
```

The above program declares 'election poll' as class name and contains 'candidate' as membership function. The subclass is declared as 'poll booth' and 'name' as its membership function which is initialized as 'MP'. The call to the super class is initialized by creating an instance 'cand' with optional '!'. Since the values are not declared in its base class, 'nil' value is stored thereby returning a fatal error by the force unwrapping procedure.

Program for Optional Chaining with '?'

```
class ElectionPoll {
    var candidate: Pollbooth?
}
class Pollbooth {
    var name = "MP"
}

let cand = ElectionPoll()

if let candname = cand.candidate?.name {
    print("Candidate name is \(candname)")
}
else {
    print("Candidate name cannot be retrieved")
}
```

When we run the above program using playground, we get the following result:

```
Candidate name cannot be retrieved
```

The program above declares 'election poll' as class name and contains 'candidate' as membership function. The subclass is declared as 'poll booth' and 'name' as its membership function which is initialized as 'MP'. The call to the super class is initialized by creating an instance 'cand' with optional '?'. Since the values are not declared in its base class 'nil' value is stored and printed in the console by the else handler block.

Defining Model Classes for Optional Chaining & Accessing Properties

Swift 4 language also provides the concept of optional chaining, to declare more than one subclasses as model classes. This concept will be very useful to define complex models and to access the properties, methods and subscripts sub properties.

```
class rectangle {
    var print: circle?
}

class circle {
    var area = [radius]()
    var cprint: Int {
        return area.count
    }
}
```

```

subscript(i: Int) -> radius {
    get {
        return area[i]
    }
    set {
        area[i] = newValue
    }
}

func circleprint() {
    print("The number of rooms is \(cprint)")
}

var rectarea: circumference?
}

class radius {
    let radiusname: String
    init(radiusname: String) { self.radiusname = radiusname }
}

class circumference {
    var circumName: String?
    var circumNumber: String?
    var street: String?

    func buildingIdentifier() -> String? {
        if circumName != nil {
            return circumName
        } else if circumNumber != nil {
            return circumNumber
        } else {
            return nil
        }
    }
}

let rectname = rectangle()

```

```

if let rectarea = rectname.print?.cprint {
    print("Area of rectangle is \(rectarea)")
} else {
    print("Rectangle Area is not specified")
}

```

When we run the above program using playground, we get the following result:

```
Rectangle Area is not specified
```

Calling Methods Through Optional Chaining

```

class rectangle {
    var print: circle?
}
class circle {
    var area = [radius]()
    var cprint: Int {
        return area.count
    }
    subscript(i: Int) -> radius {
        get {
            return area[i]
        }
        set {
            area[i] = newValue
        }
    }

    func circleprint() {
        print("Area of Circle is: \(cprint)")
    }
    var rectarea: circumference?
}

class radius {
    let radiusname: String

```

```

    init(radiusname: String) { self.radiusname = radiusname }
}

class circumference {
    var circumName: String?
    var circumNumber: String?
    var circumarea: String?

    func buildingIdentifier() -> String? {
        if circumName != nil {
            return circumName
        } else if circumNumber != nil {
            return circumNumber
        } else {
            return nil
        }
    }
}

let circname = rectangle()

if circname.print?.circleprint() != nil {
    print("Area of circle is specified")
} else {
    print("Area of circle is not specified")
}

```

When we run the above program using playground, we get the following result:

```
Area of circle is not specified
```

The function `circleprint()` declared inside the `circle()` sub class is called by creating an instance named 'circname'. The function will return a value if it contains some value otherwise it will return some user defined print message by checking the statement 'if `circname.print?.circleprint() != nil`'.

Accessing Subscripts through Optional Chaining

Optional chaining is used to set and retrieve a subscript value to validate whether call to that subscript returns a value. '?' is placed before the subscript braces to access the optional value on the particular subscript.

Program 1

```

class rectangle {
    var print: circle?
}

class circle {
    var area = [radius]()
    var cprint: Int {
        return area.count
    }

    subscript(i: Int) -> radius {
        get {
            return area[i]
        }

        set {
            area[i] = newValue
        }
    }

    func circleprint() {
        print("The number of rooms is \(cprint)")
    }

    var rectarea: circumference?
}

class radius {
    let radiusname: String
    init(radiusname: String) { self.radiusname = radiusname }
}

class circumference {
    var circumName: String?
    var circumNumber: String?
    var circumarea: String?

    func buildingIdentifier() -> String? {

```



```

    if circumName != nil {
        return circumName
    } else if circumNumber != nil {
        return circumNumber
    } else {
        return nil
    }
}

let circname = rectangle()

if let radiusName = circname.print?[0].radiusname {
    print("The first room name is \"(radiusName).")
} else {
    print("Radius is not specified.")
}

```

When we run the above program using playground, we get the following result:

```
Radius is not specified.
```

In the above program the instance values for the membership function 'radiusName' is not specified. Hence program call to the function will return only else part whereas to return the values we have to define the values for the particular membership function.

Program 2

```

class rectangle {
    var print: circle?
}

class circle {
    var area = [radius]()
    var cprint: Int {
        return area.count
    }

    subscript(i: Int) -> radius {
        get {

```

```

        return area[i]
    }
    set {
        area[i] = newValue
    }
}
func circleprint() {
    print("The number of rooms is \(cprint)")
}
var rectarea: circumference?
}

class radius {
    let radiusname: String
    init(radiusname: String) { self.radiusname = radiusname }
}

class circumference {
    var circumName: String?
    var circumNumber: String?
    var circumarea: String?

    func buildingIdentifier() -> String? {
        if circumName != nil {
            return circumName
        } else if circumNumber != nil {
            return circumNumber
        } else {
            return nil
        }
    }
}

let circname = rectangle()
circname.print?[0] = radius(radiusname: "Diameter")

let printing = circle()

```

```

printing.area.append(radius(radiusname: "Units"))
printing.area.append(radius(radiusname: "Meter"))
circname.print = printing

if let radiusName = circname.print?[0].radiusname {
    print("Radius is measured in \(radiusName).")
} else {
    print("Radius is not specified.")
}

```

When we run the above program using playground, we get the following result:

```
Radius is measured in Units.
```

In the above program, the instance values for the membership function 'radiusName' is specified. Hence program call to the function will now return values.

Accessing Subscripts of Optional Type

```

class rectangle {
    var print: circle?
}

class circle {
    var area = [radius]()
    var cprint: Int {
        return area.count
    }

    subscript(i: Int) -> radius {
        get {
            return area[i]
        }
        set {
            area[i] = newValue
        }
    }

    func circleprint() {
        print("The number of rooms is \(cprint)")
    }
}

```

```

    }
    var rectarea: circumference?
}

class radius {
    let radiusname: String
    init(radiusname: String) { self.radiusname = radiusname }
}

class circumference {
    var circumName: String?
    var circumNumber: String?
    var circumarea: String?

    func buildingIdentifier() -> String? {
        if circumName != nil {
            return circumName
        } else if circumNumber != nil {
            return circumNumber
        } else {
            return nil
        }
    }
}

let circname = rectangle()
circname.print?[0] = radius(radiusname: "Diameter")

let printing = circle()
printing.area.append(radius(radiusname: "Units"))
printing.area.append(radius(radiusname: "Meter"))
circname.print = printing

var area = ["Radius": [35, 45, 78, 101], "Circle": [90, 45, 56]]
area["Radius"]?[1] = 78
area["Circle"]?[1]--

```

```

print(area["Radius"]?[0])
print(area["Radius"]?[1])
print(area["Radius"]?[2])
print(area["Radius"]?[3])

print(area["Circle"]?[0])
print(area["Circle"]?[1])
print(area["Circle"]?[2])

```

When we run the above program using playground, we get the following result:

```

Optional(35)
Optional(78)
Optional(78)
Optional(101)
Optional(90)
Optional(44)
Optional(56)

```

The optional values for subscripts can be accessed by referring their subscript values. It can be accessed as `subscript[0]`, `subscript[1]` etc. The default subscript values for 'radius' are first assigned as `[35, 45, 78, 101]` and for 'Circle' `[90, 45, 56]`. Then the subscript values are changed as `Radius[0]` to 78 and `Circle[1]` to 45.

Linking Multiple Levels of Chaining

Multiple sub classes can also be linked with its super class methods, properties and subscripts by optional chaining.

Multiple chaining of optional can be linked:

If retrieving type is not optional, optional chaining will return an optional value. For example if String through optional chaining it will return `String?` Value

```

class rectangle {
    var print: circle?
}

class circle {
    var area = [radius]()
    var cprint: Int {

```

```

        return area.count
    }
    subscript(i: Int) -> radius {
        get {
            return area[i]
        }
        set {
            area[i] = newValue
        }
    }
    func circleprint() {
        print("The number of rooms is \(cprint)")
    }
    var rectarea: circumference?
}

class radius {
    let radiusname: String
    init(radiusname: String) { self.radiusname = radiusname }
}

class circumference {
    var circumName: String?
    var circumNumber: String?
    var circumarea: String?

    func buildingIdentifier() -> String? {
        if circumName != nil {
            return circumName
        } else if circumNumber != nil {
            return circumNumber
        } else {
            return nil
        }
    }
}
}

```

```

let circname = rectangle()

if let radiusName = circname.print?[0].radiusname {
    print("The first room name is \(radiusName).")
} else {
    print("Radius is not specified.")
}

```

When we run the above program using playground, we get the following result:

```
Radius is not specified.
```

In the above program, the instance values for the membership function 'radiusName' is not specified. Hence, the program call to the function will return only else part whereas to return the values we have to define the values for the particular membership function.

If the retrieving type is already optional, then optional chaining will also return an optional value. For example if String? is accessed through optional chaining it will return String? Value.

```

class rectangle {
    var print: circle?
}

class circle {
    var area = [radius]()
    var cprint: Int {
        return area.count
    }

    subscript(i: Int) -> radius {
        get {
            return area[i]
        }
        set {
            area[i] = newValue
        }
    }

    func circleprint() {
        print("The number of rooms is \(cprint)")
    }
}

```

```

    var rectarea: circumference?
}

class radius {
    let radiusname: String
    init(radiusname: String) { self.radiusname = radiusname }
}

class circumference {
    var circumName: String?
    var circumNumber: String?
    var circumarea: String?

    func buildingIdentifier() -> String? {
        if circumName != nil {
            return circumName
        } else if circumNumber != nil {
            return circumNumber
        } else {
            return nil
        }
    }
}

let circname = rectangle()
circname.print?[0] = radius(radiusname: "Diameter")

let printing = circle()
printing.area.append(radius(radiusname: "Units"))
printing.area.append(radius(radiusname: "Meter"))
circname.print = printing

if let radiusName = circname.print?[0].radiusname {
    print("Radius is measured in \(radiusName).")
} else {
    print("Radius is not specified.")
}

```


When we run the above program using playground, we get the following result:

```
Radius is measured in Units.
```

In the above program, the instance values for the membership function 'radiusName' is specified. Hence, the program call to the function will now return values.

Chaining on Methods with Optional Return Values

Optional chaining is used to access subclasses defined methods too.

```
class rectangle {
    var print: circle?
}

class circle {
    var area = [radius]()
    var cprint: Int {
        return area.count
    }

    subscript(i: Int) -> radius {
        get {
            return area[i]
        }
        set {
            area[i] = newValue
        }
    }

    func circleprint() {
        print("Area of Circle is: \(cprint)")
    }

    var rectarea: circumference?
}

class radius {
    let radiusname: String
    init(radiusname: String) { self.radiusname = radiusname }
}
```

```
class circumference {
    var circumName: String?
    var circumNumber: String?
    var circumarea: String?

    func buildingIdentifier() -> String? {
        if circumName != nil {
            return circumName
        } else if circumNumber != nil {
            return circumNumber
        } else {
            return nil
        }
    }
}

let circname = rectangle()
if circname.print?.circleprint() != nil {
    print("Area of circle is specified")
} else {
    print("Area of circle is not specified")
}
```

When we run the above program using playground, we get the following result:

```
Area of circle is not specified
```

31. Swift 4 – Type Casting

To validate the type of an instance 'Type Casting' comes into play in Swift 4 language. It is used to check whether the instance type belongs to a particular super class or subclass or it is defined in its own hierarchy.

Swift 4 type casting provides two operators 'is' to check the type of a value and 'as' and to cast the type value to a different type. Type casting also checks whether the instance type follows particular protocol conformance standard.

Defining a Class Hierarchy

Type casting is used to check the type of instances to find out whether it belongs to particular class type. Also, it checks hierarchy of classes and its subclasses to check and cast those instances to make it as a same hierarchy.

```
class Subjects {
    var physics: String
    init(physics: String) {
        self.physics = physics
    }
}

class Chemistry: Subjects {
    var equations: String
    init(physics: String, equations: String) {
        self.equations = equations
        super.init(physics: physics)
    }
}

class Maths: Subjects {
    var formulae: String
    init(physics: String, formulae: String) {
        self.formulae = formulae
        super.init(physics: physics)
    }
}

let sa = [
```

```

Chemistry(physics: "solid physics", equations: "Hertz"),
Maths(physics: "Fluid Dynamics", formulae: "Giga Hertz")]

let samplechem = Chemistry(physics: "solid physics", equations: "Hertz")
print("Instance physics is: \(samplechem.physics)")
print("Instance equation is: \(samplechem.equations)")

let samplmaths = Maths(physics: "Fluid Dynamics", formulae: "Giga Hertz")
print("Instance physics is: \(samplmaths.physics)")
print("Instance formulae is: \(samplmaths.formulae)")

```

When we run the above program using playground, we get the following result:

```

Instance physics is: solid physics
Instance equation is: Hertz
Instance physics is: Fluid Dynamics
Instance formulae is: Giga Hertz

```

Type Checking

Type checking is done with the 'is' operator. The 'is' type check operator checks whether the instance belongs to particular subclass type and returns 'true' if it belongs to that instance else it will return 'false'.

```

class Subjects {
    var physics: String
    init(physics: String) {
        self.physics = physics
    }
}

class Chemistry: Subjects {
    var equations: String
    init(physics: String, equations: String) {
        self.equations = equations
        super.init(physics: physics)
    }
}

```

```

class Maths: Subjects {
    var formulae: String
    init(physics: String, formulae: String) {
        self.formulae = formulae
        super.init(physics: physics)
    }
}

let sa = [
    Chemistry(physics: "solid physics", equations: "Hertz"),
    Maths(physics: "Fluid Dynamics", formulae: "Giga Hertz"),
    Chemistry(physics: "Thermo physics", equations: "Decibels"),
    Maths(physics: "Astro Physics", formulae: "MegaHertz"),
    Maths(physics: "Differential Equations", formulae: "Cosine Series")]

let samplechem = Chemistry(physics: "solid physics", equations: "Hertz")
print("Instance physics is: \(samplechem.physics)")
print("Instance equation is: \(samplechem.equations)")

let samplemaths = Maths(physics: "Fluid Dynamics", formulae: "Giga Hertz")
print("Instance physics is: \(samplemaths.physics)")
print("Instance formulae is: \(samplemaths.formulae)")

var chemCount = 0
var mathsCount = 0
for item in sa {
    if item is Chemistry {
        ++chemCount
    } else if item is Maths {
        ++mathsCount
    }
}

```

```
print("Subjects in chemistry contains \(chemCount) topics and maths contains
\(\mathsCount) topics")
```

When we run the above program using playground, we get the following result:

```
Instance physics is: solid physics
Instance equation is: Hertz
Instance physics is: Fluid Dynamics
Instance formulae is: Giga Hertz
Subjects in chemistry contains 2 topics and maths contains 3 topics
```

Downcasting

Downcasting the subclass type can be done with two operators (`as?` and `as!`). '`as?`' returns an optional value when the value returns nil. It is used to check successful downcast.

'`as!`' returns force unwrapping as discussed in the optional chaining when the downcasting returns nil value. It is used to trigger runtime error in case of downcast failure

```
class Subjects {
    var physics: String
    init(physics: String) {
        self.physics = physics
    }
}

class Chemistry: Subjects {
    var equations: String
    init(physics: String, equations: String) {
        self.equations = equations
        super.init(physics: physics)
    }
}

class Maths: Subjects {
    var formulae: String
    init(physics: String, formulae: String) {
        self.formulae = formulae
        super.init(physics: physics)
    }
}
```

```

let sa = [
    Chemistry(physics: "solid physics", equations: "Hertz"),
    Maths(physics: "Fluid Dynamics", formulae: "Giga Hertz"),
    Chemistry(physics: "Thermo physics", equations: "Decibels"),
    Maths(physics: "Astro Physics", formulae: "MegaHertz"),
    Maths(physics: "Differential Equations", formulae: "Cosine Series")]

let samplechem = Chemistry(physics: "solid physics", equations: "Hertz")
print("Instance physics is: \(samplechem.physics)")
print("Instance equation is: \(samplechem.equations)")

let sampl maths = Maths(physics: "Fluid Dynamics", formulae: "Giga Hertz")
print("Instance physics is: \(sampl maths.physics)")
print("Instance formulae is: \(sampl maths.formulae)")

var chemCount = 0
var mathsCount = 0

for item in sa {
    if let print = item as? Chemistry {
        print("Chemistry topics are: '\(print.physics)', \(print.equations)")
    } else if let example = item as? Maths {
        print("Maths topics are: '\(example.physics)', \(example.formulae)")
    }
}

```

When we run the above program using playground, we get the following result:

```

Instance physics is: solid physics
Instance equation is: Hertz
Instance physics is: Fluid Dynamics
Instance formulae is: Giga Hertz
Chemistry topics are: 'solid physics', Hertz
Maths topics are: 'Fluid Dynamics', Giga Hertz
Chemistry topics are: 'Thermo physics', Decibels

```

```

Maths topics are: 'Astro Physics', MegaHertz
Maths topics are: 'Differential Equations', Cosine Series

```

Typecasting: Any and Any Object

The keyword 'Any' is used to represent an instance which belongs to any type including function types.

```

class Subjects {
    var physics: String
    init(physics: String) {
        self.physics = physics
    }
}

class Chemistry: Subjects {
    var equations: String
    init(physics: String, equations: String) {
        self.equations = equations
        super.init(physics: physics)
    }
}

class Maths: Subjects {
    var formulae: String
    init(physics: String, formulae: String) {
        self.formulae = formulae
        super.init(physics: physics)
    }
}

let sa = [
    Chemistry(physics: "solid physics", equations: "Hertz"),
    Maths(physics: "Fluid Dynamics", formulae: "Giga Hertz"),
    Chemistry(physics: "Thermo physics", equations: "Decibels"),
    Maths(physics: "Astro Physics", formulae: "MegaHertz"),
    Maths(physics: "Differential Equations", formulae: "Cosine Series")]

```



```

let samplechem = Chemistry(physics: "solid physics", equations: "Hertz")
print("Instance physics is: \(samplechem.physics)")
print("Instance equation is: \(samplechem.equations)")

let samplmaths = Maths(physics: "Fluid Dynamics", formulae: "Giga Hertz")
print("Instance physics is: \(samplmaths.physics)")
print("Instance formulae is: \(samplmaths.formulae)")

var chemCount = 0
var mathsCount = 0

for item in sa {
    if let print = item as? Chemistry {
        print("Chemistry topics are: '\(print.physics)', \(print.equations)")
    } else if let example = item as? Maths {
        print("Maths topics are: '\(example.physics)', \(example.formulae)")
    }
}

var exampleany = [Any]()

exampleany.append(12)
exampleany.append(3.14159)
exampleany.append("Example for Any")
exampleany.append(Chemistry(physics: "solid physics", equations: "Hertz"))

for print in exampleany {
    switch print {
    case let someInt as Int:
        print("Integer value is \(someInt)")
    case let someDouble as Double where someDouble > 0:
        print("Pi value is \(someDouble)")
    case let someString as String:
        print("\(someString)")
    case let phy as Chemistry:

```

```

        print("Topics '\(phy.physics)', \(phy.equations)")
    default:
        print("None")
    }
}

```

When we run the above program using playground, we get the following result:

```

Instance physics is: solid physics
Instance equation is: Hertz
Instance physics is: Fluid Dynamics
Instance formulae is: Giga Hertz
Chemistry topics are: 'solid physics', Hertz
Maths topics are: 'Fluid Dynamics', Giga Hertz
Chemistry topics are: 'Thermo physics', Decibels
Maths topics are: 'Astro Physics', MegaHertz
Maths topics are: 'Differential Equations', Cosine Series
Integer value is 12
Pi value is 3.14159
Example for Any
Topics 'solid physics', Hertz

```

AnyObject

To represent the instance of any class type, 'AnyObject' keyword is used.

```

class Subjects {
    var physics: String
    init(physics: String) {
        self.physics = physics
    }
}

class Chemistry: Subjects {
    var equations: String
    init(physics: String, equations: String) {
        self.equations = equations
        super.init(physics: physics)
    }
}

```

```

}

class Maths: Subjects {
    var formulae: String
    init(physics: String, formulae: String) {
        self.formulae = formulae
        super.init(physics: physics)
    }
}

let saprint: [AnyObject] = [Chemistry(physics: "solid physics", equations:
"Hertz"),
    Maths(physics: "Fluid Dynamics", formulae: "Giga Hertz"),
    Chemistry(physics: "Thermo physics", equations: "Decibels"),
    Maths(physics: "Astro Physics", formulae: "MegaHertz"),
    Maths(physics: "Differential Equations", formulae: "Cosine Series")]

let samplechem = Chemistry(physics: "solid physics", equations: "Hertz")
print("Instance physics is: \(samplechem.physics)")
print("Instance equation is: \(samplechem.equations)")

let samplemaths = Maths(physics: "Fluid Dynamics", formulae: "Giga Hertz")
print("Instance physics is: \(samplemaths.physics)")
print("Instance formulae is: \(samplemaths.formulae)")

var chemCount = 0
var mathsCount = 0

for item in saprint {
    if let print = item as? Chemistry {
        print("Chemistry topics are: '\(print.physics)', \(print.equations)")
    } else if let example = item as? Maths {
        print("Maths topics are: '\(example.physics)', \(example.formulae)")
    }
}

var exampleany = [Any]()

```

```

exampleany.append(12)
exampleany.append(3.14159)
exampleany.append("Example for Any")
exampleany.append(Chemistry(physics: "solid physics", equations: "Hertz"))

for print in exampleany {
    switch print {
    case let someInt as Int:
        print("Integer value is \(someInt)")
    case let someDouble as Double where someDouble > 0:
        print("Pi value is \(someDouble)")
    case let someString as String:
        print("\(someString)")
    case let phy as Chemistry:
        print("Topics '\(phy.physics)', \(phy.equations)")
    default:
        print("None")
    }
}

```

When we run the above program using playground, we get the following result:

```

Instance physics is: solid physics
Instance equation is: Hertz
Instance physics is: Fluid Dynamics
Instance formulae is: Giga Hertz
Chemistry topics are: 'solid physics', Hertz
Maths topics are: 'Fluid Dynamics', Giga Hertz
Chemistry topics are: 'Thermo physics', Decibels
Maths topics are: 'Astro Physics', MegaHertz
Maths topics are: 'Differential Equations', Cosine Series
Integer value is 12
Pi value is 3.14159
Example for Any
Topics 'solid physics', Hertz

```

32. Swift 4 – Extensions

Functionality of an existing class, structure or enumeration type can be added with the help of extensions. Type functionality can be added with extensions but overriding the functionality is not possible with extensions.

Swift 4 Extension Functionalities:

- Adding computed properties and computed type properties
- Defining instance and type methods
- Providing new initializers
- Defining subscripts
- Defining and using new nested types
- Making an existing type conform to a protocol

Extensions are declared with the keyword 'extension'

Syntax

```
extension SomeType {  
    // new functionality can be added here  
}
```

Existing type can also be added with extensions to make it as a protocol standard and its syntax is similar to that of classes or structures.

```
extension SomeType: SomeProtocol, AnotherProtocol {  
    // protocol requirements is described here  
}
```

Computed Properties

Computed 'instance' and 'type' properties can also be extended with the help of extensions.

```
extension Int {  
    var add: Int { return self + 100 }  
    var sub: Int { return self - 10 }  
    var mul: Int { return self * 10 }  
    var div: Int { return self / 5 }  
}
```

```

let addition = 3.add
print("Addition is \(addition)")

let subtraction = 120.sub
print("Subtraction is \(subtraction)")

let multiplication = 39.mul
print("Multiplication is \(multiplication)")

let division = 55.div
print("Division is \(division)")

let mix = 30.add + 34.sub
print("Mixed Type is \(mix)")

```

When we run the above program using playground, we get the following result:

```

Addition is 103
Subtraction is 110
Multiplication is 390
Division is 11
Mixed Type is 154

```

Initializers

Swift 4 provides the flexibility to add new initializers to an existing type by extensions. The user can add their own custom types to extend the types already defined and additional initialization options are also possible. Extensions supports only `init()`. `deinit()` is not supported by the extensions.

```

struct sum {
    var num1 = 100, num2 = 200
}

struct diff {
    var no1 = 200, no2 = 100
}

struct mult {

```

```

    var a = sum()
    var b = diff()
}

let calc = mult()
print("Inside mult block \(calc.a.num1, calc.a.num2)")
print("Inside mult block \(calc.b.no1, calc.b.no2)")

let memcalc = mult(a: sum(num1: 300, num2: 500),b: diff(no1: 300, no2: 100))

print("Inside mult block \(memcalc.a.num1, memcalc.a.num2)")
print("Inside mult block \(memcalc.b.no1, memcalc.b.no2)")

extension mult {
    init(x: sum, y: diff) {
        let X = x.num1 + x.num2
        let Y = y.no1 + y.no2
    }
}

let a = sum(num1: 100, num2: 200)
print("Inside Sum Block:\( a.num1, a.num2)")

let b = diff(no1: 200, no2: 100)
print("Inside Diff Block: \(b.no1, b.no2)")

```

When we run the above program using playground, we get the following result:

```

Inside mult block (100, 200)
Inside mult block (200, 100)
Inside mult block (300, 500)
Inside mult block (300, 100)
Inside Sum Block:(100, 200)
Inside Diff Block: (200, 100)

```

Methods

New instance methods and type methods can be added further to the subclass with the help of extensions.

```
extension Int {
    func topics(summation: () -> ()) {
        for _ in 0..

```

When we run the above program using playground, we get the following result:

```
Inside Extensions Block
Inside Extensions Block
Inside Extensions Block
Inside Extensions Block
Inside Type Casting Block
Inside Type Casting Block
Inside Type Casting Block
```

topics() function takes argument of type '(summation: () -> ())' to indicate the function does not take any arguments and it won't return any values. To call that function multiple number of times, for block is initialized and call to the method with topic() is initialized.

Mutating Instance Methods

Instance methods can also be mutated when declared as extensions.

Structure and enumeration methods that modify self or its properties must mark the instance method as mutating, just like mutating methods from an original implementation.

```
extension Double {
    mutating func square() {
```



```

        let pi = 3.1415
        self = pi * self * self
    }
}

var Trial1 = 3.3
Trial1.square()
print("Area of circle is: \(Trial1)")

var Trial2 = 5.8
Trial2.square()
print("Area of circle is: \(Trial2)")

var Trial3 = 120.3
Trial3.square()
print("Area of circle is: \(Trial3)")

```

When we run the above program using playground, we get the following result:

```

Area of circle is: 34.210935
Area of circle is: 105.68006
Area of circle is: 45464.070735

```

Subscripts

Adding new subscripts to already declared instances can also be possible with extensions.

```

extension Int {
    subscript(var multtable: Int) -> Int {
        var no1 = 1
        while multtable > 0 {
            no1 *= 10
            --multtable
        }
        return (self / no1) % 10
    }
}

```

```
print(12[0])
print(7869[1])
print(786543[2])
```

When we run the above program using playground, we get the following result:

```
2
6
5
```

Nested Types

Nested types for class, structure and enumeration instances can also be extended with the help of extensions.

```
extension Int {
    enum calc
    {
        case add
        case sub
        case mult
        case div
        case anything
    }

    var print: calc {
        switch self
        {
            case 0:
                return .add
            case 1:
                return .sub
            case 2:
                return .mult
            case 3:
                return .div
            default:
                return .anything
        }
    }
}
```

```
    }  
}  
  
func result(num: [Int]) {  
    for i in num {  
        switch i.print {  
            case .add:  
                print(" 10 ")  
            case .sub:  
                print(" 20 ")  
            case .mult:  
                print(" 30 ")  
            case .div:  
                print(" 40 ")  
            default:  
                print(" 50 ")  
        }  
    }  
}  
  
result([0, 1, 2, 3, 4, 7])
```

When we run the above program using playground, we get the following result:

```
10  
20  
30  
40  
50  
50
```

33. Swift 4 – Protocols

Protocols provide a blueprint for Methods, properties and other requirements functionality. It is just described as a methods or properties skeleton instead of implementation. Methods and properties implementation can further be done by defining classes, functions and enumerations. Conformance of a protocol is defined as the methods or properties satisfying the requirements of the protocol.

Syntax

Protocols also follow the similar syntax as that of classes, structures, and enumerations:

```
protocol SomeProtocol {  
    // protocol definition  
}
```

Protocols are declared after the class, structure or enumeration type names. Single and Multiple protocol declarations are also possible. If multiple protocols are defined they have to be separated by commas.

```
struct SomeStructure: Protocol1, Protocol2 {  
    // structure definition  
}
```

When a protocol has to be defined for super class, the protocol name should follow the super class name with a comma.

```
class SomeClass: SomeSuperclass, Protocol1, Protocol2 {  
    // class definition  
}
```

Property and Method Requirements

Protocol is used to specify particular class type property or instance property. It just specifies the type or instance property alone rather than specifying whether it is a stored or computed property. Also, it is used to specify whether the property is 'gettable' or 'settable'.

Property requirements are declared by 'var' keyword as property variables. {get set} is used to declare gettable and settable properties after their type declaration. Gettable is mentioned by {get} property after their type declaration.

```
protocol classa {  
  
    var marks: Int { get set }  
    var result: Bool { get }
```

```
func attendance() -> String
func markssecured() -> String
}

protocol classb: classa {

    var present: Bool { get set }
    var subject: String { get set }
    var stname: String { get set }
}

class classc: classb {
    var marks = 96
    let result = true
    var present = false
    var subject = "Swift 4 Protocols"
    var stname = "Protocols"

    func attendance() -> String {
        return "The \ \(stname) has secured 99% attendance"
    }

    func markssecured() -> String {
        return "\ \(stname) has scored \ \(marks)"
    }
}

let studdet = classc()
studdet.stname = "Swift 4"
studdet.marks = 98
studdet.markssecured()

print(studdet.marks)
print(studdet.result)
```

```
print(studdet.present)
print(studdet.subject)
print(studdet.stname)
```

When we run the above program using playground, we get the following result:

```
98
true
false
Swift 4 Protocols
Swift 4
```

Mutating Method Requirements

```
protocol daysofaweek {
    mutating func print()
}

enum days: daysofaweek {
    case sun, mon, tue, wed, thurs, fri, sat
    mutating func print() {
        switch self {
        case sun:
            self = sun
            print("Sunday")
        case mon:
            self = mon
            print("Monday")
        case tue:
            self = tue
            print("Tuesday")
        case wed:
            self = wed
            print("Wednesday")
        case mon:
            self = thurs
            print("Thursday")
        case tue:
```

```

        self = fri
        print("Friday")
    case sat:
        self = sat
        print("Saturday")
    default:
        print("NO Such Day")
    }
}
}

var res = days.wed
res.print()

```

When we run the above program using playground, we get the following result:

```
Wednesday
```

Initializer Requirements

Swift allows the user to initialize protocols to follow type conformance similar to that of normal initializers.

Syntax

```

protocol SomeProtocol {
    init(someParameter: Int)
}

```

For example

```

protocol tcpProtocol {
    init(aProt: Int)
}

```

Class Implementations of Protocol Initializer Requirements

Designated or convenience initializer allows the user to initialize a protocol to conform its standard by the reserved 'required' keyword.

```
class SomeClass: SomeProtocol {
    required init(someParameter: Int) {
        // initializer implementation statements
    }
}

protocol tcpProtocol {
    init(aProt: Int)
}

class tcpClass: tcpProtocol {
    required init(aProt: Int) {
    }
}
```

Protocol conformance is ensured on all subclasses for explicit or inherited implementation by 'required' modifier.

When a subclass overrides its super class initialization requirement it is specified by the 'override' modifier keyword.

```
protocol tcpProtocol {
    init(no1: Int)
}

class mainClass {
    var no1: Int // local storage
    init(no1: Int) {
        self.no1 = no1 // initialization
    }
}

class subClass: mainClass, tcpProtocol {
    var no2: Int
    init(no1: Int, no2 : Int) {
        self.no2 = no2
    }
}
```



```

        super.init(no1:no1)
    }
    // Requires only one parameter for convenient method
    required override convenience init(no1: Int) {
        self.init(no1:no1, no2:0)
    }
}
let res = mainClass(no1: 20)
let print = subClass(no1: 30, no2: 50)

print("res is: \(res.no1)")
print("res is: \(print.no1)")
print("res is: \(print.no2)")

```

When we run the above program using playground, we get the following result:

```

res is: 20
res is: 30
res is: 50

```

Protocols as Types

Instead of implementing functionalities in a protocol they are used as types for functions, classes, methods etc.

Protocols can be accessed as types in:

- Function, method or initialize as a parameter or return type
- Constant, variable or property
- Arrays, dictionaries or other containers as items

```

protocol Generator {
    typealias members
    func next() -> members?
}

var items = [10,20,30].generate()
while let x = items.next() {
    print(x)
}

```

```

for lists in map([1,2,3], {i in i*5}) {
    print(lists)
}

print([100,200,300])
print(map([1,2,3], {i in i*10}))

```

When we run the above program using playground, we get the following result:

```

10
20
30
5
10
15
[100, 200, 300]
[10, 20, 30]

```

Adding Protocol Conformance with an Extension

Existing type can be adopted and conformed to a new protocol by making use of extensions. New properties, methods and subscripts can be added to existing types with the help of extensions.

```

protocol AgeClassificationProtocol {
    var age: Int { get }
    func agetype() -> String
}

class Person {
    let firstname: String
    let lastname: String
    var age: Int
    init(firstname: String, lastname: String) {
        self.firstname = firstname
        self.lastname = lastname
        self.age = 10
    }
}

```

```

extension Person : AgeClasificationProtocol {
    func fullname() -> String {
        var c: String
        c = firstname + " " + lastname
        return c
    }

    func agetype() -> String {
        switch age {
        case 0...2:
            return "Baby"
        case 2...12:
            return "Child"
        case 13...19:
            return "Teenager"
        case let x where x > 65:
            return "Elderly"
        default:
            return "Normal"
        }
    }
}

```

Protocol Inheritance

Swift 4 allows protocols to inherit properties from its defined properties. It is similar to that of class inheritance, but with the choice of listing multiple inherited protocols separated by commas.

```

protocol classa {
    var no1: Int { get set }
    func calc(sum: Int)
}

protocol result {
    func print(target: classa)
}

```

```
class student2: result {
    func print(target: classa) {
        target.calc(1)
    }
}

class classb: result {
    func print(target: classa) {
        target.calc(5)
    }
}

class student: classa {
    var no1: Int = 10

    func calc(sum: Int) {
        no1 -= sum
        print("Student attempted \(sum) times to pass")

        if no1 <= 0 {
            print("Student is absent for exam")
        }
    }
}

class Player {
    var stmark: result!

    init(stmark: result) {
        self.stmark = stmark
    }

    func print(target: classa) {
        stmark.print(target)
    }
}
```

```

var marks = Player(stmark: student2())
var marksec = student()

marks.print(marksec)
marks.print(marksec)
marks.print(marksec)
marks.stmark = classb()
marks.print(marksec)
marks.print(marksec)
marks.print(marksec)

```

When we run the above program using playground, we get the following result:

```

Student attempted 1 times to pass
Student attempted 1 times to pass
Student attempted 1 times to pass
Student attempted 5 times to pass
Student attempted 5 times to pass
Student is absent for exam
Student attempted 5 times to pass
Student is absent for exam

```

Class Only Protocols

When protocols are defined and the user wants to define protocol with classes it should be added by defining class first followed by protocol's inheritance list.

```

protocol tcpprotocol {
    init(no1: Int)
}

class mainClass {
    var no1: Int // local storage
    init(no1: Int) {
        self.no1 = no1 // initialization
    }
}

class subClass: mainClass, tcpprotocol {
    var no2: Int

```

```

init(no1: Int, no2 : Int) {
    self.no2 = no2
    super.init(no1:no1)
}
// Requires only one parameter for convenient method
required override convenience init(no1: Int) {
    self.init(no1:no1, no2:0)
}
}

let res = mainClass(no1: 20)
let print = subClass(no1: 30, no2: 50)

print("res is: \(res.no1)")
print("res is: \(print.no1)")
print("res is: \(print.no2)")

```

When we run the above program using playground, we get the following result:

```

res is: 20
res is: 30
res is: 50

```

Protocol Composition

Swift 4 allows multiple protocols to be called at once with the help of protocol composition.

Syntax

```
protocol<SomeProtocol, AnotherProtocol>
```

Example

```

protocol sname {
    var name: String { get }
}

protocol stage {
    var age: Int { get }
}

```

```

struct Person: sname, stage {
    var name: String
    var age: Int
}

func print(celebrator: protocol<sname, stage>) {
    print("\(celebrator.name) is \(celebrator.age) years old")
}

let studname = Person(name: "Priya", age: 21)
print(studname)

let stud = Person(name: "Rehan", age: 29)
print(stud)

let student = Person(name: "Roshan", age: 19)
print(student)

```

When we run the above program using playground, we get the following result:

```

Priya is 21 years old
Rehan is 29 years old
Roshan is 19 years old

```

Checking for Protocol Conformance

Protocol conformance is tested by 'is' and 'as' operators similar to that of type casting.

- The is operator returns true if an instance conforms to protocol standard and returns false if it fails.
- The **as?** version of the downcast operator returns an optional value of the protocol's type, and this value is nil if the instance does not conform to that protocol.
- The as version of the downcast operator forces the downcast to the protocol type and triggers a runtime error if the downcast does not succeed.

```

import Foundation
@objc protocol rectangle {

```

```

    var area: Double { get }
}

@objc class Circle: rectangle {
    let pi = 3.1415927
    var radius: Double
    var area: Double { return pi * radius * radius }
    init(radius: Double) { self.radius = radius }
}

@objc class result: rectangle {
    var area: Double
    init(area: Double) { self.area = area }
}

class sides {
    var rectxides: Int
    init(rectxides: Int) { self.rectxides = rectxides }
}

let objects: [AnyObject] = [Circle(radius: 2.0),result(area:
198),sides(rectxides: 4)]

for object in objects {
    if let objectWithArea = object as? rectangle {
        print("Area is \(objectWithArea.area)")
    } else {
        print("Rectangle area is not defined")
    }
}
}

```

When we run the above program using playground, we get the following result:

```

Area is 12.5663708
Area is 198.0
Rectangle area is not defined

```


34. Swift 4 – Generics

Swift 4 language provides 'Generic' features to write flexible and reusable functions and types. Generics are used to avoid duplication and to provide abstraction. Swift 4 standard libraries are built with generics code. Swift 4s 'Arrays' and 'Dictionary' types belong to generic collections. With the help of arrays and dictionaries the arrays are defined to hold 'Int' values and 'String' values or any other types.

```
func exchange(inout a: Int, inout b: Int) {
    let temp = a
    a = b
    b = temp
}

var numb1 = 100
var numb2 = 200

print("Before Swapping values are: \(numb1) and \(numb2)")
exchange(&numb1, &numb2)
print("After Swapping values are: \(numb1) and \(numb2)")
```

When we run the above program using playground, we get the following result:

```
Before Swapping values are: 100 and 200
After Swapping values are: 200 and 100
```

Generic Functions: Type Parameters

Generic functions can be used to access any data type like 'Int' or 'String'.

```
func exchange<T>(inout a: T, inout b: T) {
    let temp = a
    a = b
    b = temp
}

var numb1 = 100
var numb2 = 200

print("Before Swapping Int values are: \(numb1) and \(numb2)")
```

```

exchange(&numb1, &numb2)
print("After Swapping Int values are: \(numb1) and \(numb2)")

var str1 = "Generics"
var str2 = "Functions"

print("Before Swapping String values are: \(str1) and \(str2)")
exchange(&str1, &str2)
print("After Swapping String values are: \(str1) and \(str2)")

```

When we run the above program using playground, we get the following result:

```

Before Swapping Int values are: 100 and 200
After Swapping Int values are: 200 and 100
Before Swapping String values are: Generics and Functions
After Swapping String values are: Functions and Generics

```

The function `exchange()` is used to swap values which is described in the above program and `<T>` is used as a type parameter. For the first time, function `exchange()` is called to return 'Int' values and second call to the function `exchange()` will return 'String' values. Multiple parameter types can be included inside the angle brackets separated by commas.

Type parameters are named as user defined to know the purpose of the type parameter that it holds. Swift 4 provides `<T>` as generic type parameter name. However type parameters like Arrays and Dictionaries can also be named as key, value to identify that they belong to type 'Dictionary'.

```

Generic Types
struct TOS<T> {
    var items = [T]()
    mutating func push(item: T) {
        items.append(item)
    }

    mutating func pop() -> T {
        return items.removeLast()
    }
}

var tos = TOS<String>()
tos.push("Swift 4")
print(tos.items)

```

```

tos.push("Generics")
print(tos.items)

tos.push("Type Parameters")
print(tos.items)

tos.push("Naming Type Parameters")
print(tos.items)

let deletetos = tos.pop()

```

When we run the above program using playground, we get the following result:

```

[Swift 4]
[Swift 4, Generics]
[Swift 4, Generics, Type Parameters]
[Swift 4, Generics, Type Parameters, Naming Type Parameters]

```

Extending a Generic Type

Extending the stack property to know the top of the item is included with 'extension' keyword.

```

struct TOS<T> {
    var items = [T]()
    mutating func push(item: T) {
        items.append(item)
    }

    mutating func pop() -> T {
        return items.removeLast()
    }
}

var tos = TOS<String>()
tos.push("Swift 4")
print(tos.items)

```

```

tos.push("Generics")
print(tos.items)

tos.push("Type Parameters")
print(tos.items)

tos.push("Naming Type Parameters")
print(tos.items)

extension TOS {
    var first: T? {
        return items.isEmpty ? nil : items[items.count - 1]
    }
}

if let first = tos.first {
    print("The top item on the stack is \(first).")
}

```

When we run the above program using playground, we get the following result:

```

[Swift 4]
[Swift 4, Generics]
[Swift 4, Generics, Type Parameters]
[Swift 4, Generics, Type Parameters, Naming Type Parameters]

```

The top item on the stack is Naming Type Parameters.

Type Constraints

Swift 4 language allows 'type constraints' to specify whether the type parameter inherits from a specific class, or to ensure protocol conformance standard.

```

func exchange<T>(inout a: T, inout b: T) {
    let temp = a
    a = b
    b = temp
}

var numb1 = 100

```

```

var numb2 = 200

print("Before Swapping Int values are: \(numb1) and \(numb2)")
exchange(&numb1, &numb2)
print("After Swapping Int values are: \(numb1) and \(numb2)")

var str1 = "Generics"
var str2 = "Functions"

print("Before Swapping String values are: \(str1) and \(str2)")
exchange(&str1, &str2)
print("After Swapping String values are: \(str1) and \(str2)")

```

When we run the above program using playground, we get the following result:

```

Before Swapping Int values are: 100 and 200
After Swapping Int values are: 200 and 100
Before Swapping String values are: Generics and Functions
After Swapping String values are: Functions and Generics

```

Associated Types

Swift 4 allows associated types to be declared inside the protocol definition by the keyword 'typealias'.

```

protocol Container {
    typealias ItemType
    mutating func append(item: ItemType)
    var count: Int { get }
    subscript(i: Int) -> ItemType { get }
}

struct TOS<T>: Container {
    // original Stack<T> implementation
    var items = [T]()
    mutating func push(item: T) {
        items.append(item)
    }
}

```

```

mutating func pop() -> T {
    return items.removeLast()
}

// conformance to the Container protocol
mutating func append(item: T) {
    self.push(item)
}

var count: Int {
    return items.count
}
subscript(i: Int) -> T {
    return items[i]
}
}
var tos = TOS<String>()
tos.push("Swift 4")
print(tos.items)

tos.push("Generics")
print(tos.items)

tos.push("Type Parameters")
print(tos.items)

tos.push("Naming Type Parameters")
print(tos.items)

```

When we run the above program using playground, we get the following result:

```

[Swift 4]
[Swift 4, Generics]
[Swift 4, Generics, Type Parameters]
[Swift 4, Generics, Type Parameters, Naming Type Parameters]

```

Where Clauses

Type constraints enable the user to define requirements on the type parameters associated with a generic function or type. For defining requirements for associated types 'where' clauses are declared as part of type parameter list. 'where' keyword is placed immediately after the list of type parameters followed by constraints of associated types, equality relationships between types and associated types.

```
protocol Container {
    typealias ItemType
    mutating func append(item: ItemType)
    var count: Int { get }
    subscript(i: Int) -> ItemType { get }
}

struct Stack<T>: Container {
    // original Stack<T> implementation
    var items = [T]()
    mutating func push(item: T) {
        items.append(item)
    }
    mutating func pop() -> T {
        return items.removeLast()
    }

    // conformance to the Container protocol
    mutating func append(item: T) {
        self.push(item)
    }
    var count: Int {
        return items.count
    }
    subscript(i: Int) -> T {
        return items[i]
    }
}

func allItemsMatch<
    C1: Container, C2: Container
    where C1.ItemType == C2.ItemType, C1.ItemType: Equatable>
```

```

    (someContainer: C1, anotherContainer: C2) -> Bool {
    // check that both containers contain the same number of items
    if someContainer.count != anotherContainer.count {
        return false
    }

    // check each pair of items to see if they are equivalent
    for i in 0..

```

When we run the above program using playground, we get the following result:

```

[Swift 4]
[Swift 4, Generics]
[Swift 4, Generics, Where Clause]
[Swift 4, Generics, Where Clause]

```


35. Swift 4 – Access Control

To restrict access to code blocks, modules and abstraction is done through access control. Classes, structures and enumerations can be accessed according to their properties, methods, initializers and subscripts by access control mechanisms. Constants, variables and functions in a protocol are restricted and allowed access as global and local through access control. Access control applied to properties, types and functions can be referred as 'entities'.

Access control model is based on modules and source files.

Module is defined as a single unit of code distribution and can be imported using the keyword 'import'. A source file is defined as a single source code file with in a module to access multiple types and functions.

Three different access levels are provided by Swift 4 language. They are Public, Internal and Private access.

Access Levels	Definition
Public	Enables entities to be processed with in any source file from their defining module, a source file from another module that imports the defining module.
Internal	Enables entities to be used within any source file from their defining module, but not in any source file outside of that module.
Private	Restricts the use of an entity to its own defining source file. Private access plays role to hide the implementation details of a specific code functionality.

Syntax

```
public class SomePublicClass {}
internal class SomeInternalClass {}
private class SomePrivateClass {}

public var somePublicVariable = 0
internal let someInternalConstant = 0
private func somePrivateFunction() {}
```

Access Control for Function types

Some functions may have arguments declared inside the function without any return values. The following program declares a and b as arguments to the sum() function. Inside the function itself the values for arguments a and b are passed by invoking the function call sum() and its values are printed thereby eliminating return values. To make the function's return type as private, declare the function's overall access level with the private modifier.

```
private func sum(a: Int, b: Int) {
    let a = a + b
    let b = a - b
    print(a, b)
}

sum(20, 10)
sum(40,10)
sum(24,6)
```

When we run the above program using playground, we get the following result:

```
(30, 20)
(50, 40)
(30, 24)
```

Access Control for Enumeration types

```
public enum Student{
    case Name(String)
    case Mark(Int,Int,Int)
}
var studDetails = Student.Name("Swift 4")
var studMarks = Student.Mark(98,97,95)
switch studMarks {
    case .Name(let studName):
        print("Student name is: \(studName).")
    case .Mark(let Mark1, let Mark2, let Mark3):
        print("Student Marks are: \(Mark1),\(Mark2),\(Mark3).")
    default:
        print("Nothing")
}
```

When we run the above program using playground, we get the following result:

```
Student Marks are: 98,97,95
```

Enumeration in Swift 4 language automatically receive the same access level for individual cases of an enumeration. Consider for example to access the students name and marks secured in three subjects enumeration name is declared as student and the members present in enum class are name which belongs to string datatype, marks are represented

as mark1, mark2 and mark3 of datatype Integer. To access either the student name or marks they have scored. Now, the switch case will print student name if that case block is executed otherwise it will print the marks secured by the student. If both condition fails the default block will be executed.

Access Control for SubClasses

Swift 4 allows the user to subclass any class that can be accessed in the current access context. A subclass cannot have a higher access level than its superclass. The user is restricted from writing a public subclass of an internal superclass.

```
public class cricket {
    private func print() {
        print("Welcome to Swift 4 Super Class")
    }
}

internal class tennis: cricket {
    override internal func print() {
        print("Welcome to Swift 4 Sub Class")
    }
}

let cricinstance = cricket()
cricinstance.print()

let tennisinstance = tennis()
tennisinstance.print()
```

When we run the above program using playground, we get the following result:

```
Welcome to Swift 4 Super Class
Welcome to Swift 4 Sub Class
```

Access Control for Constants, variables, properties and subscripts

Swift 4 constant, variable, or property cannot be defined as public than its type. It is not valid to write a public property with a private type. Similarly, a subscript cannot be more public than its index or return type.

When a constant, variable, property, or subscript makes use of a private type, the constant, variable, property, or subscript must also be marked as private:

```
private var privateInstance = SomePrivateClass()
```

Getters and Setters

Getters and setters for constants, variables, properties, and subscripts automatically receive the same access level as the constant, variable, property, or subscript they belong to.

```
class Samplepgm {
    private var counter: Int = 0{
        willSet(newTotal){
            print("Total Counter is: \(newTotal)")
        }
        didSet{
            if counter > oldValue {
                print("Newly Added Counter \(counter - oldValue)")
            }
        }
    }
}

let NewCounter = Samplepgm()
NewCounter.counter = 100
NewCounter.counter = 800
```

When we run the above program using playground, we get the following result:

```
Total Counter is: 100
Newly Added Counter 100
Total Counter is: 800
Newly Added Counter 700
```

Access Control for Initializers and Default Initializers

Custom initializers can be assigned an access level less than or equal to the type that they initialize. A required initializer must have the same access level as the class it belongs to. The types of an initializer's parameters cannot be more private than the initializer's own access level.

To declare each and every subclass of the initialize 'required' keyword needs to be defined before the init() function.

```
class classA {
```

```

required init() {
    var a = 10
    print(a)
}
}

class classB: classA {
    required init() {
        var b = 30
        print(b)
    }
}

let res = classA()
let print = classB()

```

When we run the above program using playground, we get the following result:

```

10
30
10

```

A default initializer has the same access level as the type it initializes, unless that type is defined as public. When default initialize is defined as public it is considered internal. When the user needs a public type to be initializable with a no-argument initializer in another module, provide explicitly a public no-argument initializer as part of the type's definition.

Access Control for Protocols

When we define a new protocol to inherit functionalities from an existing protocol, both has to be declared the same access levels to inherit the properties of each other. Swift 4 access control won't allow the users to define a 'public' protocol that inherits from an 'internal' protocol.

```

public protocol tcpprotocol {
    init(no1: Int)
}

public class mainClass {
    var no1: Int // local storage
    init(no1: Int) {
        self.no1 = no1 // initialization
    }
}

```

```

    }
}

class subClass: mainClass, tcpprotocol {
    var no2: Int
    init(no1: Int, no2 : Int) {
        self.no2 = no2
        super.init(no1:no1)
    }

    // Requires only one parameter for convenient method
    required override convenience init(no1: Int) {
        self.init(no1:no1, no2:0)
    }
}

let res = mainClass(no1: 20)
let print = subClass(no1: 30, no2: 50)

print("res is: \(res.no1)")
print("res is: \(print.no1)")
print("res is: \(print.no2)")

```

When we run the above program using playground, we get the following result:

```

res is: 20
res is: 30
res is: 50

```

Access Control for Extensions

Swift 4 does not allow the users to provide an explicit access level modifier for an extension when the user uses that extension to add protocol conformance. The default access level for each protocol requirement implementation within the extension is provided with its own protocol access level.

Access Control for Generics

Generics allow the user to specify minimum access levels to access the type constraints on its type parameters.

```

public struct TOS<T> {
    var items = [T]()
    private mutating func push(item: T) {
        items.append(item)
    }

    mutating func pop() -> T {
        return items.removeLast()
    }
}

var tos = TOS<String>()
tos.push("Swift 4")
print(tos.items)

tos.push("Generics")
print(tos.items)

tos.push("Type Parameters")
print(tos.items)

tos.push("Naming Type Parameters")
print(tos.items)
let deletetos = tos.pop()

```

When we run the above program using playground, we get the following result:

```

[Swift 4]
[Swift 4, Generics]
[Swift 4, Generics, Type Parameters]
[Swift 4, Generics, Type Parameters, Naming Type Parameters]

```

Access Control for Type Aliases

The user can define type aliases to treat distinct access control types. Same access level or different access levels can be defined by the user. When type alias is 'private' its

associated members can be declared as 'private, internal or public type'. When type alias is public the members cannot be alias as an 'internal' or 'private' name

Any type aliases you define are treated as distinct types for the purposes of access control. A type alias can have an access level less than or equal to the access level of the type it aliases. For example, a private type alias can alias a private, internal, or public type, but a public type alias cannot alias an internal or private type.

```
public protocol Container {
    typealias ItemType
    mutating func append(item: ItemType)
    var count: Int { get }
    subscript(i: Int) -> ItemType { get }
}

struct Stack<T>: Container {
    // original Stack<T> implementation
    var items = [T]()
    mutating func push(item: T) {
        items.append(item)
    }

    mutating func pop() -> T {
        return items.removeLast()
    }

    // conformance to the Container protocol
    mutating func append(item: T) {
        self.push(item)
    }

    var count: Int {
        return items.count
    }

    subscript(i: Int) -> T {
        return items[i]
    }
}
```



```

func allItemsMatch<
    C1: Container, C2: Container
    where C1.ItemType == C2.ItemType, C1.ItemType: Equatable>
    (someContainer: C1, anotherContainer: C2) -> Bool {
    // check that both containers contain the same number of items
    if someContainer.count != anotherContainer.count {
        return false
    }

    // check each pair of items to see if they are equivalent
    for i in 0..

```

When we run the above program using playground, we get the following result:

```
[Swift 4]
```

```
[Swift 4, Generics]
[Swift 4, Generics, Where Clause]
[Swift 4, Generics, Where Clause]
```

Swift Encoding and Decoding

Swift 4 introduces a new **Codable** Protocol, that let's you serialize and De-serialize custom data types without writing any special code – and without having to worry about losing your value types.

```
struct Language: Codable {
    var name: String
    var version: Int
}
let swift = Language(name: "Swift", version: 4)
let java = Language(name: "java", version: 8)
let R = Language(name: "R", version: 3)
```

Notice that Language is conforming to Codable Protocol. Now we'll convert it to a Json Data Representation using one simple line.

```
let encoder = JSONEncoder()
if let encoded = try? encoder.encode(java)
{
    //Perform some operations on this value.
}
```

Swift will automatically encode all the values inside your data type.

You can decode the data using Decoder function like

```
let decoder = JSONDecoder()
if let decoded = try? decoder.decode(Language.self, from: encoded)
{
    //Perform some operations on this value.
}
```

Both JSONEncoder and its property list counterpart PropertyListEncoder have lots of options for customizing how they work.